

# **BLUE LIZARD SENSITIVE FACE SUNSCREEN- titanium dioxide, zinc oxide gel**

## **Crown Laboratories**

-----

### **Blue Lizard Sensitive Face Sunscreen**

#### ***Active Ingredients***

Titanium Dioxide 1.0%

Zinc Oxide 7.8%

#### ***Purpose***

Sunscreen

#### ***Uses***

- Helps prevent sunburn and photodamage caused by UVA/UVB exposure
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### ***Warnings***

- When using this product
- Keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if
- Rash or irritation occurs
- Do not use
- On damaged or broken skin
- If allergic to any ingredient
- If swallowed, get medical help or contact a Poison Control Center

#### ***Directions***

- **Shake well prior to use**
- Apply liberally to dry skin 15 minutes before sun exposure
- For topical use only
- Children under 6 months: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
- **Reapply to dry skin:**
  - At least every 2 hours

- Use a water resistant sunscreen if swimming or sweating

## **Keep out of reach of children**

### ***Other Information***

- Protect the product in this container from excessive heat and direct sun
- May stain some fabrics

### ***Inactive Ingredients***

Alumina, Aluminum Stearate, Beeswax, C12-15 Alkyl Benzoate, C13-14 Isoparaffin, Caffeine, Camellia Sinensis Leaf (Green Tea) Extract, Caprylyl Glycol, Chlorphenesin, Cyclomethicone, Dimethoxydiphenylsilane, Isostearyl Alcohol, Laureth-7, Lauryl PEG/PPG 18/18 Methicone, Phenoxyethanol, Polyacrylamide, Polyhydroxystearic Acid, Purified Water, Sodium Hyaluronate, Triethoxycaprylylsilane

### ***Questions?***

Visit [www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com) or call **800.877.8869**

Crown Laboratories, Inc., Johnson City, TN 37604

## **Blue Lizard Sensitive Face Tube**

BLUE LIZARD

AUSTRALIAN SUNSCREEN

30+

UVA/UVB PROTECTION

BROAD SPECTRUM

SPF 30+

TRUSTED BY DERMATOLOGISTS FOR OVER 20 YEARS

SENSITIVE face

mineral sunscreen

Smart Cap TECHNOLOGY

CAP CHANGES COLOR IN HARMFUL UV LIGHT

WITH HYDRATING HYALURONIC ACID

Mineral Sunscreen

Protects your skin by acting like thousands of tiny shields that reflect UV rays.

P11467.02

# BLUE LIZARD®

## AUSTRALIAN SUNSCREEN

# 30<sup>+</sup>

UVA / UVB PROTECTION  
BROAD SPECTRUM  
SPF 30+

TRUSTED BY  
DERMATOLOGISTS  
FOR OVER 20 YEARS



**SENSITIVE** face  
mineral sunscreen

**Smart Cap™ TECHNOLOGY**  
CAP CHANGES COLOR IN HARMFUL UV LIGHT

WITH HYDRATING  
HYALURONIC ACID

1.7 oz (48 g)



### Mineral Sunscreen

Protects your skin by acting like thousands of tiny shields that reflect UV rays.

<b>Drug Facts</b>	<b>Made in USA</b>
<b>Active Ingredients</b> Titanium Dioxide 1.0% Zinc Oxide 7.8%	<b>Purpose</b> Sunscreen Sunscreen
<b>Uses</b> Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center	
<b>Directions</b> <b>Shake well prior to use</b> • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. <b>Reapply to dry skin:</b> • At least every 2 hours • Use a water resistant sunscreen if swimming or sweating	
<b>Other Information</b> Protect the product in this container from excessive heat and direct sun • May stain some fabrics	
<b>Inactive Ingredients</b> Alumina, Aluminum Stearate, Beeswax, C12-15 Alkyl Benzoate, C13-14 Isoparaffin, Caffeine, Camellia Sinensis Leaf (Green Tea) Extract, Caprylyl Glycol, Chlorphenesin, Cyclomethicone, Dimethoxydiphenylsilane, Isostearyl Alcohol, Laureth-7, Lauryl PEG/PPG 18/18 Methicone, Phenoxyethanol, Polyacrylamide, Polyhydroxystearic Acid, Purified Water, Sodium Hyaluronate, Triethoxycaprylylsilane	
<b>Questions?</b> Visit <a href="http://www.bluelizardsunscreen.com">www.bluelizardsunscreen.com</a> or call 800.877.8869	
 <b>CROWN</b> Crown Laboratories, Inc. Johnson City, TN 37604 P11467.02	



**Blue Lizard Sensitive Face Carton**

P11468.02

# BLUE LIZARD<sup>®</sup>

## AUSTRALIAN SUNSCREEN

Born in Australia | Made in the USA

### SENSITIVE face

MINERAL SUNSCREEN WITH  
HYDRATING HYALURONIC ACID,  
CAFFEINE AND  
ANTIOXIDANT GREEN TEA

At Blue Lizard we love  
sunshine too. It enhances our  
mood, warms our bodies and  
keeps us healthy...




however, sun exposure can also  
cause problems like premature  
aging of the skin and, worse still,  
cancer. So protection, **real**  
protection, is critical - which is  
fine by us because that is what  
Blue Lizard sunscreens have  
been designed to do.

We are passionate about **shielding**  
you from the sun's harmful UV rays  
with mineral products that are fun,  
easy-to-use and offer **real protection**  
for you and your family.

That is why we have been **trusted**  
by dermatologists for over 20 years.

#### Dermatologists Recommend:

1 ounce (6 tsp.) of sunscreen to cover  
exposed areas of the body.



Adjust the amount of sunscreen  
based on your body size.

[www.bluelizardsunscreens.com](http://www.bluelizardsunscreens.com)

#### Drug Facts

Made in USA

Active Ingredients	Purpose
Titanium Dioxide 1.0%	Sunscreen
Zinc Oxide 7.8%	Sunscreen

**Uses**  
Helps prevent sunburn and photodamage caused by  
UVA/UVB exposure • Higher SPF gives more  
sunburn protection • If used as directed with other  
sun protection measures (see **Directions**),  
decreases the risk of skin cancer and early skin  
aging caused by the sun

**Warnings**  
When using this product • Keep out of eyes. Rinse  
with water to remove • Stop use and ask a doctor if  
• Rash or irritation occurs • Do not use • On  
damaged or broken skin • If allergic to any ingredient  
• If swallowed, get medical help or contact a Poison  
Control Center

**Directions**  
Shake well prior to use • Apply liberally to dry skin  
15 minutes before sun exposure • For topical use  
only • Keep out of reach of children • Children under  
6 months: ask a doctor • **Sun Protection Measures:**  
Spending time in the sun increases your risk of skin  
cancer and early skin aging. To decrease this risk,  
regularly use a sunscreen with a Broad Spectrum  
SPF value of 15 or higher and other sun protection  
measures including: • Limit time in the sun,  
especially from 10 a.m. - 2 p.m. • Wear long-sleeved  
shirts, pants, hats, and sunglasses. **Reapply to dry**  
skin • At least every 2 hours • Use a water resistant  
sunscreen if swimming or sweating

**Other Information**  
Protect the product in this container from excessive  
heat and direct sun • May stain some fabrics

**Inactive Ingredients**  
Alumina, Aluminum Stearate, Beeswax, C12-15  
Alkyl Benzoate, C13-14 Isoparaffin, Caffeine,  
Camellia Sinensis Leaf (Green Tea) Extract,  
Caprylyl Glycol, Chlorphenesin, Cyclomethicone,  
Dimethoxydiphenylsilane, Isostearyl Alcohol,  
Laureth-7, Lauryl PEG/PPG 18/18 Methicone,  
Phenoxyethanol, Polyacrylamide,  
Polyhydroxystearic Acid, Purified Water, Sodium  
Hyaluronate, Triethoxycaprylylsilane

**Questions?**  
Visit [www.bluelizardsunscreens.com](http://www.bluelizardsunscreens.com)  
or call 800.877.8869



CROWN  
Laboratories, Inc.  
Johnson City, TN 37604  
[www.crownlaboratories.com](http://www.crownlaboratories.com)



# BLUE LIZARD<sup>®</sup>

## AUSTRALIAN SUNSCREEN

# 30<sup>+</sup>

UVA / UVB PROTECTION  
BROAD SPECTRUM  
SPF 30+



TRUSTED BY  
DERMATOLOGISTS  
FOR OVER 20 YEARS

### SENSITIVE face

mineral sunscreen

Smart Cap<sup>™</sup> TECHNOLOGY  
CAP CHANGES COLOR IN HARMFUL UV LIGHT

WITH HYDRATING  
HYALURONIC ACID

1.7 oz (48 g)



### DID YOU KNOW?

Blue Lizard is named after a  
chameleon that changes  
color to protect itself...



Just like the lizard, your cap  
will change color in harmful UV  
rays reminding you to protect  
yourself by applying sunscreen.



### It's Genius!

#### Mineral Sunscreen

Protects your skin by acting  
like thousands of tiny shields  
that reflect UV rays.

#### Paraben-Free

Contains no fragrance or  
parabens making it ideal for  
sensitive skin.

#### We Love The Reef

To help protect the delicate  
ecosystem of the world's coral  
reefs, we are free from  
Oxybenzone and Octinoxate.

## BLUE LIZARD SENSITIVE FACE SUNSCREEN

titanium dioxide, zinc oxide gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-2056
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	83.4 mg in 1 g

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | **TITANIUM DIOXIDE** | 10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)	
<b>LAURETH-7</b> (UNII: Z95S6G8201)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>POLYACRYLAMIDE (1500 MW)</b> (UNII: 5D6TC4BRWW)	
<b>DIMETHOXYDIPHENYLSILANE</b> (UNII: 02QB6788GC)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2056-17	1 in 1 CARTON	01/30/2019	
1		48 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/30/2019	

**Labeler** - Crown Laboratories (079035945)

### Establishment

Name	Address	ID/FEI	Business Operations
Crown Laboratories		079035945	manufacture(0316-2056)

