

## **DISCOUNT LICE TREATMENT- piperonyl butoxide, pyrethrum extract**

### **Discount drug mart**

-----

### **Discount Drug Mart complete lice treatment**

#### **Active ingredient**

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

#### **Uses**

treats head, pubic (crab), and body lice

#### **Purpose**

Lice treatment

#### **Warnings**

##### **For external use only**

##### **Do not use**

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

##### **Ask a doctor before use if you are**

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

##### **When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

##### **Stop use and ask a doctor if**

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

##### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

### **Inspect**

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

### **Treat**

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

### **Remove lice and their eggs (nits)**

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years:** ask a doctor

### **Other information**

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

### **Inactive ingredients**

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

### **Package Insert**

# LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

**DIRECTIONS**

**IMPORTANT!**  
READ IN SPANISH BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS).

**Important!**  
Read in Spanish before using this product. A second treatment must be done in 7-10 days to kill any newly hatched lice eggs (nits).

**1. HEAD LICE**  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.

**2. PUBIC (CRAB) LICE**  
■ Pubic (crab) lice may be contracted by sexual contact.  
■ Small particles should be treated.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.

**3. BODY LICE**  
■ Body lice are found on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.

SHAKE WELL BEFORE USING

# LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

**DIRECTIONS**

**IMPORTANT!**  
READ IN SPANISH BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS).

**Important!**  
Read in Spanish before using this product. A second treatment must be done in 7-10 days to kill any newly hatched lice eggs (nits).

**1. HEAD LICE**  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.

**2. PUBIC (CRAB) LICE**  
■ Pubic (crab) lice may be contracted by sexual contact.  
■ Small particles should be treated.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.

**3. BODY LICE**  
■ Body lice are found on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.  
■ Wash hair with small white eggs (nits) on the hair shaft close to the scalp.  
■ Eggs (nits) are small, oval-shaped, white, oval-shaped, and are found on the hair shaft.

SHAKE WELL BEFORE USING

## Principal Display Panel

# CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

**INSTRUCCIONES**

**IMPORTANT!**  
LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVITOS (LADILLAS).

**Important!**  
Leer las advertencias antes de usar este producto. Un segundo tratamiento debe ser realizado entre 7 y 10 días para eliminar la reproducción de nuevos piojos y huevitos (ladillas).

**1. PIOJOS DE LA CABEZA**  
■ Los piojos de cabeza pueden transmitirse al tocarse la cabeza.  
■ Los piojos de cabeza son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos de cabeza son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos de cabeza son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.

**2. PIOJOS PÚBLICOS (LADILLAS)**  
■ Los piojos públicos (ladillas) pueden adquirirse por contacto sexual.  
■ Los piojos públicos (ladillas) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos públicos (ladillas) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.

**3. PIOJOS DEL CUERPO**  
■ Los piojos del cuerpo (piojos) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos del cuerpo (piojos) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.

AGÍTESE MUY BIEN ANTES DE USAR

# CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

**INSTRUCCIONES**

**IMPORTANT!**  
LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVITOS (LADILLAS).

**Important!**  
Leer las advertencias antes de usar este producto. Un segundo tratamiento debe ser realizado entre 7 y 10 días para eliminar la reproducción de nuevos piojos y huevitos (ladillas).

**1. PIOJOS DE LA CABEZA**  
■ Los piojos de cabeza pueden transmitirse al tocarse la cabeza.  
■ Los piojos de cabeza son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos de cabeza son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos de cabeza son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.

**2. PIOJOS PÚBLICOS (LADILLAS)**  
■ Los piojos públicos (ladillas) pueden adquirirse por contacto sexual.  
■ Los piojos públicos (ladillas) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos públicos (ladillas) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.

**3. PIOJOS DEL CUERPO**  
■ Los piojos del cuerpo (piojos) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.  
■ Los piojos del cuerpo (piojos) son pequeños, blancos, ovalados y se encuentran en la parte posterior del cuello y detrás de las orejas.

AGÍTESE MUY BIEN ANTES DE USAR



discount Drug mart

Complete lice treatment Kit

1 treat shampoo

2 remove spray

3 control aerosol

## DISCOUNT LICE TREATMENT

piperonyl butoxide, pyrethrum extract kit

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:53943-255

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-255-01	1 in 1 CARTON; Type 0: Not a Combination Product	01/03/2014	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
--------	------------------	------------------------

<b>Part 1</b>	1 BOTTLE, SPRAY	59 mL
<b>Part 2</b>	1 BOTTLE	118 mL

## Part 1 of 2

### LICE AND EGG COMBING

hair conditioners, leave-on [hair preparations (non-coloring)] spray

#### Product Information

#### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
INGR	<b>WATER</b> (UNII: 059QF0K00R)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>PANTHENOL</b> (UNII: WV9CM0O67Z)	
INGR	<b>AMODIMETHICONE (800 CST)</b> (UNII: 363Z2T48P7)	
INGR	<b>METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE MIXTURE</b> (UNII: 15O9QS218W)	
INGR	<b>TRIDECETH-12</b> (UNII: YFY3KG5Y7O)	
INGR	<b>CETRIMONIUM CHLORIDE</b> (UNII: UC9PE95IBP)	
INGR	<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
INGR	<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/03/2014	

## Part 2 of 2

### DISCOUNT DRUG MART LICE KILLING

piperonyl butoxide, pyrethrum extract shampoo

Product Information				
Item Code (Source)		NDC:53943-253		
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)		PIPERONYL BUTOXIDE	4 g in 100 mL	
PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)		PYRETHRUM EXTRACT	0.33 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
POLYQUATERNIUM-10 (400 MPA.S AT 2%) (UNII: HB1401PQFS)				
AMMONIUM LAURETH-2 SULFATE (UNII: 698O4Z48G6)				
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0KO0R)				
PEG-25 HYDROGENATED CASTOR OIL (UNII: 0ZNO9PJ9J)				
Product Characteristics				
Color	yellow (cloudy to transparent, cream to straw)		Score	
Shape			Size	
Flavor			Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M031	02/01/2014	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M031	10/28/2010	

**Labeler** - Discount drug mart (047741335)

**Registrant** - Weeks & Leo Co., Inc. (005290028)

## Establishment

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(53943-255)

Revised: 12/2023

Discount drug mart