

QUALITY CHOICE LICE TREATMENT- piperonyl butoxide, pyrethrum extract

Chain Drug Marketing Association

Quality Choice Lice treatment Kit

Active ingredient

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

Uses

treats head, pubic (crab), and body lice

Purpose

Lice treatment

Warnings

For external use only

Do not use

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years:** ask a doctor

Other information

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Consumer Information - Package Insert

LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

DIRECTIONS

IMPORTANT!
READ INSTRUCTIONS BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS).

Shampoo

- Wash your hair thoroughly with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

1. HEAD LICE

- Wash hair with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

2. PUBIC (CRAB) LICE

- Wash pubic hair with shampoo.
- Apply shampoo to pubic hair and massage into scalp.
- Leave shampoo on pubic hair for 10 minutes.
- Rinse pubic hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

3. BODY LICE

- Wash body with shampoo.
- Apply shampoo to body and massage into skin.
- Leave shampoo on body for 10 minutes.
- Rinse body thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

SHAKE WELL BEFORE USING

CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

DIRECCIONES

¡IMPORTANTE!
LEA LAS ADVERTENCIALES ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVITOS (LADILLAS).

Shampoo

- Lave su cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

1. PIOJOS DE LA CABEZA

- Lave el cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

2. PIOJOS PÚBLICOS (LADILLAS)

- Lave la zona púbica con champú.
- Aplicar champú en la zona púbica y masajear.
- Dejar champú en la zona púbica por 10 minutos.
- Enjuagar la zona púbica.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

3. PIOJOS DEL CUERPO

- Lave el cuerpo con champú.
- Aplicar champú en el cuerpo y masajear.
- Dejar champú en el cuerpo por 10 minutos.
- Enjuagar el cuerpo.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

AGÍTESE MUY BIEN ANTES DE USAR

LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

DIRECTIONS

IMPORTANT!
READ INSTRUCTIONS BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS).

Shampoo

- Wash your hair thoroughly with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

1. HEAD LICE

- Wash hair with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

2. PUBIC (CRAB) LICE

- Wash pubic hair with shampoo.
- Apply shampoo to pubic hair and massage into scalp.
- Leave shampoo on pubic hair for 10 minutes.
- Rinse pubic hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

3. BODY LICE

- Wash body with shampoo.
- Apply shampoo to body and massage into skin.
- Leave shampoo on body for 10 minutes.
- Rinse body thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

SHAKE WELL BEFORE USING

CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

DIRECCIONES

¡IMPORTANTE!
LEA LAS ADVERTENCIALES ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVITOS (LADILLAS).

Shampoo

- Lave su cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

1. PIOJOS DE LA CABEZA

- Lave el cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

2. PIOJOS PÚBLICOS (LADILLAS)

- Lave la zona púbica con champú.
- Aplicar champú en la zona púbica y masajear.
- Dejar champú en la zona púbica por 10 minutos.
- Enjuagar la zona púbica.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

3. PIOJOS DEL CUERPO

- Lave el cuerpo con champú.
- Aplicar champú en el cuerpo y masajear.
- Dejar champú en el cuerpo por 10 minutos.
- Enjuagar el cuerpo.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

AGÍTESE MUY BIEN ANTES DE USAR

Principal Display Panel

Quality Choice

The all in one lice solution for your family

Compare to the Active Ingredients in RID® Shampoo

with maximum strength Shampoo

1 treat shampoo

Principal Display Panel

Quality Choice

The all in one lice solution for your family

Compare to the Active Ingredients in RID® Shampoo

with maximum strength Shampoo

1 treat shampoo

2 remove comb/gel

3 control spray

Instrucciones en español incluidas

Hexachrome Cyan C

200C

CMYK

Lice Killing Shampoo

Drug Facts (continued)

- hair should remain slightly damp with covering nit
- If hair dries during combing, dampen hair with water
- For head lice, part the hair into sections. Do one section at a time starting at top of head, longer hair may take 10 to 20 minutes.
- If it is 1 to 2 inches with strands of hair, place comb as close to scalp as possible and comb with a fine, new motion away from scalp.
- go back each strand of hair after combing
- Clean comb often. Wipe nit away with tissue and discard it in a plastic bag, Seal bag and discard it present from combing back.
- After combing, thoroughly check for lice/nits. Repeat combing if necessary.
- Check daily for any lice/nits that you missed
- A second treatment must be done 7 to 10 days to kill any newly hatched lice
- If nitrates continue, see a doctor for other treatments

Use under 2 years: see a doctor

Other information

- Use in cool
- Store at controlled room temperature 20°C to 25°C (68°F to 77°F)
- See package insert for additional information

Active ingredients
piperonyl butoxide 10%, Pyrethrum extract equivalent to 0.57% permethrin

Contains: Hexachrome Cyan C 200C CMYK

Lice, Bedbug & Mite Spray

ACTIVE INGREDIENTS* 0.50%
piperonyl butoxide
OTHER INGREDIENTS** 99.50%
TOTAL 100.00%

*Other active ingredients include: 5-phenylhexanoic acid, 1,2-dichloroethane, and methyl salicylate.

First Aid
If on skin or clothing: Wash affected area immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If the spray has gotten into your eyes or mouth, rinse with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice if irritation persists. If a person cannot breathe or breathe is difficult, call a poison control center or doctor. Do not give any liquid to the person. Do not give any liquid to the person. Do not give any liquid to the person. Do not give any liquid to the person.

PRECAUTIONARY STATEMENTS
Irritant: Avoid Contact with Skin, Eyes, or Clothing. Wash Thoroughly with Soap and Water after Handling. Avoid Contact with Skin, Eyes, or Clothing. Wash Thoroughly with Soap and Water after Handling. Avoid Contact with Skin, Eyes, or Clothing. Wash Thoroughly with Soap and Water after Handling.

Lice, Bedbug & Mite Spray (continued)

Physical or Chemical Hazards
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate. Contents are flammable. Do not use or store near heat or open flame. Do not puncture or incinerate. Contents are flammable.

Precautionary Statements
Avoid Contact with Skin, Eyes, or Clothing. Wash Thoroughly with Soap and Water after Handling. Avoid Contact with Skin, Eyes, or Clothing. Wash Thoroughly with Soap and Water after Handling.

Lice & Egg Combing Spray

Use: Strangely hair to make lice and egg comb-out easier.

Warning: For external use only.
Avoid contact with eyes. If product gets into the eyes, immediately flush with water.

Directions:
1. Use of 100 shampooing with Lice Killing Shampoo and rinsing hair with water.
2. Towel dry hair. Apply a small amount of Lice & Egg Combing Spray and use very wide toothed comb to remove any tangles.
3. Using the enclosed professional Lice Comb, comb and the hair, again in the same direction as done.
4. Use more spray as needed to detangle hair during the comb-out process.

Ingredients:
Water, glycerin, polyethylene glycol, parabens, 20, cetrimonium chloride, and hydroxyethylcellulose.

Manufactured by:
White & Carter, Inc.
2075 NW 52nd Ct
Coral Gables, FL 33134
1-877-974-7167

Complete Lice Treatment Kit
The All-In-One Lice Solution For Your Family

With Maximum Strength Shampoo

Step 1: TREAT
SHAMPOO - Kills Head Lice, Nits, Lice & Egg Combing Spray (Includes Lice)

Step 2: REMOVE
COMB - 100% Nylon
SPRAY - Includes Combing Cream, Heavy Duty Spray, Lice Eggs

Step 3: CONTROL
SPRAY - Kills Lice and Bedbugs
4 1oz (30 mL) Lice Killing Shampoo, **2** 4oz (118 mL) Lice & Egg Combing Spray, **1** Special Nit Comb

Instrucciones en español incluidas

KEEP OUT OF REACH OF CHILDREN
CAUTION: See Skin Panel for Additional Precautionary Statements

6 53515 19475 0

QUALITY CHOICE LICE TREATMENT

piperonyl butoxide, pyrethrum extract kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-525

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-525-01	1 in 1 CARTON; Type 0: Not a Combination Product	01/03/2014	

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL

Part 1 of 1

LICE KILLING

pipерonyl butoxide, pyrethrum extract shampoo

Product Information

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	40 mg in 1 mL
PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	3.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYQUATERNIUM-10 (400 MPAS AT 2%) (UNII: HB1401PQFS)	
AMMONIUM LAURETH-2 SULFATE (UNII: 69804Z48G6)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
PEG-25 HYDROGENATED CASTOR OIL (UNII: 0ZNO9PJJ9J)	

Product Characteristics

Color	yellow (cloudy to transparent, cream to straw)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	02/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	10/28/2010	

Labeler - Chain Drug Marketing Association (011920774)

Registrant - Weeks & Leo Co., Inc. (005290028)

Establishment

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(63868-525)

Revised: 12/2023

Chain Drug Marketing Association