

**BEST CHOICE LICE TREATMENT- piperonyl butoxide, pyrethrum extract
Associated Wholesale Grocers, Inc.**

Best Choice Lice Kit

Active ingredient

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

Uses

treats head, pubic (crab), and body lice

Purpose

Lice treatment

Warnings

For external use only

Do not use

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years:** ask a doctor

Other information

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Package Insert

LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

DIRECTIONS

IMPORTANT! READ INSTRUCTIONS BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS)

Shampoo

- Wash your hair thoroughly with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

1. HEAD LICE

- Wash hair with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

2. PUBIC (CRAB) LICE

- Wash pubic hair with shampoo.
- Apply shampoo to pubic hair and massage into scalp.
- Leave shampoo on pubic hair for 10 minutes.
- Rinse pubic hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

3. BODY LICE

- Wash body with shampoo.
- Apply shampoo to body and massage into skin.
- Leave shampoo on body for 10 minutes.
- Rinse body thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

SHAKE WELL BEFORE USING

CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

DIRECCIONES

¡IMPORTANTE! LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVITOS (BIENOS).

Shampoo

- Lave su cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar el champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

1. PIOJOS DE LA CABEZA

- Lave el cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar el champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

2. PIOJOS PÚBLICOS (LADILLAS)

- Lave la zona púbica con champú.
- Aplicar champú en la zona púbica y masajear.
- Dejar el champú en la zona púbica por 10 minutos.
- Enjuagar la zona púbica.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

3. PIOJOS DEL CUERPO

- Lave el cuerpo con champú.
- Aplicar champú en el cuerpo y masajear.
- Dejar el champú en el cuerpo por 10 minutos.
- Enjuagar el cuerpo.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

AGÍTESE MUY BIEN ANTES DE USAR

LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

DIRECTIONS

IMPORTANT! READ INSTRUCTIONS BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS)

Shampoo

- Wash your hair thoroughly with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

1. HEAD LICE

- Wash hair with shampoo.
- Apply shampoo to hair and massage into scalp.
- Leave shampoo on hair for 10 minutes.
- Rinse hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

2. PUBIC (CRAB) LICE

- Wash pubic hair with shampoo.
- Apply shampoo to pubic hair and massage into scalp.
- Leave shampoo on pubic hair for 10 minutes.
- Rinse pubic hair thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

3. BODY LICE

- Wash body with shampoo.
- Apply shampoo to body and massage into skin.
- Leave shampoo on body for 10 minutes.
- Rinse body thoroughly.
- Repeat treatment every 7-10 days for 2 weeks.

SHAKE WELL BEFORE USING

CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

DIRECCIONES

¡IMPORTANTE! LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVITOS (BIENOS).

Shampoo

- Lave su cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar el champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

1. PIOJOS DE LA CABEZA

- Lave el cabello con champú.
- Aplicar champú en el cabello y masajear.
- Dejar el champú en el cabello por 10 minutos.
- Enjuagar el cabello.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

2. PIOJOS PÚBLICOS (LADILLAS)

- Lave la zona púbica con champú.
- Aplicar champú en la zona púbica y masajear.
- Dejar el champú en la zona púbica por 10 minutos.
- Enjuagar la zona púbica.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

3. PIOJOS DEL CUERPO

- Lave el cuerpo con champú.
- Aplicar champú en el cuerpo y masajear.
- Dejar el champú en el cuerpo por 10 minutos.
- Enjuagar el cuerpo.
- Repetir el tratamiento cada 7-10 días por 2 semanas.

AGÍTESE MUY BIEN ANTES DE USAR

Principal Display Panel

Best Choice

Complete Lice Treatment Kit

THE ALL IN ONE SOLUTION FOR YOUR FAMILY

Compare to the Active Ingredients in RID® Shampoo

MAXIMUM STRENGTH

3-Step Lice Solution Kit

1 TREAT SHAMPOO

2 REMOVE COMB/GEL

3 CONTROL SPRAY

CAUTION: KEEP OUT OF REACH OF CHILDREN

Instrucciones en español incluidas

SHAMPOO 4 FL OZ (118 mL)

COMBING SPRAY 2 FL OZ (59mL)

LICE SPRAY NET WT 5 OZ (142g)

1 NIT REMOVAL COMB

9/11/2019



BEST CHOICE LICE TREATMENT

piperonyl butoxide, pyrethrum extract kit

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63941-522

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-522-01	1 in 1 CARTON; Type 0: Not a Combination Product	01/03/2014	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, SPRAY	59 mL
Part 2	1 BOTTLE	118 mL

Part 1 of 2

LICE AND EGG COMBING

hair conditioners, leave-on [hair preparations (non-coloring)] spray

Product Information

Route of Administration TOPICAL

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
INGR	AMODIMETHICONE (800 CST) (UNII: 363Z2T48P7)	
INGR	POLYSORBATE 20 (UNII: 7T1F30V5YH)	
INGR	CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
INGR	TRIDECETH-12 (UNII: YFY3KG5Y7O)	
INGR	METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE MIXTURE (UNII: 15O9QS218W)	
INGR	GLYCERIN (UNII: PDC6A3C00X)	
INGR	PANTHENOL (UNII: WW9CM0O67Z)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
Cosmetic		01/03/2014	

Part 2 of 2

BEST CHOICE LICE KILLING

piperonyl butoxide, pyrethrum extract shampoo

Product Information

Item Code (Source) NDC:63941-253

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	4 g in 100 mL
PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	0.33 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLYQUATERNIUM-10 (400 MPAS AT 2%) (UNII: HB1401PQFS)	
AMMONIUM LAURETH-2 SULFATE (UNII: 69804Z48G6)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
PEG-25 HYDROGENATED CASTOR OIL (UNII: 0ZNO9PJJ9J)	

Product Characteristics

Color	yellow (cloudy to transparent, cream to straw)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	02/01/2014	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	10/28/2010	

Labeler - Associated Wholesale Grocers, Inc. (868703513)

Registrant - Weeks & Leo Co., Inc. (005290028)

Establishment

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(63941-522)

Revised: 12/2023

Associated Wholesale Grocers, Inc.