

**MICONAZOLE 7- miconazole nitrate suppository**  
**Strategic Sourcing Services LLC**

-----  
**Miconazole Nitrate Vaginal Suppositories, USP**

***Drug Facts***

***Active ingredient (in each vaginal suppository)***

Miconazole nitrate, USP 100 mg

***Purpose***

Vaginal antifungal

***Use***

- treats vaginal yeast infections

***Warnings***

**For vaginal use only**

**Do not use**

**if you have never had a vaginal yeast infection diagnosed by a doctor**

**Ask a doctor before use if you have**

- **vaginal itching and discomfort for the first time**
- **vaginal yeast infections often (such as once a month or 3 in 6 months). You may have a more serious condition. You could be pregnant or have a medical condition, such as diabetes or a weakened immune system.**
- lower abdominal, back, or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

**Ask a doctor or pharmacist before use if you are**

taking a prescription blood thinning medicine, such as warfarin, because bleeding or bruising may occur

**When using this product**

- do not use tampons, douches, spermicides or other vaginal products
- do not use condoms or diaphragms. They may be damaged by this product and not prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse (sex)
- mild increase in vaginal burning, itching or irritation may occur

**Stop use and ask a doctor if**

- **side effects occur.**
- **symptoms do not get better after 3 days**
- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge**

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- before using this product read the enclosed consumer information leaflet for complete instructions and information
- adults and children 12 years of age and over: insert 1 suppository into the vagina at bedtime for 7 nights in a row. Wash applicator after use.
- children under 12 years: ask a doctor

***Other information***

- do not purchase if carton is open
- each suppository is individually wrapped. Do not use if wrapper is missing or damaged.
- store at 20°-25°C (68°-77°F) [see USP Controlled Room Temperature] excursions permitted to 15°-30°C (59°-86°F).

***Inactive ingredient***

hydrogenated vegetable oil

**Questions?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Principal display panel**

COMPARETO MONISTAT® 7 ACTIVE INGREDIENT\*

miconazole 7

Vaginal Suppositories

Miconazole Nitrate Vaginal

Suppositories, USP 100 mg

Vaginal antifungal

Cures most vaginal yeast infections

7 VAGINAL SUPPOSITORIES WITH 1 REUSABLE PLASTIC APPLICATOR

\*This product is not affiliated with, manufactured by, or produced by the makers or owners of Monistat®

Distributed by McKesson Corp.,

via Strategic Sourcing Services LLC,

Memphis, TN 38141

[www.sunmarkbrand.com](http://www.sunmarkbrand.com)

**Package label**

**sunmark**<sup>®</sup>


COMPARE TO MONISTAT<sup>®</sup> 7  
ACTIVE INGREDIENT\*  
NDC 49348-833-61



# miconazole 7

Vaginal Suppositories

7 VAGINAL SUPPOSITORIES  
WITH 1 REUSABLE PLASTIC APPLICATOR



**sunmark**<sup>®</sup>

# miconazole 7

Vaginal Suppositories

Miconazole Nitrate Vaginal  
Suppositories, USP 100 mg  
Vaginal antifungal  
Cures most vaginal yeast infections



7 VAGINAL SUPPOSITORIES  
WITH 1 REUSABLE PLASTIC APPLICATOR

Distributed by McKesson Corp.,  
via Strategic Sourcing Services LLC,  
Memphis, TN 38141  
Money Back Guarantee  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)  
© 2003 McKesson Corporation

Product of Spain  
PLD-C653A FC006815 VC710365  




\*This product is not affiliated with, manufactured by, or produced by the makers or owners of Monistat® 7.

<p><b>Drug Facts (continued)</b></p> <p>Stop use and ask a doctor if ■ side effects occur ■ symptoms do not get better after 3 days ■ symptoms last more than 7 days ■ you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p><b>Directions</b> ■ before using this product read the enclosed consumer information leaflet for complete instructions and information ■ adults and children 12 years of age and over: insert 1 suppository into the vagina at bedtime for 7 nights in a row. Wash applicator after use. ■ children under 12 years: ask a doctor</p> <p><b>Other Information</b></p> <ul style="list-style-type: none"> <li>■ do not purchase if carton is open</li> <li>■ each suppository is individually wrapped. Do not use if wrapper is missing or damaged.</li> <li>■ store at 20°-25°C (68°-77°F) [see USP Controlled Room Temperature] excursions permitted to 15°-30°C (59°-86°F)</li> </ul> <p><b>Inactive ingredient</b> hydrogenated vegetable oil</p> <p><b>Questions?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each vaginal suppository)</b> Miconazole nitrate, USP 100 mg.....Vaginal antifungal</p> <p><b>Use</b> ■ treats vaginal yeast infections</p> <p><b>Warnings</b></p> <p>Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> <li>■ vaginal itching and discomfort for the first time</li> <li>■ vaginal yeast infections often (such as once a month or 3 in 6 months). You may have a more serious condition. You could be pregnant or have a medical condition, such as diabetes or a weakened immune system.</li> <li>■ lower abdominal, back, or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge</li> <li>■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS</li> </ul> <p>Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because use bleeding or bruising may occur.</p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ do not use tampons, douches, spermicides or other vaginal products</li> <li>■ do not use condoms or diaphragms. They may be damaged by this product and not prevent pregnancy or sexually transmitted diseases (STDs).</li> <li>■ do not have vaginal intercourse (sex)</li> <li>■ mild increase in vaginal burning, itching or irritation may occur</li> </ul>
---	--

### SUNMARK Vaginal Suppositories

## MICONAZOLE 7

miconazole nitrate suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49348-833
<b>Route of Administration</b>	VAGINAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VV4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M)	MICONAZOLE NITRATE	100 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>HYDROGENATED PALM KERNEL OIL</b> (UNII: FM8D1RE2VP)	
<b>PALM KERNEL OIL</b> (UNII: B0S90M0233)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-833-61	7 in 1 APPLICATOR; Type 0: Not a Combination Product	12/09/2011	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA073507	12/09/2011	

**Labeler** - Strategic Sourcing Services LLC (116956644)

Revised: 2/2022

Strategic Sourcing Services LLC