

BIO-ACTIVE- chlorine dioxide teat dip solution
Preserve International

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

BIO-ACTIVE

DIRECTIONS FOR USE:

Mix one (1) part BIO-ACTIVE with one (1) part BIO-BASE. Mix in a well ventilated area. This mixture solution will provide a 0.37% active chlorine dioxide teat dip. Mix enough for one day's use.

APPLICATION:

Recommended for both pre and post dipping applications.

FOR PRE-DIPPING: Make sure udder and teats are visibly clean of any soil. Spray or dip with dip solution. Wipe teat with towel and then attach milking unit.

FOR POST-DIPPING: Immediately after removal of milking unit, dip or spray entire teat in solution. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with fresh mixture at full strength. Do not return unused product to original container.

NOTE:

Only mix BIO-ACTIVE with BIO-BASE. Do not mix with any other products.

PROTECT FROM FREEZING

IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING

TAKE TIME OBSERVE LABEL DIRECTIONS

WARNING:

CONTAINS CITRIC ACID SOLUTION

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN

FIRST AID:

INHALATION: Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.

EYE CONTACT: Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

SKIN CONTACT: Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

INGESTION: Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING unless advised to do so by a doctor.

GET MEDICAL ATTENTION IMMEDIATELY.

FOR PRODUCT EMERGENCY CONTACT: Chem-Tel Inc. 1-800-255-3924

BIO-ACTIVE

CHLORINE DIOXIDE BASE TEAT DIP ACTIVATOR

PRE & POST DIP

Active Ingredients:

Citric Acid.....0.50%

Contains an Emollients system



Place Lot Number,
Expiration Date, and
Net Contents Sticker Here

DIRECTIONS FOR USE:

Mix one (1) part BIO-ACTIVE with one (1) part BIO-BASE. Mix in a well ventilated area. This mixture solution will provide a 0.37% active chlorine dioxide teat dip. Mix enough for one day's use.

APPLICATION:

Recommended for both pre and post dipping applications.

FOR PRE-DIPPING: Make sure udder and teats are visibly clean of any soil. Spray or dip with dip solution. Wipe teat with towel and then attach milking unit.

FOR POST-DIPPING: Immediately after removal of milking unit, dip or spray entire teat in solution. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with fresh mixture at full strength. Do not return unused product to original container.

NOTE:

Only mix BIO-ACTIVE with BIO-BASE. Do not mix with any other products.

Active Ingredient:

Citric Acid 0.50%

Contains an Emollients system

**PROTECT FROM FREEZING
IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING**



**FOR PRODUCT EMERGENCY CONTACT:
CHEM-TEL INC.
1-800-255-3924**

WARNING:

CONTAINS CITRIC ACID SOLUTION.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN

FIRST AID:

INHALATION: Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.

EYE CONTACT: Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

SKIN CONTACT: Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

INGESTION: Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING unless advised to do so by a doctor.

GET MEDICAL ATTENTION IMMEDIATELY.



944 Nandino Blvd. • Lexington, KY 40511 • 859-254-1221 or 800-621-8829 • animalsafety.neogen.com

L6419-0219

Manufactured by: Preserve International®
Preserve International® is a wholly-owned subsidiary of Neogen® Corporation.

Item No. 602296

Manufactured By: Preserve International®

Preserve International® is a wholly-owned subsidiary of Neogen® Corporation.

NEOGEN®

944 Nandino Blvd.

Lexington, KY 40511

859-254-1221 or 800-621-8829

animalsafety.neogen.com

BIO-ACTIVE

chlorine dioxide teat dip solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:60648-9012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	5.36 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60648-9012-1	3.78 L in 1 JUG		
2	NDC:60648-9012-2	18.9 L in 1 PAIL		
3	NDC:60648-9012-3	56.7 L in 1 DRUM		
4	NDC:60648-9012-4	113.4 L in 1 DRUM		
5	NDC:60648-9012-5	207.9 L in 1 DRUM		
6	NDC:60648-9012-6	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:60648-9012-7	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/18/2019	

Labeler - Preserve International (808154199)

Revised: 5/2019

Preserve International