

4344 FIRST AID KIT- 4344 first aid kit
4172 FIRST AID KIT- 4172 first aid kit
4373 FIRST AID KIT- 4373 first aid kit
4372 FIRST AID KIT- 4372 first aid kit
4353 FIRST AID KIT- 4353 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

0498-4172, 4344, 4353, 4372, 4373: First Aid Kit (Neomycin, Eye Wash, FABC, PVP- 018501-4221, Z019849, 018505-4221, Z018501-4221, Z018505-4221)

Active ingredient

Sterile Water 99%

Purpose

Eyewash

Uses

- For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water

Warnings

For external use only- Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the ey
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive Ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions?

Call **1-800-430-5490**

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

First Aid Burn Cream**Active ingredient**

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream**Purpose**

First aid antiseptic

External analgesic

First Aid Burn Cream**Uses**

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream**Warnings**

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream***Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

Questions

1-800-430-5490

Neomycin Antibiotic Ointment***Active ingredient***

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin Antibiotic Ointment***Purpose***

First aid antibiotic

Neomycin Antibiotic Ointment

Uses

first aid to help prevent infection in - minor cuts - scrapes - burns

Neomycin Antibiotic Ointment

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Neomycin Antibiotic Ointment

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin Antibiotic Ointment

Other information

store at 15 ° to 25 °C (59 ° to 77 °F)

Neomycin Antibiotic Ointment

Inactive ingredient

petrolatum

Neomycin Antibiotic Ointment

Questions

1-800-430-5490

PVP

Active ingredient

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

PVP

Purpose

First aid antiseptic

PVP

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP

Warnings

For external use only

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine

- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water

PVP

Questions

800-430-5490

4172

018501-4221 kit contents

1 GAUZE COMP, 18" X 36", 2 PER
 1 TWEEZER PLASTICS 4"
 4 O/H PAK,ADH BDG 2"X4", X-LG
 1 FIRST AID GUIDE ASHI
 1 GAUZE CLEAN-WRAP BDGE N/S 2"
 1 PVP PREP PADS MEDIUM
 1 1 OZ, BUFF EYEWASH
 1 SCISSOR BDGE 4" RED PLS HDL
 LBL STOCK 6-3/8"X4"
 LBL STOCK 4"X2-7/8"
 1 LBL STOCK 3"x1-7/8"
 2 PR LRG NITRILE GLVES ZIP BAG
 2 1" X 3" PLASTIC BANDS 16/BAG
 6 FIRST AID CREAM 1.0GR PKT EACH
 2 TAPE ADHESIVE 1/2 X 2.5 125133
 10 POUCH NEOMYCIN ANTIBIOTIC .9 G
 1 KIT BAG SOFT PACK MEDIUM
 1 LBL CONTENTS ANSI Z308.1-2009 REV B
 1 TRI BNDG NON WOVEN 40"X40"X56"
 1 COLD PACK UNIT 4"X6" BULK
 2 EYE PADS STD OVAL STERILE
 4 GAUZE PADS 3"X3" 12PLY

4 WOVEN FINGERTIP BANDAGE 2"

4 WOVEN KNUCKLE BANDAGE

4344

Z019849 Kit Contents

1 NEOMYCIN ANTIBIOTIC 10 PER

1 TRIANGULAR BDG, NON-STERILE

1 GAUZE PADS, 3" X 3", 4 PER

1 GAUZE COMP, 18" X 36", 2 PER

1 ADH BDG W/NOADHR PAD,1X3 32PER

1 ADHESIVE BDG,PLSTIC,1"X3"16PER

1 TWEEZER PLASTICS 4"

4 O/H PAK,ADH BDG 2"X4", X-LG

1 FIRST AID GUIDE ASHI

1 GAUZE CLEAN-WRAP BDGE N/S 2"

10 PVP PREP PADS MEDIUM

1 1 OZ, BUFF EYEWASH

1 SCISSOR BDGE 4" RED PLS HDL

LBL STOCK 6-3/8"X4"

LBL STOCK 4"X2-7/8"

1 LBL STOCK 3"x1-7/8"

1 LBL CONTS 6 3/4"X3 1/2" ID B

1 SOFT PACK, CLOTH BAG- MEDIUM

2 PR LRG NITRILE GLVES ZIP BAG

6 FIRST AID CREAM 1.0GR PKT EACH

2 TAPE ADHESIVE 1/2 X 2.5 125133

1 LBL CONTENTS ANSI Z308.1-2009 REV B

1 COLD PACK UNIT 4"X6" BULK

2 EYE PADS STD OVAL STERILE

4 WOVEN FINGERTIP BANDAGE 2"

4 WOVEN KNUCKLE BANDAGE

4372

018501-4221 kit contents

1 GAUZE COMP, 18" X 36", 2 PER
1 TWEEZER PLASTICS 4"
4 O/H PAK,ADH BDG 2"X4", X-LG
1 FIRST AID GUIDE ASHI
1 GAUZE CLEAN-WRAP BDGE N/S 2"
1 PVP PREP PADS MEDIUM
1 1 OZ, BUFF EYEWASH
1 SCISSOR BDGE 4" RED PLS HDL
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
2 PR LRG NITRILE GLVES ZIP BAG
2 1" X 3" PLASTIC BANDS 16/BAG
6 FIRST AID CREAM 1.0GR PKT EACH
2 TAPE ADHESIVE 1/2 X 2.5 125133
10 POUCH NEOMYCIN ANTIBIOTIC .9 G
1 KIT BAG SOFT PACK MEDIUM
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 TRI BNDG NON WOVEN 40"X40"X56"
1 COLD PACK UNIT 4"X6" BULK
2 EYE PADS STD OVAL STERILE
4 GAUZE PADS 3"X3" 12PLY
4 WOVEN FINGERTIP BANDAGE 2"
4 WOVEN KNUCKLE BANDAGE

4373


Z018505-4221 kit contents

1 NEOMYCIN ANTIBIOTIC 10 PER
1 TRIANGULAR BDG, NON-STERILE
1 GAUZE PADS, 3" X 3", 4 PER
1 GAUZE COMP, 18" X 36", 2 PER
1 ADH BDG W/NOADHR PAD,1X3 32PER
1 TWEEZER PLASTICS 4"

4 O/H PAK,ADH BDG 2"X4", X-LG
1 FIRST AID GUIDE ASHI
1 GAUZE CLEAN-WRAP BDGE N/S 2"
1 CPR FILTERSHIELD 77-100
1 PVP PREP PADS MEDIUM
1 1 OZ, BUFF EYEWASH
1 SCISSOR BDGE 4" RED PLS HDL
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
2 PR LRG NITRILE GLVES ZIP BAG
6 FIRST AID CREAM 1.0GR PKT EACH
2 TAPE ADHESIVE 1/2 X 2.5 125133
1 KIT BAG SOFT PACK MEDIUM
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 COLD PACK UNIT 4"X6" BULK
2 EYE PADS STD OVAL STERILE
4 WOVEN FINGERTIP BANDAGE 2"
4 WOVEN KNUCKLE BANDAGE


Eye Wash Package label

#32-004513 Rev. H



Top Panel
3/32" from die edges

Back
1/8" from die edges



Base
3/32" from die edges

Printable Text Area

First Aid Burn Cream Principal Display Panel

796353-10 Rev. A Unit Carton Printing Plate for "B" size



Neomycin Antibiotic Ointment

Principal Display Panel

822568-25	
Neomycin First aid antibiotic	020126-25 Neomycin First aid antibiotic Neomycin sulfate First aid antibiotic Distributed by: Honeywell Safety Products USA, Inc. Smithfield, RI 02917 25 Packets, Net Wt 1/32 oz (0.9 g) each

822568-25	Neomycin First aid antibiotic																																				
	<table border="1"><tr><td colspan="2">Drug Facts</td></tr><tr><td>Active ingredient (in each gram)</td><td>Purpose</td></tr><tr><td>Neomycin sulfate (equivalent to 3.5 mg neomycin)</td><td>First aid antibiotic</td></tr><tr><td colspan="2">Use first aid to help prevent infection in minor • cuts • scrapes • burns</td></tr><tr><td colspan="2">Warnings</td></tr><tr><td colspan="2">For external use only</td></tr><tr><td colspan="2">Allergy alert • do not use if you are allergic to any of the ingredients</td></tr><tr><td colspan="2">Do not use • in the eyes • over large areas of the body</td></tr><tr><td colspan="2">Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns</td></tr><tr><td colspan="2">Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops</td></tr><tr><td colspan="2">• you need to use longer than one week</td></tr><tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions • clean the affected area</td></tr><tr><td colspan="2">• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</td></tr><tr><td colspan="2">• may be covered with a sterile bandage</td></tr><tr><td colspan="2">Other information store at 15° to 25°C (59° to 77°F)</td></tr><tr><td colspan="2">Inactive ingredient petrolatum</td></tr><tr><td colspan="2">Questions or comments? 1-800-430-5490</td></tr></table>	Drug Facts		Active ingredient (in each gram)	Purpose	Neomycin sulfate (equivalent to 3.5 mg neomycin)	First aid antibiotic	Use first aid to help prevent infection in minor • cuts • scrapes • burns		Warnings		For external use only		Allergy alert • do not use if you are allergic to any of the ingredients		Do not use • in the eyes • over large areas of the body		Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns		Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops		• you need to use longer than one week		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions • clean the affected area		• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily		• may be covered with a sterile bandage		Other information store at 15° to 25°C (59° to 77°F)		Inactive ingredient petrolatum		Questions or comments? 1-800-430-5490	
Drug Facts																																					
Active ingredient (in each gram)	Purpose																																				
Neomycin sulfate (equivalent to 3.5 mg neomycin)	First aid antibiotic																																				
Use first aid to help prevent infection in minor • cuts • scrapes • burns																																					
Warnings																																					
For external use only																																					
Allergy alert • do not use if you are allergic to any of the ingredients																																					
Do not use • in the eyes • over large areas of the body																																					
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns																																					
Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops																																					
• you need to use longer than one week																																					
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																					
Directions • clean the affected area																																					
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily																																					
• may be covered with a sterile bandage																																					
Other information store at 15° to 25°C (59° to 77°F)																																					
Inactive ingredient petrolatum																																					
Questions or comments? 1-800-430-5490																																					

PVP

Principal Display Panel

FRONT SIDE

822569 X
Rev. *

PVP Iodine Wipes

02-12-01X



PVP Iodine Wipes

*Povidone-Iodine 10%
First Aid Antiseptic
10 Saturated Wipes
ANSI Z308.1-2009*

Distributed by:
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

FRONT SIDE

822569 X
Rev. *

PVP Iodine Wipes

Drug Facts**Active ingredient**

Povidone-iodine 10% (equivalent to 1% titratable iodine)

Purpose

First aid antiseptic

Use

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use

• in or near the eyes • over large areas of the body • on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have

• deep or puncture wounds • animal bites • serious burns

• When using this product do not use longer than one week unless directed by a doctor

• Stop use and ask a doctor if • condition persists or gets worse • irritation or redness develops

• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

• clean the affected area • apply wipe to affected area 1 to 3 times daily

• may be covered with a sterile bandage • discard wipe after single use

• Other information • store at room temperature: 15-30° C (59-86° F)

• do not use if package is torn or open • do not use on individuals who are allergic or sensitive to iodine

Inactive ingredients nonoxonyl-9, water**Questions or comments?** 1-800-430-5490

4172 Kit Label
018501-4221

Honeywell

First Aid Kit

www.honeywellsafety.com

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

754001 Rev. E

Z019849

46001403 Rev. C
Prints 2 colors
Black and Red (PMS 485)

Refill Information

US Poison Control 1-800-222-1222

46001403 Rev. C

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4353**018505-4221 kit contents**

1 NEOMYCIN ANTIBIOTIC 10 PER
1 TRIANGULAR BDG, NON-STERILE
1 GAUZE PADS, 3" X 3", 4 PER
1 GAUZE COMP, 18" X 36", 2 PER
1 ADH BDG W/NOADHR PAD,1X3 32PER
1 TWEEZER PLASTICS 4"
4 O/H PAK,ADH BDG 2"X4", X-LG
1 FIRST AID GUIDE ASHI
1 GAUZE CLEAN-WRAP BDGE N/S 2"
1 CPR FILTERSHIELD 77-100
1 PVP PREP PADS MEDIUM
1 1 OZ, BUFF EYEWASH
1 SCISSOR BDGE 4" RED PLS HDL
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
2 PR LRG NITRILE GLVES ZIP BAG
6 FIRST AID CREAM 1.0GR PKT EACH
2 TAPE ADHESIVE 1/2 X 2.5 125133
1 KIT BAG SOFT PACK MEDIUM
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 COLD PACK UNIT 4"X6" BULK
2 EYE PADS STD OVAL STERILE
4 WOVEN FINGERTIP BANDAGE 2"
4 WOVEN KNUCKLE BANDAGE

4353 Kit Label**018505-4221**

Honeywell

First Aid Kit

www.honeywellsafety.com

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

754001 Rev. E

Honeywell

First Aid Kit

www.honeywellsafety.com

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4373 Kit Label
Z018505-4221

Honeywell

First Aid Kit

www.honeywellsafety.com

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

754001 Rev. E

4344 FIRST AID KIT

4344 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4344
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4344-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g
Part 4	1 POUCH	0.3 mL

Part 1 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 4
FIRST AID BURN
benzalkonium chloride, lidocaine hydrochloride cream

Product Information	
Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 4

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved drug other		03/31/2010	
--------------------------	--	------------	--

Part 4 of 4

PVP IODINE WIPE
povidone-iodine 10% swab

Product Information	
Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4172 FIRST AID KIT

4172 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4172
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4172-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g
Part 4	1 POUCH	0.3 mL

Part 1 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 4

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 4

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 4 of 4

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source) NDC:0498-0121

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4373 FIRST AID KIT

4373 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4373
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4373-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g
Part 4	1 POUCH	0.3 mL

Part 1 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
--------------------	---------------

Route of Administration	OPHTHALMIC
-------------------------	------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 4

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 4

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 4 of 4

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4372 FIRST AID KIT

4372 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4372
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4372-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g
Part 4	1 POUCH	0.3 mL

Part 1 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-	30 mL in 1 BOTTLE; Type 0: Not a Combination		

01	Product		
----	---------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 4

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z 41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

Item	Marketing Start	Marketing End
------	-----------------	---------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 4
NEOMYCIN antibiotic ointment

Product Information	
Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 4 of 4

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4353 FIRST AID KIT

4353 first aid kit kit

Product Information					
Product Type		HUMAN OTC DRUG	Item Code (Source)		NDC:0498-4353
Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0498-4353-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018		
Quantity of Parts					
Part #	Package Quantity		Total Product Quantity		
Part 1	1 BOTTLE		30 mL		
Part 2	6 PACKET		5.4 g		
Part 3	10 PACKET		9 g		
Part 4	1 POUCH		0.3 mL		
Part 1 of 4					
EYESALINE EMERGENCY EYEWASH					
purified water liquid					
Product Information					
Item Code (Source)		NDC:0498-0100			
Route of Administration		OPHTHALMIC			
Active Ingredient/Active Moiety					
Ingredient Name			Basis of Strength	Strength	
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)			WATER	98.6 mL in 100 mL	
Inactive Ingredients					
Ingredient Name				Strength	
SODIUM CHLORIDE (UNII: 451W47IQ8X)					
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)					
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)					
Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 4

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
---	--	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 4

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 4 of 4

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source) NDC:0498-0121

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZ U99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)