LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 MINERAL DAILY TONE CORRECTING PRIMER BROAD SPECTRUM SPF 50 SUNSCREEN-titanium dioxide lotion L'Oreal USA Products Inc

Drug Facts

Active ingredient

Titanium dioxide 25%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using tjhis product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

• apply generously 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 of higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredients

dimethicone, C12-15 alkyl benzoate, dicaprylyl ether, dimethicone/vinyl dimethicone crosspolymer, talc, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, hydrogenated jojoba oil, aluminum hydroxide, stearic acid, aluminum stearate, iron oxides, silica silylate, alumina, polyhydroxystearic acid, PEG-8 lasurate, tocopherol, water, diethylhexyl syringylidenemalonate, laureth-4, disodium stearoyl glutamate, cassia alata leaf extract, maltodextrin, caprylic/capric triglyceride

Questions or comments?

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

ANTHELIOS 50 50

Dermatologists know that: UVA rays are responsible for more than 80% of skin aging (fine lines, wrinkles, sagging, dark spots) and are the main cause of sun intolerances.

All year-long even in cloudy weather, in the city or through glass, UVA rays penetrate the skin down to the dermis layer. This is why dermatologists recommend using a daily, broad spectrum UVA/UVB sunscreen in conjunction with other sun protection measures (see **Directions**), to help prevent early skin aging and sun reactions.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with ANTHELIOS, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

Dermatological safety: ANTHELIOS 50 MINERAL Daily Tone Correcting Primer has been formulated and rigorously tested for optimal skin tolerance.

FRAGRANCE-FREE PRESERVATIVE-FREE ALLERGY TESTED
DERMATOLOGIST TESTED SUITABLE FOR SENSITIVE SKIN



Distributed by La Roche-Posay LLC, New York, NY 10017

La Roche-Posay Laboratoire Pharmaceutique 86270 La Roche-Posay. France TSA 10007 F 92667 ASNIERES CEDEX www.lanoche-posay.us

50

SUNSCREEN

LA ROCHE-POSAY LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM SPF50

ANTHELIOS 50 MINERAL

DAILY TONE CORRECTING PRIMER

Instant skin-perfecting tint to diminish visible discolorations

Titanium Dioxide Sunscreen with CELL-OX SHIELD™ **UVA/UVB + ANTIOXIDANTS**

Suitable for sensitive skin Non-comedogenic Fragrance-free. Preservative-free

1.35 FL.OZ. - 40 ml

BREAKTHROUGH INNOVATION -

ANTHELIOS 50 MINERAL Daily Tone Correcting rimer combines skin erfecting tint and a oad-spectrum sunscreen. Provides instant
color-correction to visibly
diminish discolorations for a
more even-looking

Properties:

I. Instant perfecting-color for even looking skin. A lightweight, non-greasy mousse texture in one universal shade helps reduce the look of skin imperfections.

2. Ultra-soft, smoothing primer. Creates a smooth skin surface

for makeup application

3. UVA/UVB protection + antioxidants 100% mineral, titanium dioxide sunscreen, provides broad-spectrum protection.
- Powerful CELL-OX
SHIELD™ antioxidant
With Senna Alata, a tropical leaf
extraut known to defend skin cells against damaging free radicals.

Results: Instantly conceals imperfections for more even looking skin. Helps protect skin from early skin aging when used with other ction measures (see Directions).

For use:

Apply each morning to clean face. Easy to spread and non-comed ogenic, this primer non-comedogenia, this primer does not dog pores. Wear alone or as a primer under makeup. If used with other skincare, use as a last step in regimen. It can also be used around the eye area to prime the eyelids or color correct the skin under the eyes.

upper layers of skin.

Drug Facts

Active ingredient

Purpose Sunscreen

Titanium dioxide 25%.

· helps prevent sunburn

 if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- For sunscreen use:

 apply generously 15 minutes before sun exposure

 reapply at least every 2 hours

 use a water resistant sunscreen if swimming or sweating

 Sun Protection Measures. Spending time in the sun increases
 your risk of skin cancer and early skin aging. To decrease this
 risk, regularly use a sunscreen with a Broad Spectrum SFF value
 of 15 or before and decrease the sense of of 15 or higher and other sun protection measures including:
- Imit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeved shirts, pants, hats and sunglasses
 children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

mactive ingredients dimethicone, C12-15 alkyl benzoate, dicaprylyl ether, dimethicone, C12-15 alkyl benzoate, dicaprylyl ether, dimethicone, vinyl dimethicone crosspolymer, talc, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, hydrogenated jojoba oil, aluminum hydroxide, steanic acid, aluminum stearate, iron oxides, silica silylate, alumina, polyhydroxystearic acid, PEG-8 laurate, tocopherol, water, diethylhexyl syringylidenemalonate, laureth 4, disodium stearovij glutamate, cassia alata leaf extract, maltodextrin, caprylic/capric triglyceride

© Questions or comments? 1-888-LRP LABO 1-888-577-5226 Monday - Friday (9 a.m. - 5 p.m. EST)

8584347 US Pat. 8,394,394

Code F.I.L.: D17 9435/1









LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 MINERAL DAILY TONE CORRECTING PRIMER BROAD SPECTRUM SPF 50 SUNSCREEN

titanium dioxide lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49967-525

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 250 mg in 1 mL

Inactive Ingredients

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
TALC (UNII: 7SEV7J4R1U)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
HYDROGENATED JOJOBA OIL (UNII: 7F674YQ5SO)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

ALUMINUM OXIDE (UNII: LMI26O6933)

POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)

PEG-8 LAURATE (UNII: 76208IWA10)
TOCOPHEROL (UNII: R0ZB2556P8)

WATER (UNII: 059QF0KO0R)

D- -1-- -----

DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)

LAURETH-4 (UNII: 6HQ855798J)

DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)

SENNA ALATA LEAF (UNII: 4BXR6YZN92)
MALTODEXTRIN (UNII: 7CVR7L4A2D)

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:49967-525- 01	1 in 1 CARTON	01/01/2016			
1		40 mL in 1 TUBE; Type 0: Not a Combination Product				
2	NDC:49967-525- 02	2 mL in 1 PACKET; Type 0: Not a Combination Product	01/01/2016			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M020	01/01/2016				
OTC Monograph Drug	M020	01/01/2016				

Labeler - L'Oreal USA Products Inc (002136794)

Establishment						
Name	Address	ID/FEI	Business Operations			
Goodier Cosmetics		007317209	manufacture(49967-525)			

Revised: 1/2024 L'Oreal USA Products Inc