

TOA SYRUP ADULT- dextromethorphan hydrobromide, phenylephrine hydrochloride liquid
Menper Distributors, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

In each teaspoonful (5mL)

Dextromethorphan HBr 10 mg.....Cough suppressant

Phenylephrine HCl 5 mg.....Nasal decongestant

Purpose

Cough suppressant

Nasal decongestant

Uses

- Temporarily relieves cough due to minor throat and bronchial irritation and nasal congestion as may occur with the common cold or inhaled irritants

Warnings

Do not exceed recommended dosage. A persistent cough may be a sign of a serious condition. If cough persists more than one week, tends to recur, or is accompanied by fever, rash, or persistent headache, consult a doctor.

Do not use

- this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, emphysema or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product
- if you have heart disease, high blood pressure, thyroid disease, diabetes, or trouble urinating due to enlargement of the prostate gland, unless directed by a doctor

If you are pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over: take 2 teaspoonfuls (10 mL) every 4 hours. Do not exceed 6 doses in 24 hours.

Children under 12 years of age: do not use.

Inactive ingredients

cherry flavor, FD&C red #40, FD&C yellow #6, glycerin, menthol, methylparaben, propylene glycol, propylparaben, sucrose, water.

Questions? 1-800-560-5223 M-F 9 AM to 4 PM Eastern

adult

TOA

SYRUP

JARABE

Toa

adulto

- Supresor de la Tos
DEXTROMETORFANO HBr
- Descongestionante Nasal
FENILEFRINA HCl

4 Oz. FL (118 mL)

SYRUP

Toa

adult

- Cough Suppressant
DEXTROMETHORPHAN HBr
- Nasal Decongestant
PHENYLEPHRINE HCl

4 FL Oz. (118 mL)

Datos Farmacológicos

Ingredientes activos (en cada cucharadita, 5 mL)	Propósito
Dextrometorfano HBr 10 mg	Supresor de la tos
Fenilefrina HCl 5 mg	Descongestionante nasal

Usos

- aliviar temporalmente la tos producida por dolores menores de garganta, irritación bronquial y la congestión nasal durante el catarro común o inhalación de productos irritantes

Advertencias

No exceda la dosis recomendada. La tos persistente puede ser la señal de una condición seria. Si la tos persiste por más de una semana, tiende a repetirse o es acompañada por fiebre, erupciones o dolor de cabeza persistente, consulte al doctor.

No use

- este producto para tos persistente o crónica como ocurre al fumar, asma, bronquitis crónica o enfisema, o si la tos está acompañada de fiebre excesiva (mocos), únicamente indicado por su doctor.
- si usted está tomando ahora una prescripción que contenga el inhibidor monoamine oxidase (MAOI) (algunas drogas para la depresión, o condiciones emocionales o psiquiátricas, o el mal de Parkinson), o después de 2 semanas de dejar de usar la droga MAOI. Si usted no sabe si la prescripción contiene MAOI, pregunte al doctor o farmacéutico antes de tomar este producto.
- si usted tiene una enfermedad de corazón, presión arterial alta, enfermedad de la tiroides, diabetes o dificultades al orinar por agrandamiento de la próstata, solamente por orientación médica.

Si está embarazada o amamantando, pregunte a un profesional de la salud antes de usar.

Mantener fuera del alcance de los niños. En caso de sobredosis accidental, busque asistencia profesional o contacte al Centro de Control de Envenenamiento inmediatamente.

Instrucciones

- Adultos y niños de 12 años de edad o más: 2 cucharaditas (10 mL) cada 4 horas. No exceda 6 dosis en 24 horas.
- Niños menores de 12 años de edad: no usar.

Otra información

Almacenar este producto entre 15°-30°C (59°-86°F)

Ingredientes inactivos

sabor a cereza, FD&C rojo #40, FD&C amarillo #6, glicerina, mentol, metilparabeno, propilenglicol, propilparaben, sucrosa y agua.

Preguntas? 1-800-560-5223 L-V 9 AM a 4 PM Este

EVIDENCIA DE SEGURIDAD: no use si el sello de seguridad impreso sobre la tapa está torcido, roto o no aparece.
Distribuido por: Menper Distributors, Inc.
11421 NW 107 St, Suite #24 • Miami, FL 33178
www.menperdistributors.com

Drug Facts

Active ingredients (in each teaspoonful, 5 mL)	Purpose
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation and nasal congestion as may occur with the common cold or inhaled irritants

Warnings

Do not exceed the recommended dosage. A persistent cough may be a sign of a serious condition. If cough persists for more than one week, tends to recur, or is accompanied by fever, rash, or persistent headache, consult a doctor.

Do not use

- this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, emphysema, or if cough is accompanied by excessive phlegm (mucus), unless directed by a doctor.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have heart disease, high blood pressure, thyroid disease, diabetes, or difficulty in urinating due to enlargement of the prostate gland unless directed by a doctor.

If you are pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and over: take 2 teaspoonfuls (10 mL) every 4 hours. Do not exceed 6 doses in 24 hours.
- Children under 12 years of age: do not use.

Other information

Store this product between 15°-30°C (59°-86°F)

Inactive ingredients

cherry flavor, FD&C red #40, FD&C yellow #6, glycerin, menthol, methylparaben, propylene glycol, propylparaben, sucrose, and water.

Questions? 1-800-560-5223 M-F 9 AM to 4 PM Eastern

IMPRINT-EVIDENT FEATURES: do not use if imprinted safety seal over bottle cap is torn, broken or missing.
Distributed by: Menper Distributors, Inc.
11421 NW 107 St, Suite #24 • Miami, FL 33178
www.menperdistributors.com

Lot #
Exp. Date:



TOA SYRUP ADULT

dextromethorphan hydrobromide, phenylephrine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-302
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KOOR)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-302-84	1 in 1 CARTON	02/21/2012	
1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/21/2012	

Labeler - Menper Distributors, Inc. (101947166)

Registrant - Menper Distributors, Inc. (101947166)

Establishment

Name	Address	ID/FEI	Business Operations
PHARMALAB ENTERPRISES, INC.		174401088	manufacture(53145-302)

Revised: 4/2021

Menper Distributors, Inc.