

**4351 FIRST AID KIT- 4351 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**0498-4351: First Aid Kit (Neomycin, FABC, PVP- 018503-4219)**

**First Aid Burn Cream**

***Active ingredient***

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

**First Aid Burn Cream**

***Purpose***

First aid antiseptic

External analgesic

**First Aid Burn Cream**

***Uses***

- prevent skin infection
- for temporary relief of pain associated with minor burns

**First Aid Burn Cream**

***Warnings***

**For external use only**

**Do not use**

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition worsens

- symptoms persist for more than 7 days or clear up and occurs again within a few days

## **First Aid Burn Cream**

### ***Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

### ***Other information***

- tamper evident sealed packets
- do not use if packet is opened or torn

### ***Inactive ingredients***

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

### ***Questions***

1-800-430-5490

## **Neomycin Antibiotic Ointment**

### ***Active ingredient***

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

## **Neomycin Antibiotic Ointment**

### ***Purpose***

First aid antibiotic

## **Neomycin Antibiotic Ointment**

### ***Uses***

first aid to help prevent infection in - minor cuts - scrapes - burns

## **Neomycin Antibiotic Ointment**

### ***Warnings***

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

**Neomycin Antibiotic Ointment*****Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Neomycin Antibiotic Ointment*****Other information***

store at 15 ° to 25 °C (59 ° to 77 °F)

**Neomycin Antibiotic Ointment*****Inactive ingredient***

petrolatum

**Neomycin Antibiotic Ointment*****Questions***

1-800-430-5490

**PVP*****Active ingredient***

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

## **PVP**

### ***Purpose***

First aid antiseptic

## **PVP**

### ***Uses***

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

## **PVP**

### ***Warnings***

**For external use only**

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition worsens or persists for more than 72 hours
- irritation and redness develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **PVP**

### ***Directions***

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

## **PVP**

### ***Other information***

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

## **PVP**

### ***Inactive ingredients***

nonoxynol 9, water

## **PVP**

### **Questions**

800-430-5490

## **4351**

### **018503-4219 Kit Contents**

- 1 TWEEZER PLASTICS 4"
- 2 O/H PAK,ADH BDG 2"X4", X-LG
- 6 PVP PREP PADS MEDIUM
- 1 SCISSOR BDGE 4" RED PLS HDL
- 1 PR LRG NITRILE GLVES ZIP BAG
- 4 FIRST AID CREAM 1.0GR PKT EACH
- 1 TAPE ADHESIVE 1/2 X 2.5 125133
- 4 POUCH NEOMYCIN ANTIBIOTIC .9 G
- 1 KIT BAG SOFT PACK PROMO
- 1 INSRT POCKET KIT PROD INF ID C
- 1 COLD PACK UNIT 4"X6" BULK
- 2 GAUZE PADS 3"X3" 12PLY
- 2 WOVEN FINGERTIP BANDAGE 2"
- 2 WOVEN KNUCKLE BANDAGE
- 10 WOVEN BANDAGE 1" X 3"

## **First Aid Burn Cream**

### **Principal Display Panel**



## Principal Display Panel

822568-25	
<b>Neomycin First aid antibiotic</b>	<div data-bbox="997 323 1156 357">020126-25</div> <hr/> <div data-bbox="886 373 1161 543"><b>Neomycin</b> <b>First aid antibiotic</b> <b>Neomycin sulfate</b> <b>First aid antibiotic</b></div> <hr/> <div data-bbox="386 619 617 718">Distributed by: Honeywell Safety Products USA, Inc. Smithfield, RI 02917</div> <div data-bbox="672 686 1156 718">25 Packets, Net Wt 1/32 oz (0.9 g) each</div>

822568-25	<b>Neomycin First aid antibiotic</b>																																				
	<table border="1"><tr><td colspan="2"><b>Drug Facts</b></td></tr><tr><td><b>Active ingredient (in each gram)</b> .....</td><td><b>Purpose</b></td></tr><tr><td>Neomycin sulfate (equivalent to 3.5 mg neomycin) .....</td><td>First aid antibiotic</td></tr><tr><td colspan="2"><b>Use</b> first aid to help prevent infection in minor • cuts • scrapes • burns</td></tr><tr><td colspan="2"><b>Warnings</b></td></tr><tr><td colspan="2">For external use only</td></tr><tr><td colspan="2"><b>Allergy alert</b> • do not use if you are allergic to any of the ingredients</td></tr><tr><td colspan="2"><b>Do not use</b> • in the eyes • over large areas of the body</td></tr><tr><td colspan="2"><b>Ask a doctor before use if you have</b> • deep or puncture wounds • animal bites • serious burns</td></tr><tr><td colspan="2"><b>Stop use and ask a doctor if</b> • conditions persists or gets worse • rash or other allergic reaction develops</td></tr><tr><td colspan="2">• you need to use longer than one week</td></tr><tr><td colspan="2"><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2"><b>Directions</b> • clean the affected area</td></tr><tr><td colspan="2">• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</td></tr><tr><td colspan="2">• may be covered with a sterile bandage</td></tr><tr><td colspan="2"><b>Other information</b> store at 15° to 25°C (59° to 77°F)</td></tr><tr><td colspan="2"><b>Inactive ingredient</b> petrolatum</td></tr><tr><td colspan="2"><b>Questions or comments?</b> 1-800-430-5490</td></tr></table>	<b>Drug Facts</b>		<b>Active ingredient (in each gram)</b> .....	<b>Purpose</b>	Neomycin sulfate (equivalent to 3.5 mg neomycin) .....	First aid antibiotic	<b>Use</b> first aid to help prevent infection in minor • cuts • scrapes • burns		<b>Warnings</b>		For external use only		<b>Allergy alert</b> • do not use if you are allergic to any of the ingredients		<b>Do not use</b> • in the eyes • over large areas of the body		<b>Ask a doctor before use if you have</b> • deep or puncture wounds • animal bites • serious burns		<b>Stop use and ask a doctor if</b> • conditions persists or gets worse • rash or other allergic reaction develops		• you need to use longer than one week		<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions</b> • clean the affected area		• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily		• may be covered with a sterile bandage		<b>Other information</b> store at 15° to 25°C (59° to 77°F)		<b>Inactive ingredient</b> petrolatum		<b>Questions or comments?</b> 1-800-430-5490	
<b>Drug Facts</b>																																					
<b>Active ingredient (in each gram)</b> .....	<b>Purpose</b>																																				
Neomycin sulfate (equivalent to 3.5 mg neomycin) .....	First aid antibiotic																																				
<b>Use</b> first aid to help prevent infection in minor • cuts • scrapes • burns																																					
<b>Warnings</b>																																					
For external use only																																					
<b>Allergy alert</b> • do not use if you are allergic to any of the ingredients																																					
<b>Do not use</b> • in the eyes • over large areas of the body																																					
<b>Ask a doctor before use if you have</b> • deep or puncture wounds • animal bites • serious burns																																					
<b>Stop use and ask a doctor if</b> • conditions persists or gets worse • rash or other allergic reaction develops																																					
• you need to use longer than one week																																					
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.																																					
<b>Directions</b> • clean the affected area																																					
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily																																					
• may be covered with a sterile bandage																																					
<b>Other information</b> store at 15° to 25°C (59° to 77°F)																																					
<b>Inactive ingredient</b> petrolatum																																					
<b>Questions or comments?</b> 1-800-430-5490																																					

PVP

Principal Display Panel

FRONT SIDE

822569 X  
Rev. \*

PVP Iodine Wipes

02-12-01X



# PVP Iodine Wipes

*Povidone-Iodine 10%*  
*First Aid Antiseptic*  
*10 Saturated Wipes*  
*ANSI Z308.1-2009*

Distributed by:  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

FRONT SIDE

822569 X  
Rev. \*

PVP Iodine Wipes

**Drug Facts****Active ingredient**

Povidone-iodine 10% (equivalent to 1% titratable iodine)

**Purpose**

First aid antiseptic

**Use**

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

**Warnings**

For external use only

**Do not use**

• in or near the eyes • over large areas of the body • on individuals who are allergic or sensitive to iodine

**Ask a doctor before use if you have**

• deep or puncture wounds • animal bites • serious burns

**When using this product**

do not use longer than one week unless directed by a doctor

**Stop use and ask a doctor if**

• condition persists or gets worse • irritation or redness develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

• clean the affected area • apply wipe to affected area 1 to 3 times daily

• may be covered with a sterile bandage • discard wipe after single use

**Other information**

• store at room temperature: 15-30° C (59-86° F)

• do not use if package is torn or open • do not use on individuals who are allergic or sensitive to iodine

**Inactive ingredients**

nonoxonyl-9, water

**Questions or comments?**

1-800-430-5490

**4351 Kit Label**  
**018503-4219**



# Honeywell

## First Aid Kit

[www.honeywellsafety.com](http://www.honeywellsafety.com)

Distributed by Honeywell Safety Products  
USA, Inc. Smithfield, RI 02917



754003 Rev. E

4351 first aid kit kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4351
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4351-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	4 PACKET	3.6 g
Part 2	4 PACKET	3.6 g
Part 3	6 POUCH	1.8 mL

## Part 1 of 3

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

**Item Code (Source)** NDC:0498-0903

**Route of Administration** TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

## Part 2 of 3

### NEOMYCIN

antibiotic ointment

## Product Information

<b>Item Code (Source)</b>	NDC:0498-0730
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

## Part 3 of 3

### PVP IODINE WIPE

povidone-iodine 10% swab

## Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>NONOXYNOL-9</b> (UNII: 48Q180SH9T)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

**Labeler -** Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC