UREMOL- urea lotion Odan Laboratories Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Uremol 10% Lotion

Active ingredient

Urea 10%

Inactive ingredients

Caprylic, Caprylic triglyceride, carbomer 940, ceteareth-12, ceteareth-20, citrid acid, diazolidinyl urea, purified water, glycerin, xanthan gum, methylparaben, glyceryl monostearate, octyldodecanol, sodium phosphate dibasic, potassium phosphate monobasic, propylene glycol, propylparaben,

Indication and usage

Uremol temporarily protects and helps relieve minor skin irritation and itching. Apply to skin up to 3 times/day. Do not use under 2 years old, unless directed by a physician. Used on children should be supervised by an adult. Stop use if condition worsens.

Uremol 10% lotion temporarily protects and helps relieve minor skin irritation and itching..

Uremol 10% temporarily protects and helps relieve minor skin irritation and itching. Apply to skin up to 3 times/day. Do not use on children under 2 years old.

For external use only. Keep out of reach and sight of children. Store between 15-30 °C.

Warning

Don't use if allergic to urea or any other ingredients in Uremol. Avoid contact with eyes and mucous membrane; in case of contact, wash with water. After application you may notice rash, itchiness, irritation, pain, reddening, burning or discoloration of the skin, which could be sign of an allergic reaction. Stinging may occur if applied to damaged skin. If too much is applied, irritation may occur. If irritation worsens or persists, discontinue temporarily. Consult a health care professional if symtoms worsen or last for more than 7 days or if using other topical product on your skin.

ARTWORK



Uremol temporarily protects and helps relieve minor skin irritation and itching.

DIRECTIONS: Apply to skin up to 3 times/day. Do not use if less than 2 years old, unless directed by a physician. Use in children should be supervised by an adult. Stop use if condition worsens. WARNINGS: Don't use if allergic to Use ao any other ingredients in Usemol. Avoid contact with eyes and musous membranes; in case of contact, wash with water. After application you may notice reash, itchiness, irritation, pain, reddening, burning or discoloration of the skin, which could be signs of an allergic reaction. Stinging may occur if applied to damaged skin. If too much is applied, irritation could occur. If irritation worsens or persists, discontinue temporarily. Consult a healthcare practitioner: if symptoms worsen of last for more than 7 days, or if using other topical products on your skin. FOR EXTERNAL USE ONLY. Keep out of reach and sight of children. FOR EXTERNAL USE ONLY. Keep out of reach and sight of children. For between 15°C - 30°C. Usemol protege et aide a soulgage temporarement les démangeaisons et les irritations mineures outaness. MODE O'MENDO! Appliquer sur la peau seulement, jusqu'à 3 fois par jour. Ne pas utiliser chez les enfants de moins de 2 ans, sau sur l'avis dinu médecin. Les enfants de moins de 2 ans, sau sur l'avis dinu médecin. Les enfants de vions de 2 ans, sau sur l'avis dinu médecin. Les enfants de vions de 2 ans, sau sur l'avis dinu médecin. Les enfants de vions de 2 ans, sau sur l'avis dinu médecin. Les enfants de vions de 2 ans, sau sur l'avis dinu médecin. Les enfants de vions de 2 ans, sau sur l'avis dinu médecin. Les enfants de vions de 2 ans, sau sur l'avis dinu médecin. Les enfants de vions de 2 ans de siles sous la surveillance d'une du les enfants de vions de l'avis de l'avis

2.795"

_	Φ	١)					Δ	1		1	J
w	w	w		0	d	a	n	í	a	b		c	0	m
			ŀ	M		1				PM:				

ADDRESS: 325 Stillview Ave. Pointe-Claire, QC Canada H9R 2Y6

PROJECT START DATE: 25 July 2017

PMS# PMS# 306

FILE #: 855110
PROJECT DESCRIPTION: New Packaging
PROGRAM:

FINISHED SIZE: width 2.588" X height 4.35"

FILE NAME: Uremol 10 LOTION 250ml BOTTLE

REV #: 01 DATE: 28 August 2017

NOTES:

COLOR CALL -OUTS / INK PLATE SET UP

Text Approval

GRAPHICS
Art Approval Eric Bell
DATE: 28 August 2017
REGULATORY

DATE:

MARKETING
Art Approval DATE:

MANAGEMENT
Text Approval DATE:

UREMOL

urea lotion

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:61344-452 Route of Administration TOPICAL

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
UREA (UNII: 8W8T17847W) (UREA - UNII:8W8T17847W)	UREA	100 mg in 1 mL				

Inactive Ingredients					
Ingredient Name	Strength				
POTASSIUM PHOSPHATE, MONOBASIC (UNII: 4J9FJ0HL51)					
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)					
SODIUM PHOSPHATE DIBASIC DIHYDRATE (UNII: 9425516E2T)					
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)					
PROPYLPARABEN (UNII: Z8IX2SC1OH)					
CAPRYLIC/CAPRIC ACID (UNII: DI775RT244)					
TRICAPRILIN (UNII: 6P92858988)					
CARBOMER 940 (UNII: 4Q93RCW27E)					
CETEARETH-12 (UNII: 7V4MR24V5P)					
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)					
DIAZOLIDINYL UREA (UNII: H5RIZ 3MPW4)					
GLYCERIN (UNII: PDC6A3C0OX)					
WATER (UNII: 059QF0KO0R)					
XANTHAN GUM (UNII: TTV12P4NEE)					
METHYLPARABEN (UNII: A2I8C7HI9T)					
OCTYLDODECANOL (UNII: 461N1O614Y)					

Product Characteristics						
Color	Score					
Shape	Size					
Flavor	Imprint Code					
Contains						

Packaging								
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
	NDC:61344-452- 30	250 mL in 1 BOTTLE; Type 6: Drug/Biologic Combination	05/31/2019					

ARTWORK



Marketing InformationMarketing CategoryApplication Number or Monograph CitationMarketing Start DateMarketing End Dateunapproved drug other05/31/2019

Labeler - Odan Laboratories Ltd (208585604)

Establishment

Name	Address	ID/FEI	Business Operations
Odan Laboratories LTD		208585604	manufacture(61344-452)

Revised: 12/2022 Odan Laboratories Ltd