

**4370 FIRST AID KIT- 4370 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**0498-4370: First Aid Kit (Hand Sanitizer, BZK wipe, FABC, Neomycin, Sting rel-SF00004664/M)**

**First Aid Burn Cream**

***Active ingredient***

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

**First Aid Burn Cream**

***Purpose***

First aid antiseptic

External analgesic

**First Aid Burn Cream**

***Uses***

- prevent skin infection
- for temporary relief of pain associated with minor burns

**First Aid Burn Cream**

***Warnings***

**For external use only**

**Do not use**

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

## **First Aid Burn Cream**

### ***Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

### ***Other information***

- tamper evident sealed packets
- do not use if packet is opened or torn

### ***Inactive ingredients***

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

### ***Questions***

1-800-430-5490

## **BZK Antiseptic Wipe**

### ***Active ingredient***

Benzalkonium chloride 0.13%

### **BZK**

#### ***Purpose***

First aid antiseptic

### **BZK**

#### ***Uses***

Antiseptic cleansing of face, hands, and body without soap and water

### **BZK**

#### ***Warnings***

## **For external use only**

### **BZK**

#### **Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

#### **Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

### **BZK**

#### ***Directions***

- .tear open packet and use as a washcloth

### **BZK**

#### ***Other information***

- store at room temperature 15 ° to 30 ° C (59 ° - 86 °F)
- do not reuse towelette

### **BZK**

#### ***Inactive ingredients***

water

### **BZK**

#### **Questions**

1-800-430-5490

### **Sting Relief**

#### ***Active ingredient***

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

### **Sting Relief**

#### ***Purpose***

Antiseptic

Topical pain relief

## **Sting Relief**

### ***Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

## **Sting Relief**

### ***Warnings***

#### **For external use only**

**Flammable**, keep away from open fire or flame

#### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

#### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Sting Relief**

### ***Directions***

- **adults and children 2 years and older:** Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

## **Sting Relief**

### ***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

## **Sting relief**

### ***Questions or Comments***

1-800-430-5490

## **Neomycin Antibiotic Ointment**

### ***Active ingredient***

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

## **Neomycin Antibiotic Ointment**

### ***Purpose***

First aid antibiotic

## **Neomycin Antibiotic Ointment**

### ***Uses***

first aid to help prevent infection in - minor cuts - scrapes - burns

## **Neomycin Antibiotic Ointment**

### ***Warnings***

**For external use only**

#### **Do not use**

- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Neomycin Antibiotic Ointment**

### ***Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Neomycin Antibiotic Ointment**

### ***Other information***

store at 15 ° to 25 °C (59 ° to 77 °F)

## **Neomycin Antibiotic Ointment**

### ***Inactive ingredient***

petrolatum

## **Neomycin Antibiotic Ointment**

### ***Questions***

1-800-430-5490

## **Hand Sanitizer**

### ***Active ingredient***

Ethyl alcohol 62%

## **Hand Sanitizer**

### ***Purpose***

Antiseptic handwash

## **Hand Sanitizer**

### ***Uses***

- for hand washing to decrease bacteria on skin
- recommended for repeated use

## **Hand Sanitizer**

### ***Warnings***

**For external use only**

**Flammable, keep away from fire or flame**

### **When using this product**

- do not use in the eyes
- discontinue use if irritation and redness develops
- If condition persists for more than 72 hours consult a doctor.

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Hand Sanitizer**

### ***Directions***

- wet hands thoroughly with product and allow to dry without wiping

## **Hand Sanitizer**

### ***Other information***

- place a quarter size amount into one hand, spread over both hands to wrist and rub into skin until dry
- store at 15 ° to 25 ° C (59 ° to 77 ° F)

### **Hand Sanitizer**

#### ***Inactive ingredients***

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water .

### **Hand Sanitizer**

#### ***Questions or Comments***

1-800-275-3433 [info@waterjel.com](mailto:info@waterjel.com)

### **4370**

#### **SF00004664/M Kit Contents**


1 1X3 PLASTIC 100/BOX  
1 EYE DRESS PKT W/4 ADH STRIPS  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
10 HAND SANITIZER 0.9G WJ BULK  
3 GAUZE CLEAN-WRAP BDGE N/S 2"  
2 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 GZE PADS STERILE 3"X 3" 10'S  
1 CO-FLEX BANDAGE 2"X 5YDS TAN  
1 CPR FILTERSHIELD 77-100  
1 SCISSOR BDGE 4" RED PLS HDL  
LBL STOCK 6-3/8"X4"  
LBL STOCK 4"X2-7/8"  
1 LBL STOCK 3"x1-7/8"  
10 BZK ANTISEPTIC WIPE, BULK  
4 PR LRG NITRILE GLVES ZIP BAG  
10 FIRST AID BURN CREAM 1.0GR PKT EACH  
2 TAPE ADHESIVE 1/2 X 2.5 125133

10 POUCH NEOMYCIN ANTIBIOTIC .9 G  
1 WATER-JEL BURN DRESSING 4 X 4  
2 ADH BNDG PLASTIC EX-LG 4"X 2"  
1 KIT PP 24 UNIT FA  
1 LBL CONTENTS ANSI 2015 CL A  
1 BAG ZIPPER POLY 6 X 6 2 MIL  
6 SAFETEC STING RELIEF WIPES BULK  
1 TRI BNDG NON WOVEN 40"X40"X56"  
1 COLD PACK UNIT 4"X6" BULK  
4 WOVEN FINGERTIP BANDAGE 2"  
3 WOVEN KNUCKLE BANDAGE



**First Aid Burn Cream**  
**Principal Display Panel**



796353-10 Rev. A Unit Carton Printing Plate for "B" size





Principal Display Panel



Sting Relief  
Principal Display Panel



796041-25 Rev A Unit Carton Printing Plate for "C" size carton.





**INSTANT**

# **Hand Sanitizer**

**Antiseptic Gel  
With Vitamin E & Aloe**

***Kills 99.9% of Germs  
Without Water***

**240mL - (8 fl oz)**

**4370 Kit Label  
SF00004664/M**

 ***First Aid*** 

Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

**4370 FIRST AID KIT**

4370 first aid kit kit

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4370
--------------	----------------	--------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4370-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 POUCH	2.4 mL
Part 2	10 PACKET	9 g
Part 3	10 PACKET	9 g
Part 4	10 PACKET	14 mL
Part 5	10 PACKET	9 mL

## Part 1 of 5

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

## Product Information

Item Code (Source)	NDC:0498-0733
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

## Part 2 of 5

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	



<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

## Part 3 of 5

### NEOMYCIN

antibiotic ointment

## Product Information

<b>Item Code (Source)</b>	NDC:0498-0730
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

## Part 4 of 5

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

#### Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

## Part 5 of 5

### INSTANT HAND SANITIZER

alcohol liquid

## Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2011	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

**Labeler** - Honeywell Safety Products USA, INC (118768815)