ALLERGIEMITTEL- cardiospermum halicacabum flowering top, galphimia glauca flowering top, luffa operculata fruit tablet Schwabe North America, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Allergiemittel Tablets

Active Ingredients

Cardiospermum halicacabum 3X Galphimia glauca 3X Luffa operculate 5X

Inactive Ingredients

Cellulose

Lactose Monohydrate

Magnesium Stearate

Purpose

Temporarily relieves minor allergic symptoms: sneezing; runny, stuffy, itchy nose; red, itchy, watery eyes; scratchy throat.

Indications and Usage

Temporarily relieves minor allergic symptoms: sneezing; runny, stuffy, itchy nose; red, itchy, watery eyes; scratchy throat.

Dosage & Administration

Directions:

Sublingual medication. Place under tongue and let dissolve.

Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth, or drinking anything except water.

Preventative use, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day

Adults and Children 12 Years and older: Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved.

Children 6-12 years of age: Take 1/2 tablet every hour until symptoms subside, then 1/2

tablet 2 times a day until relieved. Children under 6: Consult a doctor.

Warnings Stop use

Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur.

In the event of severe allergic reactions, consult a doctor immediately.

Pregnancy or Breast Feeding

If pregnany or breastfeeding, ask a healthcare professional before use.

Keep out of reach of children.

Keep out of reach of children.

Overdosage

In case of overdose, seek medical help or contact a Poison Control Center immediately.

Allergiemittel AllerAide® RELIEVES SYMPTOMS OF ALLERGIES™ Allergiemittel AllerAide $^{\circ}$ relieves a wide variety of allergic symptoms. †† It contains no antihistamines or central nervous system stimulants. **Drug Facts** Active Ingredients (199.40 mg in each tablet) Cardiospermum halicacabum 3X, Galphimia glauca 3X, Luffa operculata 5X Uses Temporarily relieves minor allergic symptoms: ■ sneezing†† ■ runny, stuffy, itchy nose†† ■ red, itchy, watery eyes†† ■ scratchy throat†† Stop use and ask a doctor if symptoms worsen, do not improve, are accompanied by a fever, or if new symptoms occur. In the event of severe allergic reactions, consult a doctor immediately. If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. In case of overdose, seek medical help or contact a Poison Control Center immediately. Directions ■ Sublingual medication. Place under tongue and let dissolve. ■ Take before exposure to allergen or as soon after symptoms appear as possible at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water. ■ Preventative use, take 4-6 weeks before allergy season starts, 1 tablet 3 times a day. Age Adults and children 12 years of age and over Dose Take 1 tablet every hour until symptoms subside, then 1 tablet 3 times a day until relieved.

Children 6-12 years of age Take 1/2 tablet every hour until symptoms subside, then 1/2 tablet 2 times a day until relieved.

valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principl

Other Information ■ Store at room temperature 20-25° C (68-77° F). ■ Keep in dry place out of direct sunligh

BN21812590.A0

Children under 6 years of age | Consult a doctor.

Questions? 1-800-9NATURE / naturesway.com

Inactive Ingredients cellulose, lactose monohydrate, magnesium stearate

a division of Mature's Way Brands, LLC Green Bay, WI 54311 USA Product of Mexico ©2020 Distributed by:



All plates change from previous version Proof: Pdf Proof.

× ×

*9biA1911A 911im9i81911A

SNEEZING, ITCHY EYES, NASAL CONGESTION^{II}



NDC 23466-3260-1

• Dust & Mold • Pet Dander • Grass, Bush & Tree Pollen

MULTI-SYMPTOM RELIEF 1911im9i819IIA Spidaolia

 MATERY EYESH
 RUNNY NOSEH **CONCESTION#** ILCHY EYES# JASAN . SNEEZINC++

RELIEVES SYMPTOMS OF:

No Drowsiness

Multi-Symptom

Hiergy Relief

SNEEZING, ITCHY EYES, NASAL CONGESTION 621250110-05

For Relief of

8

LOT/BEST BY

ALLERGIEMITTEL

cardiospermum halicacabum flowering top, galphimia glauca flowering top, luffa operculata fruit tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-3590	
Route of Administration	SUBLINGUAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CARDIOSPERMUM HALICACABUM FLOWERING TOP (UNII: MZ P2508BRR) (CARDIOSPERMUM HALICACABUM FLOWERING TOP - UNII: MZ P2508BRR)	CARDIOS PERMUM HALICACABUM FLOWERING TOP	3 [hp_X]		
GALPHIMIA GLAUCA FLOWERING TOP (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E)	GALPHIMIA GLAUCA FLOWERING TOP	3 [hp_X]		
LUFFA OPERCULATA FRUIT (UNII: C4MO6809HU) (LUFFA OPERCULATA FRUIT - UNII:C4MO6809HU)	LUFFA OPERCULATA FRUIT	5 [hp_X]		

Inactive Ingredients			
Ingredient Name	Strength		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			

Product Characteristics				
Color	white (BT)	Score	no score	
Shape	ROUND (BT)	Size	10mm	
Flavor		Imprint Code	B;T	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499- 3590-1	4 in 1 CARTON	04/28/2020	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unannravad			

unapproved homeopathic	04/28/2020

Labeler - Schwabe North America, Inc. (831153908)

Establishment			
Name	Address	ID/FEI	Business Operations
Schwabe Mexico S.A. de C.V.		812805901	manufacture(53499-3590)

Revised: 10/2023 Schwabe North America, Inc.