

BLISTEX LIP MEDEX- petrolatum, menthol, unspecified form, camphor (synthetic), and phenol paste
Blistex Inc.

Blistex® Lip Medex®

Drug Facts

Active ingredients	Purpose
Camphor 1.0% (w/w)	External analgesic
Menthol 1.0% (w/w)	External analgesic
Petrolatum 59.14% (w/w)	Lip protectant
Phenol 0.54% (w/w)	External analgesic

Uses

- for the temporary relief of pain and itching associated with minor lip irritation
- temporarily protects and helps relieve chapped or cracked lips
- helps protect lips from the drying effects of wind and cold weather

Warnings

For external use only

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body or bandage

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: Consult a doctor

Inactive ingredients

beeswax, benzyl alcohol, diisopropyl adipate, flavors, fragrances, lanolin, menthoxypropanediol, microcrystalline wax, myristyl myristate, ricinus communis (castor) seed oil, saccharin, theobroma cacao (cocoa) seed butter

PRINCIPAL DISPLAY PANEL - 7.08 g Jar Blister Pack

NDC 10157-8407-1

Blistex®

**LIP PROTECTANT/
EXTERNAL ANALGESIC**

LIP MEDEX®

Relieves Sore Lips &
Restores Moisture Balance

Quickly Cools & Comforts

NET WT. .25 oz (7.08g)

NDC 10157-8407-1

Blistex[®]

LIP PROTECTANT/
EXTERNAL ANALGESIC

LIP MEDEX[®]

Relieves Sore Lips &
Restores Moisture Balance

Quickly Cools & Comforts



NET WT. .25 oz (7.08g)

Drug Facts

Active ingredients

Camphor 1.0% (w/w)
Menthol 1.0% (w/w)
Petrolatum 59.14% (w/w)
Phenol 0.54% (w/w)

Purpose

External analgesic
External analgesic
Lip protectant
External analgesic

Blistex[®]
LIP MEDEX[®]

Blistex Lip Medex provides
quick cooling lip relief you can

Uses

- for the temporary relief of pain and itching associated with minor lip irritation
- temporarily protects and helps relieve chapped or cracked lips
- helps protect lips from the drying effects of wind and cold weather

Warnings

For external use only

Do not use on:

- deep or puncture wounds
- animal bites • serious burns

When using this product:

- do not get into eyes
- do not apply over large areas of the body or bandage

Stop use and ask a doctor if:

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: Consult a doctor

Inactive ingredients

beeswax, benzyl alcohol, diisopropyl adipate, flavors, fragrances, lanolin, ▶

feel working.

Lip Medex also helps to restore a healthy moisture balance to lips.

Lip Medex with its COOL BURST® formula provides medicated ingredients that deliver a noticeable and immediate cooling action to provide fast relief from the hot, itching sensations that accompany sore lips.

Lip Medex with its ACTIVE PREVENTION® formula provides a special barrier that helps lip cells return to their natural moisture balance.

SATISFACTION
GUARANTEED
Blistex

#34288
©2013 Blistex Inc.
P.O. Box 5392
Oak Brook, IL 60522-5392

♻️ Card is 100% Recyclable.

Drug Facts (continued)

menthoxypropanediol, microcrystalline wax, myristyl myristate, ricinus communis (castor) seed oil, saccharin, theobroma cacao (cocoa) seed butter



BLISTEX LIP MEDEX

petrolatum, menthol, unspecified form, camphor (synthetic), and phenol paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10157-8407
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	59.14 g in 100 g
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	1 g in 100 g
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	1 g in 100 g
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	0.6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LANOLIN (UNII: 7EV65EAW6H)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
COCOA BUTTER (UNII: 512OYT1CRR)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CASTOR OIL (UNII: D5340Y2I9G)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
MENTHYL SALICYLATE, (+/-)- (UNII: 43XOA705ZD)	
SACCHARIN (UNII: FST467XS7D)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
CLOVE OIL (UNII: 578389D6D0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10157-8407-1	1 in 1 BLISTER PACK	03/28/2017	
1		7.08 g in 1 JAR; Type 0: Not a Combination Product		
2	NDC:10157-8407-2	1 in 1 BLISTER PACK	03/28/2017	
2		10.75 g in 1 JAR; Type 0: Not a Combination Product		
3	NDC:10157-8407-3	3 in 1 BLISTER PACK	11/29/2022	
3		7.08 g in 1 JAR; Type 0: Not a Combination Product		
4	NDC:10157-8407-4	7.08 g in 1 JAR; Type 0: Not a Combination Product	01/24/2024	
5	NDC:10157-8407-5	10.75 g in 1 JAR; Type 0: Not a Combination Product	01/24/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M017	03/28/2017	

Labeler - Blistex Inc. (005126354)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 1/2024

Blistex Inc.