

**STOOL SOFTENER- docusate sodium capsule, liquid filled
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Drug Facts

Active ingredient (in each softgel)

Docusate sodium USP, 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless directed by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be sign of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 7 mg
- store at 25°C (77°); excursions permitted between 15-30°C (59°-86°F)

Inactive ingredients

citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

Questions or comments?

Call 1-888-309-9030

Principal Display Panel

Compare to active ingredient in Dulcolax® Stool Softener**

Gentle Relief

Stool Softener

Docusate Sodium, 100 mg

Stool softener laxative

Fast, Dependable Relief of Occasional Constipation

100 mg

Softgels

**This product is not manufactured by Chattem, Inc., distributor of Dulcolax® Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY

OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Product Label

DG™ | health

Compare to active ingredient of Dulcolax® Stool Softener**

Fast, Dependable Relief of Occasional Constipation

Gentle Relief Stool Softener

Docosate sodium, 100 mg

Stool Softener Laxative
Fast, Dependable Relief of Occasional Constipation

100
mg

25 Softgels

Actual Softgel Size

DG™ | health

Compare to active ingredient of Dulcolax® Stool Softener**

Gentle Relief Stool Softener

Docosate sodium, 100 mg

Stool Softener Laxative
Fast, Dependable Relief of Occasional Constipation

100
mg

25 Softgels

Actual Softgel Size

100%
Satisfaction
Guaranteed!
(888) 309-9030

DISTRIBUTED BY OLD EAST MAIN CO.
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

TAMPER EVIDENT. DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS DAMAGED OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Exp. Date:
Lot No.:
P.L.D.-H790A
F0008415



A0196

*This product is not manufactured or distributed by Chatham, Inc., distributor of Dulcolax® Stool Softener.

Questions or comments?

Call 1-888-309-9030

Inactive ingredients: citric acid, FD&C red #40, FD&C yellow #5, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink


■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

■ each softgel contains sodium 7 mg

Other information

Drug Facts (continued)

Warnings	
Do not use if you are presently taking mineral oil, unless directed by a doctor.	
Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ a sudden change in bowel habits that lasts more than 2 weeks	
Stop use and ask a doctor if ■ you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions ■ take with a glass of water	
adults and children	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor



DOLLAR GENERAL Docusate Sodium 100 mg softgels

STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-938(NDC:53345-008)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE (Oval)	Size	13mm
Flavor		Imprint Code	PC1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-938-50	1 in 1 BOX	12/30/2022	

1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:55910-938-25	1 in 1 BOX	12/30/2022	
2		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/30/2022	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 3/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)