

MECLIZINE- meclizine hcl 12.5 mg tablet
Pharbest Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each caplet)

Meclizine HCl 12.5mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness associated with motion sickness

Warnings

Do not use for children under 12 years of age unless directed by a doctor.

Do not take unless directed by a doctor if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product

- do not exceed recommended dosage
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- dosage should be taken 1 hour before travel starts

Adults and children 12 years and over	take 2 or 4 caplets once daily or as directed by doctor
---------------------------------------	---

Other information

- **Tamper Evident:** do not use if safety seal under cap is broken or missing
- store at room temperature 20°-25°C (68°-77°F)

Inactive ingredients

Croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions ?

Adverse drug event call (866) 562-2756 (M - F, 8AM - 4PM EST).

PHARBEST

NDC 16103-0386-11

Manufactured in the USA

Motion Sickness Relief

MECLIZINE

Meclizine HCl 12.5mg

Anti-Emetic

• **Motion Sickness** • **Nausea** • **Vomiting**

100 CAPLETS



This package for households without young children

Drug Facts

Active ingredient (in each caplet) Meclizine HCl 12.5mg
Purpose Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness associated with motion sickness

Warnings

Do not use for children under 12 years of age unless directed by a doctor. Do not take unless directed by a doctor if you have:
 ■ glaucoma ■ trouble urinating due to an enlarged prostate gland
 ■ a breathing problem such as emphysema or chronic bronchitis
 Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product

■ do not exceed recommended dosage ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ dosage should be taken 1 hour before travel starts
 Adults and children 12 years and over take 2 or 4 caplets once daily or as directed by doctor

Other information

■ Tamper Evident: do not use if safety seal under cap is broken or missing
 ■ store at room temperature 20°-25° C (68°-77°F)

Inactive ingredients

Croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions? Adverse drug event call (866) 562-2756 (M - F, 8AM - 4PM EST).

ORG1214

Manufactured By:
 Pharbest Pharmaceuticals, Inc.
 14 Engineers Lane, Farmingdale, NY 11735



MECLIZINE			
meclizine hcl 12.5 mg tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16103-386
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	12.5 mg	

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE (CAPSULE SHAPED TABLET)	Size	13mm
Flavor		Imprint Code	PH049
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16 103-386-08	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2018	
2	NDC:16 103-386-11	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	02/01/2018	

Labeler - Pharbest Pharmaceuticals, Inc. (557054835)

Registrant - Pharbest Pharmaceuticals, Inc. (557054835)

Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc.		557054835	manufacture(16 103-386) , pack(16 103-386) , analysis(16 103-386)

Revised: 2/2018

Pharbest Pharmaceuticals, Inc.