### DERMAGESIC- pramoxine hcl, zinc oxide, calamine liquid Llorens Pharmaceuticals International Division

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Active Ingredients Purpose

Pramozine HCl .... 1% ......... Anesthetic/Analgesic

Zinc Oxide ......0.4% ...... Skin Protectant

Calamine ........... Skin Protectant

### Purpose

Anesthetic/Analgesic

Skin Protectant

### Uses

- for the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites or minor irritations
- dries the oozing and weeping of poison ivy, poison oak and poison sumac.

### Warnings

- For external use only. Avoid contact with the eyes
- Not for Pediatric use
- Hypersensitivity to "caine" anesthetics

### Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

### Ask a doctor before use

- on chicken pox
- on measles

**Stop use and ask a doctor if** condition worsens or does not improve within 7 days

• symptoms persist for more than 7 days or clear up and occur again within a few days

**KEEP OUT OF REACH OF CHILDREN** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions SHAKE WELL**

- Adults and children 2 years of age and older apply to affected area not more than 3 to 4 times daily
- Children under 2 years of age ask a doctor
- Do not use more often than directed

**Inactive Ingredients:** ©Glycerin, glyceryl stearate, PEG-100 Stearate, cetearyl alcohol, methylparaben, propylparaben, aloe barbadensis leaf juic (aloe vera), avena sativa (oat) kernel colloidal oatmeal, fregrance, hydroxypropyl methylcellulose, menthol, purified water

Questions: 1-866-595-5598

### **Drug Facts**

Active Ingred	lents	Purpose
Pramoxine HC	1%	nesthetic/Analgesic
Zinc Oxide	0.4%	Skin Protectant
Calamine	0.4%	Skin Protectant

Uses • for the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites or minor irritations • dries the oozing and weeping of poison luy, poison oak and poison sumac.

Warnings = For external use only. Avoid contact with the eyes. = Not for Pediatric use = Hypersensitivity to "caine" anesthetics

Do not use on large areas of the body with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use on chicken pox on measles

Stop use and ask a doctor if condition worsens or does not improve within 7 days maymptoms persist for more than 7 days or clear up and occur again within a few days.

KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.

Lot. #

Exp. Date:

Rev. 12/13

NDC 54859-120-04

# **DERMAGESIC**

## **SKIN PROTECTANT- ANESTHETIC**

For Soothing Relief of Itching Due To...

- Chicken Pox
- Insect Bites
- Prickly Heat



### Drug Facts (cont.)

Directions SHAKE WELL

Adults and children 2 years of age and older apply to affected area not more than 3 to 4 times daily

■ Children under 2 years of age ask a doctor ■ Do not use more often than directed

Inactive Ingredients: Glycerin, Glyceryl Stearate, PEG-100 Stearate, Cetearyl Alcohol, Methyliparaben, Propylparaben, Aloe barbadensis leaf juice (Aloe Vera), Avena Sativa (Oat) Kernel Colloidal Oatmeal, Fragrance, Hydroxypropyl methylcellulose, Menthol, Purified Water.

Other information store at room temperature 15° - 30°C (59° - 86°F).

Tamper evident: Do not use if there is evidence of tampering.

Questions or Comments? 1-866-595-5598

> Distributed By: Llorens International Division Miami, FL 33166





### **DERMAGESIC**

pramoxine hcl, zinc oxide, calamine liquid

### **Product Information**

**Route of Administration** 

Product Type HUMAN OTC DRUG	Item Code (Source)	NDC:54859-120
-----------------------------	--------------------	---------------

TOPICAL

#### **Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength PRAMO XINE HYDRO CHLO RIDE (UNII: 88 AYB867L5) (PRAMO XINE -**PRAMOXINE** 1 mg in 100 mL HYDROCHLORIDE UNII:068X84E056) 0.4 mg ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) ZINC CATION in 100 mL 0.4 mg FERRIC OXIDE RED (UNII: 1K09F3G675) (FERRIC OXIDE RED - UNII:1K09F3G675) FERRIC OXIDE RED in 100 mL

### **Inactive Ingredients**

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
AVENA SATIVA WHO LE (UNII: 5P8 D0 Z74RG)	
HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

l	Packaging				
l	#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
l	1	NDC:54859-120-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	0 1/0 1/20 14	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part347	0 1/0 1/20 14		

## **Labeler** - Llorens Pharmaceuticals International Division (037342305)

Revised: 12/2020 Llorens Pharmaceuticals International Division