

**ALLERGENA ZONE 2- echinacea, baptisia tinctoria, hydrastis canadensis, myrrha, nasturtium aquaticum, phytolacca decandra, trigonella foenum-graecum, zone 2 tree, zone 2 weed, zone 2 grass liquid**

**Meditrend, Inc. DBA Progena Professional Formulations**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Allergena Trees, Weeds and Grasses - Zone 2**

**Active Ingredients:** Echinacea 3X HPUS; **Drainage Remedies:** Baptisia tinctoria 3X HPUS, Hydrastis canadensis 3X HPUS, Myrrha 3X HPUS, Nasturtium aquaticum 3X HPUS, Phytolacca decandra 3X HPUS, Trigonella foenum-graecum 3X; \*Zone 2 Tree 6X, 12X, 30X: \*Zone 2 Weed 6X, 12X, 30X: \*Zone 2 Grass 6X, 12X, 30X.

**Purpose:** Relief from Sneezing, Runny Nose, Itchy Eyes and Sinus Congestion.

**Use:** This product is a Homeopathic Dilution formulated to support the body's immunity for the temporary relief of allergies.

**Keep Out of Reach of Children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Warnings:**

- Use Only as directed.
- **Stop use and ask a doctor if** symptoms worsen or do not improve after 5 days.
- **If pregnant or breast-feeding**, consult a health professional before use.

**Directions:** • Shake Well Before Use. • **Adults (12 and Older)** take 10-15 drops under the tongue three times daily. • **Children (11 and Younger)** take 6 drops under the tongue three times daily or as directed by your health care professional. • **Consult a Physician** for use in children under 12 years of age.

**Other Information: Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.**

**Inactive Ingredients:** USP Purified Water and 25% USP Ethanol.

\*Proprietary Ingredients: Zone 2 Trees, Weeds and Grasses contain up to 43 allergens specific to Zone 2 region. For a complete list of allergens visit [www.allergena.com](http://www.allergena.com)

**Manufactured for Progena Professional Formulations**

**4820 Eubank Blvd. NE, ABQ, NM 87111, [www.progena.com](http://www.progena.com)**

NDC 62713-802-01 Homeopathic

**ALLERGENA™**

**Allergy Relief  
for Where You Live**



**Up To 43  
Tree, Weed &  
Grass Extracts**

**+ Drainage Remedies**

AL, AR, FL, GA,  
KY, LA, MS, NC,  
SC, TN & VA

**Zone 2**

NET 1FL OZ (30ml)  
25% USP Ethanol

**Drug Facts**  
**Active Ingredients:** Echinacea 3X HPUS; Drainage Remedies: Baptisia tinctoria 3X HPUS, Hydrastis canadensis 3X HPUS, Myrrha 3X HPUS, Nasturtium aquaticum 3X HPUS, Phytolacca decandra 3X HPUS, Trigonella foenum-graecum 3X;  
\*Zone 2 Tree 6X, 12X, 30X; \*Zone 2 Weed 6X, 12X, 30X; \*Zone 2 Grass 6X, 12X, 30X.  
**Purpose:** Relief from Sneezing, Runny Nose, Itchy Eyes and Sinus Congestion.

**Use:** This product is a Homeopathic Dilution formulated to support the body's immunity for the temporary relief of allergies.

**Warnings:**  
■ Use only as directed.

■ **Stop use and ask a doctor if symptoms worsen or do not improve after 5 days.**

■ **If pregnant or breast-feeding,** consult a health professional before use.

■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Shake Well Before Use. ■ **Adults (12 and Older)** take 10-15 drops under the tongue three times daily. ■ **Children (11 and Younger)** take 6 drops under the tongue three times daily or as directed by your health care professional. ■ **Consult a Physician** for use in children under 12 years of age.

**Other Information:** Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

**Inactive Ingredients:** USP Purified Water & 25% USP Ethanol.

\*Proprietary Ingredients: Zone 2 Trees, Weeds & Grasses contain up to 43 allergens specific to Zone 2 region. For a complete list of allergens visit [www.allergena.com](http://www.allergena.com)

Manufactured for PROGENA Professional Formulations  
4820 Eubank Blvd. NE, ABC, NM 87111, [www.progena.com](http://www.progena.com)

UPC

**ALLERGENA ZONE 2**

echinacea, baptisia tinctoria, hydrastis canadensis, myrrha, nasturtium aquaticum, phytolacca decandra, trigonella foenum-graecum, zone 2 tree, zone 2 weed, zone 2 grass liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62713-802
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	3 [hp_X] in 1 mL
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	3 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	3 [hp_X] in 1 mL
<b>MYRRH</b> (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	3 [hp_X] in 1 mL
<b>NASTURTIUM OFFICINALE</b> (UNII: YH89GMV676) (NASTURTIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIUM OFFICINALE	3 [hp_X] in 1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	3 [hp_X] in 1 mL
<b>FENUGREEK LEAF</b> (UNII: 487R196K8Z) (FENUGREEK LEAF - UNII:487R196K8Z)	FENUGREEK LEAF	3 [hp_X] in 1 mL
<b>ACACIA POLLEN</b> (UNII: 43DDR2YDYZ) (ACACIA POLLEN - UNII:43DDR2YDYZ)	ACACIA POLLEN	30 [hp_X] in 1 mL
<b>FRAXINUS PENNSYLVANICA POLLEN</b> (UNII: 2WZG2G15WX) (FRAXINUS PENNSYLVANICA POLLEN - UNII:2WZG2G15WX)	FRAXINUS PENNSYLVANICA POLLEN	30 [hp_X] in 1 mL
<b>BETULA OCCIDENTALIS POLLEN</b> (UNII: R889N2L976) (BETULA OCCIDENTALIS POLLEN - UNII:R889N2L976)	BETULA OCCIDENTALIS POLLEN	30 [hp_X] in 1 mL
<b>ACER NEGUNDO POLLEN</b> (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	30 [hp_X] in 1 mL

<b>JUNIPERUS VIRGINIANA POLLEN</b> (UNII: PY0JA16R2G) (JUNIPERUS VIRGINIANA POLLEN - UNII:PY0JA16R2G)	JUNIPERUS VIRGINIANA POLLEN	30 [hp_X] in 1 mL
<b>POPULUS DELTOIDES POLLEN</b> (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	30 [hp_X] in 1 mL
<b>TAXODIUM DISTICHUM POLLEN</b> (UNII: O12H03B41R) (TAXODIUM DISTICHUM POLLEN - UNII:O12H03B41R)	TAXODIUM DISTICHUM POLLEN	30 [hp_X] in 1 mL
<b>ULMUS AMERICANA POLLEN</b> (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	30 [hp_X] in 1 mL
<b>CELTIS OCCIDENTALIS POLLEN</b> (UNII: 68R9X9Y96X) (CELTIS OCCIDENTALIS POLLEN - UNII:68R9X9Y96X)	CELTIS OCCIDENTALIS POLLEN	30 [hp_X] in 1 mL
<b>CARYA OVATA POLLEN</b> (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	30 [hp_X] in 1 mL
<b>LIGUSTRUM VULGARE POLLEN</b> (UNII: Y3FRX92Z0E) (LIGUSTRUM VULGARE POLLEN - UNII:Y3FRX92Z0E)	LIGUSTRUM VULGARE POLLEN	30 [hp_X] in 1 mL
<b>ACER SACCHARUM POLLEN</b> (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	30 [hp_X] in 1 mL
<b>ACER RUBRUM POLLEN</b> (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	30 [hp_X] in 1 mL
<b>MORUS RUBRA POLLEN</b> (UNII: 9LYI4RTZ52) (MORUS RUBRA POLLEN - UNII:9LYI4RTZ52)	MORUS RUBRA POLLEN	30 [hp_X] in 1 mL
<b>QUERCUS VIRGINIANA POLLEN</b> (UNII: 8KDG09A4GO) (QUERCUS VIRGINIANA POLLEN - UNII:8KDG09A4GO)	QUERCUS VIRGINIANA POLLEN	30 [hp_X] in 1 mL
<b>QUERCUS RUBRA POLLEN</b> (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	30 [hp_X] in 1 mL
<b>QUERCUS ALBA POLLEN</b> (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	30 [hp_X] in 1 mL
<b>CARYA ILLINOINENSIS POLLEN</b> (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	30 [hp_X] in 1 mL
<b>PINUS STROBUS POLLEN</b> (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)	PINUS STROBUS POLLEN	30 [hp_X] in 1 mL
<b>POPULUS ALBA POLLEN</b> (UNII: VU8C8SB23P) (POPULUS ALBA POLLEN - UNII:VU8C8SB23P)	POPULUS ALBA POLLEN	30 [hp_X] in 1 mL
<b>LIQUIDAMBAR STYRACIFLUA POLLEN</b> (UNII: 5Q246DS5BS) (LIQUIDAMBAR STYRACIFLUA POLLEN - UNII:5Q246DS5BS)	LIQUIDAMBAR STYRACIFLUA POLLEN	30 [hp_X] in 1 mL
<b>PLATANUS OCCIDENTALIS POLLEN</b> (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	30 [hp_X] in 1 mL
<b>JUGLANS NIGRA POLLEN</b> (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	30 [hp_X] in 1 mL
<b>SALIX NIGRA POLLEN</b> (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)	SALIX NIGRA POLLEN	30 [hp_X] in 1 mL
<b>BACCHARIS HALIMIFOLIA POLLEN</b> (UNII: BBO1IJ3ZIW) (BACCHARIS HALIMIFOLIA POLLEN - UNII:BBO1IJ3ZIW)	BACCHARIS HALIMIFOLIA POLLEN	30 [hp_X] in 1 mL
<b>AMARANTHUS PALMERI POLLEN</b> (UNII: 1GH3WV23KH) (AMARANTHUS PALMERI POLLEN - UNII:1GH3WV23KH)	AMARANTHUS PALMERI POLLEN	30 [hp_X] in 1 mL
<b>XANTHIUM STRUMARIUM POLLEN</b> (UNII: 2QOF601J1M) (XANTHIUM STRUMARIUM POLLEN - UNII:2QOF601J1M)	XANTHIUM STRUMARIUM POLLEN	30 [hp_X] in 1 mL
<b>RUMEX CRISPUS POLLEN</b> (UNII: V825XJG64G) (RUMEX CRISPUS POLLEN - UNII:V825XJG64G)	RUMEX CRISPUS POLLEN	30 [hp_X] in 1 mL
<b>CHENOPODIUM ALBUM POLLEN</b> (UNII: 098LKX5NCN) (CHENOPODIUM ALBUM POLLEN - UNII:098LKX5NCN)	CHENOPODIUM ALBUM POLLEN	30 [hp_X] in 1 mL
<b>IVA ANNUA POLLEN</b> (UNII: Y2U5S5PF22) (IVA ANNUA POLLEN - UNII:Y2U5S5PF22)	IVA ANNUA POLLEN	30 [hp_X] in 1 mL
<b>ARTEMISIA VULGARIS POLLEN</b> (UNII: ANT994T71D) (ARTEMISIA VULGARIS POLLEN - UNII:ANT994T71D)	ARTEMISIA VULGARIS POLLEN	30 [hp_X] in 1 mL
<b>URTICA DIOICA POLLEN</b> (UNII: DNB59M1NVU) (URTICA DIOICA POLLEN - UNII:DNB59M1NVU)	URTICA DIOICA POLLEN	30 [hp_X] in 1 mL
<b>AMARANTHUS RETROFLEXUS POLLEN</b> (UNII: 73B14PX5FW) (AMARANTHUS RETROFLEXUS POLLEN - UNII:73B14PX5FW)	AMARANTHUS RETROFLEXUS POLLEN	30 [hp_X] in 1 mL
<b>PLANTAGO LANCEOLATA POLLEN</b> (UNII: DO87T1U2CI) (PLANTAGO LANCEOLATA POLLEN - UNII:DO87T1U2CI)	PLANTAGO LANCEOLATA POLLEN	30 [hp_X] in 1 mL

<b>AMBROSIA TRIFIDA POLLEN</b> (UNII: KU1V1898XX) (AMBROSIA TRIFIDA POLLEN - UNII:KU1V1898XX)	AMBROSIA TRIFIDA POLLEN	30 [hp_X] in 1 mL
<b>AMBROSIA ARTEMISIIFOLIA POLLEN</b> (UNII: K20 Y8 1ACO3) (AMBROSIA ARTEMISIIFOLIA POLLEN - UNII:K20 Y8 1ACO3)	AMBROSIA ARTEMISIIFOLIA POLLEN	30 [hp_X] in 1 mL
<b>PASPALUM NOTATUM POLLEN</b> (UNII: V003SHB7VK) (PASPALUM NOTATUM POLLEN - UNII:V003SHB7VK)	PASPALUM NOTATUM POLLEN	30 [hp_X] in 1 mL
<b>CYNODON DACTYLON POLLEN</b> (UNII: 175F461W10) (CYNODON DACTYLON POLLEN - UNII:175F461W10)	CYNODON DACTYLON POLLEN	30 [hp_X] in 1 mL
<b>POA PRATENSIS POLLEN</b> (UNII: SCB8J7LS3T) (POA PRATENSIS POLLEN - UNII:SCB8J7LS3T)	POA PRATENSIS POLLEN	30 [hp_X] in 1 mL
<b>FESTUCA PRATENSIS POLLEN</b> (UNII: A0WFQ8P6N1) (FESTUCA PRATENSIS POLLEN - UNII:A0WFQ8P6N1)	FESTUCA PRATENSIS POLLEN	30 [hp_X] in 1 mL
<b>SORGHUM HALEPENSE POLLEN</b> (UNII: 577VA5B4HP) (SORGHUM HALEPENSE POLLEN - UNII:577VA5B4HP)	SORGHUM HALEPENSE POLLEN	30 [hp_X] in 1 mL
<b>LOLIUM PERENNE POLLEN</b> (UNII: 4T8 1LB52R0) (LOLIUM PERENNE POLLEN - UNII:4T8 1LB52R0)	LOLIUM PERENNE POLLEN	30 [hp_X] in 1 mL
<b>DACTYLIS GLOMERATA POLLEN</b> (UNII: 83N78IDA7P) (DACTYLIS GLOMERATA POLLEN - UNII:83N78IDA7P)	DACTYLIS GLOMERATA POLLEN	30 [hp_X] in 1 mL
<b>AGROSTIS GIGANTEA POLLEN</b> (UNII: HU8 V6 E7HOA) (AGROSTIS GIGANTEA POLLEN - UNII:HU8 V6 E7HOA)	AGROSTIS GIGANTEA POLLEN	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62713-802-01	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/01/1987	
2	NDC:62713-802-02	59 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/01/1987	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/1987	

**Labeler** - Meditrend, Inc. DBA Progena Professional Formulations (130104805)