

MITOCHONDRIA PRO- aralia quinquefolia, arnica montana, adenosinum triphosphoricum dinatrum, alpha-ketoglutaricum acidum, ascorbicum acidum, alpha-lipoicum acidum, calcarea carbonica, citricum acidum, cuprum metallicum, cysteinum, ferrum metallicum, iodum, levothyroxinum, magnesium gluconicum dihydricum, malicum acidum, manganum aceticum, nadidum, natrum pyruvicum, nicotinamidum, pyridoxinum hydrochloricum, riboflavinum, selenium metallicum, sulphur, thiaminum hydrochloricum, ubidecarenonum, zincum metallicum, liquid Energique, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in each drop) 2.86% of Aralia Quinquefolia 6X, Arnica Montana 6X; Alpha-Ketoglutaricum Acidum 12X, Alpha-Lipoicum Acidum 12X, Ascorbicum Acidum 12X, Adenosinum Triphosphoricum Dinatrum 12X, Calcarea Carbonica 12X, Citricum Acidum 12X, Cuprum Metallicum 12X, Cysteinum 12X, Ferrum Metallicum 12X, Iodum 12X, Levothyroxinum 12X, Magnesium Gluconicum Dihydricum 12X, Malicum Acidum 12X, Manganum Aceticum 12X, Nadidum 12X, Natrum Pyruvicum 12X, Nicotinamidum 12X, Pyridoxinum Hydrochloricum 12X, Riboflavinum 12X, Selenium Metallicum 12X, Sulphur 12X, Thiaminum Hydrochloricum 12X, Ubidecarenonum 12X, Zincum Metallicum 12X; Aconiticum Acidum, Cis- 16X; Arsenicum Album 30X, Bryonia 30X, Cinchona Officinalis 30X, Conium Maculatum 30X, Gelsemium Sempervirens 30X, Mercurius Solubilis 30X, Silicea 30X; Barium Oxalsuccinicum 35C.

PURPOSE:

May temporarily relieve fatigue, weakness, loss of smell, and brain fog.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 7 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

INDICATIONS:

May temporarily relieve fatigue, weakness, loss of smell, and brain fog.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

QUESTIONS:

Dist. by Energique, Inc.
201 Apple Blvd.

Woodbine, IA 51579

800.869.8078

PACKAGE LABEL DISPLAY:

ENERGIQUE

SINCE 1987

HOMEOPATHIC REMEDY

MITOCHONDRIA

PRO

1 fl. oz. (30 ml)

WARNINGS: If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

DIRECTIONS: Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 7 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

Dist. by Energique, Inc., 201 Apple Blvd.
Woodbine, IA 51579 **800.869.8078**

LOT: XXXXXX

MFD: MM/YY 3



HOMEOPATHIC REMEDY

MITOCHONDRIA PRO™

INDICATIONS: May temporarily relieve fatigue, weakness, loss of smell, and brain fog.**

1 fl. oz. (30 ml) 20% Ethanol

Active Ingredients (in each drop): 2.86% of Aralia Quin, Arnica 6X; alpha-Ketoglutaric Ac, alpha-Lipoic Ac, Ascorbic Ac, ATP, Calc Carb, Citricum Ac, Cuprum Met, Cysteinum, Ferrum Met, Iodium, Levothyroxinum, Magnesium Gluconate, Malic Ac, Mang Acet, Nadidum, Nat Pyr, Nicotinamidum, Pyrodoxinum Hydrochloricum, Riboflavinum, Selenium, Sulphur, Thiaminum Hydrochloricum, Ubidecarenonum, Zinc Met 12X; Aconiticum Acidum, Cis- 16X; Arsenicum Alb, Bryonia, Cinchona, Conium, Gelsemium, Merc Solub, Silicea 30X; Barium Oxalsuccinicum 35C.

Inactive Ingredients:

Demineralized water, 20% Ethanol.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

MITOCHONDRIA PRO

aralia quinquefolia, arnica montana, adenosinum triphosphoricum dinatrum, alpha-ketoglutaricum acidum, ascorbicum acidum, alpha-lipoicum acidum, calcarea carbonica, citricum acidum, cuprum metallicum, cysteinum, ferrum metallicum, iodium, levothyroxinum, magnesium gluconicum dihydricum, malicum acidum, manganum aceticum, nadidum, natrum pyruvicum, nicotinamidum, pyridoxinum hydrochloricum, riboflavinum, selenium metallicum, sulphur, thiaminum hydrochloricum, ubidecarenonum, zincum metallicum, liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44911-0703
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMERICAN GINSENG (UNII: 8W75VCV53Q) (AMERICAN GINSENG - UNII:8W75VCV53Q)	AMERICAN GINSENG	6 [hp_X] in 1 mL
ARNICA MONTANA WHOLE (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA WHOLE	6 [hp_X] in 1 mL
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	12 [hp_X] in 1 mL
OXOGLURIC ACID (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	12 [hp_X] in 1 mL
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	12 [hp_X] in 1 mL
ALPHA LIPOIC ACID (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	ALPHA LIPOIC ACID	12 [hp_X] in 1 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 1 mL
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	12 [hp_X] in 1 mL
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	12 [hp_X] in 1 mL

CYSTEINE (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)	CYSTEINE	12 [hp_X] in 1 mL
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	12 [hp_X] in 1 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	12 [hp_X] in 1 mL
LEVOTHYROXINE (UNII: Q51BO43MG4) (LEVOTHYROXINE - UNII:Q51BO43MG4)	LEVOTHYROXINE	12 [hp_X] in 1 mL
MAGNESIUM GLUCONATE (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	12 [hp_X] in 1 mL
MALIC ACID (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	12 [hp_X] in 1 mL
MANGANESE ACETATE TETRAHYDRATE (UNII: 9TO51D176N) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE ACETATE TETRAHYDRATE	12 [hp_X] in 1 mL
NADIDE (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	12 [hp_X] in 1 mL
SODIUM PYRUVATE (UNII: POD38AIF08) (PYRUVIC ACID - UNII:8558G7RUTR)	SODIUM PYRUVATE	12 [hp_X] in 1 mL
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	12 [hp_X] in 1 mL
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE HYDROCHLORIDE	12 [hp_X] in 1 mL
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	12 [hp_X] in 1 mL
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 1 mL
THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	12 [hp_X] in 1 mL
UBIDECARENONE (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	12 [hp_X] in 1 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	12 [hp_X] in 1 mL
ACONITIC ACID, (Z)- (UNII: OF5471ZHRR) (ACONITIC ACID, (Z)- - UNII:OF5471ZHRR)	ACONITIC ACID, (Z)-	16 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	30 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	30 [hp_X] in 1 mL
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	30 [hp_X] in 1 mL
CONIUM MACULATUM FLOWERING TOP (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	30 [hp_X] in 1 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	30 [hp_X] in 1 mL
MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	30 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	30 [hp_X] in 1 mL
BARIUM OXALOSUCCINATE (UNII: L7A49804ZQ) (BARIUM CATION - UNII:V645272HLN)	BARIUM OXALOSUCCINATE	35 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0703-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	12/28/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/28/2023	

Labeler - Energique, Inc. (789886132)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0703) , api manufacture(44911-0703) , label(44911-0703) , pack(44911-0703)

Revised: 5/2024

Energique, Inc.