

COMPONENT TE-G- trenbolone acetate and estradiol implant
Elanco US Inc.

Elanco™

Component™ TE-G

(trenbolone acetate and estradiol implants)

FOR GROWING BEEF STEERS AND HEIFERS ON PASTURE

(Stocker, Feeder, and Slaughter)

20 dose Cartridge Belt

Use with a Component Implanter

DESCRIPTION:

Each cartridge belt holds 20 doses of Component TE-G (trenbolone acetate and estradiol implant) Implants. Each dose of 2 pellets consists of 2 pellets containing a total of 40 mg of trenbolone acetate and 8 mg estradiol.

INDICATIONS FOR USE:

For increased rate of weight gain in growing beef steers and heifers on pasture (stocker, feeder, and slaughter).

Not approved for repeated implantation (re-implantation) with this or any other cattle ear implant in growing beef steers and heifers on pasture (stocker, feeder, and slaughter). Safety and effectiveness following re-implantation have not been evaluated.

Do not use in beef calves less than 2 months of age, dairy calves, and veal calves because effectiveness and safety have not been established.

Do not use in animals intended for subsequent breeding, or in dairy cows.

Withdrawal Periods and Residue Warnings

No withdrawal period is required when used according to labeling.

Do not use in beef calves less than 2 months of age, dairy calves, and veal calves. A withdrawal period has not been established for this product in pre-ruminating calves.

Do not use in dairy cows or in animals intended for subsequent breeding. Use in these cattle may cause drug residues in milk and/or calves born to these cows.

Implant pellets subcutaneously in ear only. Any other location is a violation of Federal law. Do not attempt salvage of implanted site for human or animal food.

USER SAFETY WARNINGS:


Not for human use. Keep out of reach of children.

Restricted Drug (California) - use only as directed.

IMPLANTING INSTRUCTIONS:

Loading the Implanter

Load the implanter following the instructions supplied with each implanter.



Restrain the Animal

Speed of implantation as well as safety of handlers is best achieved by restraining animal in a squeeze chute using head restraint. When implanting horned cattle, better control is obtained with additional use of nose tongs.



Prepare the Implant Site

Scrub the back side of the ear (implant site) with a piece of clean absorbent cotton which has been soaked with topical germicidal solution. Follow manufacturer's directions on germicide for correct strength and preparation of solution. Avoid getting disinfectant in animal's eyes.


Where to Implant

The full contents of one cartridge cell should be implanted beneath the skin on the back side of the middle one-third of the ear as illustrated in the drawing. The implant must not be closer to the head than the edge of the auricular cartilage ring farthest from the head. The location for insertion of the needle is a point toward the tip of the ear at least a needle length away from the intended deposition site. Avoid injuring the large arteries, veins and cartilage of the ear.



Insert the Needle

With one hand firmly grasp the ear. With the other hand insert needle point through the skin and ease forward on a lateral plane until the entire length of the needle is under the skin.



Implant the Pellets

After inserting the needle fully in the correct position, squeeze the trigger fully as the needle is withdrawn from the ear. This properly deposits the implant in the needle track. This procedure should prevent breakage or crushing of pellets if otherwise forced into contact with tough fibrous-tissue underlying the skin. The length and total contact area of the single dose are designed to permit absorption of the hormones after implantation to stimulate good weight gain. Broken or crushed pellets may interfere with rates of gain.

Storage Conditions

Store unopened product at or below 25°C (77°F). Avoid excessive heat and humidity.

Use before the expiration date printed on foil pouch. Discard open foil pouches.

Approved by FDA under ANADA # 200-221

Manufactured by a non-sterilizing process.

Component, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

© 2023 Elanco or its affiliates

Distributed by Elanco US Inc,
Greenfield, IN 46140, USA

QUESTIONS/COMMENTS? For a copy of the Safety Data Sheet or to report side effects, contact Elanco US, Inc. at 1-888-545-5973. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

June 2023

PA104036X AH0758

Package/Label Principal Display Panel - Cartridge Belt Label

Elanco™

Component™ TE-G
(trenbolone acetate and estradiol implants)

For Growing Beef Steers and Heifers on Pasture (Stocker, Feeder, and Slaughter)

FOR GROWING BEEF STEERS AND HEIFERS ON PASTURE (Stocker, Feeder, and Slaughter)

DESCRIPTION: Each cartridge belt holds 20 doses of Component TE-G (trenbolone acetate and estradiol implant) implants. Each dose consists of 2 pellets containing a total of 40 mg of trenbolone acetate and 8 mg estradiol.

INDICATIONS FOR USE: For increased rate of weight gain in growing beef steers and heifers on pasture (stocker, feeder, and slaughter).

Not approved for repeated implantation (re-implantation) with this or any other cattle ear implant in growing beef steers and heifers on pasture (stocker, feeder, and slaughter). Safety and effectiveness following re-implantation have not been evaluated.

Do not use in beef calves less than 2 months of age, dairy calves, and veal calves because effectiveness and safety have not been established.

Do not use in animals intended for subsequent breeding, or in dairy calves.

Dosage: Administer 1 implant per animal. See package insert for detailed instructions.

Manufactured by a non-sterilizing process.
Approved by FDA under ANADA # 200-221

**TAKE TIME
OBSERVE LABEL
DIRECTIONS**

**One 20-Dose
Cartridge Belt**

FL104036A

TEAR HERE

3 0 4 0 3 6

Withdrawal Periods and Residue Warnings
No withdrawal period is required when used according to labeling.
Do not use in beef calves less than 2 months of age, dairy calves, and veal calves.
A withdrawal period has not been established for this product in pre-ruminating calves.
Do not use in dairy cows or in animals intended for subsequent breeding.
Use in these cattle may cause drug residues in milk and/or calves born to these cows.
Implant pellets subcutaneously in ear only. Any other location is a violation of Federal law.
Do not attempt salvage of implanted site for human or animal food.

USER SAFETY WARNINGS:
Not for human use. Keep out of reach of children.
Restricted Drug (California) - use only as directed.

Important: Read the enclosed instruction brochure. Use as illustrated with a CAREFUL CLEAN TECHNIQUE. Never take short cuts at the expense of CLEANLINESS.

Storage Conditions: Store unopened product at or below 25°C (77°F). Avoid excessive heat and humidity. Use before the expiration date. Discard open foil pouches.

Distributed by Elanco US Inc., Greenfield, IN 46140, USA

QUESTIONS/COMMENTS? For a copy of the Safety Data Sheet or to report side effects, contact Elanco US, Inc. at 1-888-545-5973. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

PURCHASE SEAL 20 IMPLANTS

7 27804 00080 6

FL104036B AH0758

EXP

LOT

TEAR HERE

4 0 4 0 3 6

Elanco™

Component™ TE-G
(trenbolone acetate and estradiol implants)

For Growing Beef Steers and Heifers on Pasture (Stocker, Feeder, and Slaughter)

TAKE TIME

OBSERVE LABEL DIRECTIONS

One 20-Dose Cartridge Belt

FL104036A

Package/Label Principal Display Panel - Carton Label



Elanco™

Component™ TE-G

(trenbolone acetate and estradiol implants)

**For Growing Beef Steers and Heifers on
Pasture (Stocker, Feeder, and Slaughter)**

TAKE TIME

**OBSERVE LABEL
DIRECTIONS**

COMPONENT TE-G

trenbolone acetate and estradiol implant

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58198-0758
Route of Administration	SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TRENBOLONE ACETATE (UNII: RUD5Y4SV0S) (TRENBOLONE - UNII:P53R4420TR)	TRENBOLONE ACETATE	40 mg
ESTRADIOL (UNII: 4TI98Z838E) (ESTRADIOL - UNII:4TI98Z838E)	ESTRADIOL	8 mg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58198-0758-1	5 in 1 CARTON		
1		1 in 1 POUCH		
1		20 in 1 CARTRIDGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200221	01/02/2024	

Labeler - Elanco US Inc. (966985624)

Revised: 12/2023

Elanco US Inc.