

**ALGODEFENSE RIDES MULTI PROTECTRICE MULTI-PROTECTIVE WRINKLE CREAM SUNSCREEN BROAD SPECTRUM SPF20- avobenzone, octinoxate, octisalate, octocrylene cream**

**Codif International**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ALGODEFENSE Emulsion Rides Multi-Protectrice Multi-Protective Wrinkle Cream Sunscreen Broad Spectrum SPF20**

***Drug Facts***

***Active Ingredients***

Avobenzone 2.7%  
Octinoxate 6.7%  
Octisalate 4.5%  
Octocrylene 5%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of sun cancer and early skin aging caused by the sun.

***Warnings***

**For external use only**

**Do not use**

on damaged skin or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun protections measures.** Spending time in the sun increases your risk of skin cancer and early

skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### **Other information**

- protect this product from excessive heat and direct sun

#### **Inactive Ingredients**

Water, glycerin, isononyl isononanoate, butylene glycol cocoate, methylsilanol hydroxyproline aspartate, cetearyl alcohol, dimethicone, olive oil decyl esters, sea water, butyrospermum parkii (shea) butter, phenoxyethanol, isododecane, caprylic/capric triglyceride, potassium cetyl phosphate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, cetearyl glucoside, fragrance, chlorphenesin, caprylyl glycol, xanthan gum, squalene, sea salt, disodium edta, dimethicone crosspolymer-3, laminaria digitata extract, tocopherol, polysorbate 60, sorbitan isostearate, crithmum maritimum extract, hydrolyzed algin, chlorella vulgaris extract, sodium hydroxide, sucrose, salicylic acid, sodium carrageenan, bht, ceteth-10, laureth-4, potassium sorbate, helianthus annuus (sunflower) seed oil, saccharide isomerate, ethylhexylglycerin, linalool, limonene, benzyl salicylate, geraniol, citral.

#### **Questions or comments?**

Call toll free 1-800-227-8051

#### **Package Labeling:**

**PHYTOMER**

**SPF 20**

**ALGODÉFENSE**

PCTUBC02095USA

**Active Ingredients**  
Octinoxate 6.7%, Octocrylene 5%,  
Octisalate 4.5%, Avobenzone 2.7%.

Apply before sun exposure.

**Warnings:**  
For external use only. Do not use on damaged skin or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** for sunscreen use:  
Apply liberally 15 minutes before sun exposure. Reapply at least every two hours. Use a water resistant sunscreen if swimming or sweating.

**Sun protections measures.** Spending time in the sun increases your risk of

ALGODEFENSE

Émulsion Rides  
Multi-Protectrice

Multi-Protective  
Wrinkle Cream

Sunscreen  
Broad Spectrum  
SPF 20

skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. and wear long-sleeve shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor.

Protect this product from excessive heat and direct sun.

Best before end: see top of tube.

Questions or comments? Call toll free 1-800-227-8051

1.6 fl oz (50 mL)

PHYTOMER Registered Trademark  
Distributed by Phytomer Corporation  
SALT LAKE CITY - UT 84117 - Made in France

PFSVV329USA

PHYTOMER

## Drug Facts

Active Ingredients	Purpose
Avobenzone 2.7%	} Sunscreen
Octinoxate 6.7%	
Octisalate 4.5%	
Octocrylene 5%	

### Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of sun cancer and early skin aging caused by the sun.

### Warnings

For external use only

Do not use on damaged skin or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions for sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun protection measures.

Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### Other information

- protect this product from excessive heat and direct sun

PHYTOMER - Registered Trademark  
Distributed by Phytomer Corporation  
SALT LAKE CITY - UT 84117 - Made in France  
PFSVV329USA

## Drug Facts (continued)

### Inactive Ingredients

Water, glycerin, isononyl isononanoate, butylene glycol cocoate, methylsilanol hydroxyproline aspartate, cetearyl alcohol, dimethicone, olive oil decyl esters, sea water, butyrospermum parkii (shea) butter, phenoxyethanol, isododecane, caprylic/capric triglyceride, potassium cetyl phosphate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, cetearyl glucoside, fragrance, chlorphenesin, caprylyl glycol, xanthan gum, squalene, sea salt, disodium edta, dimethicone crosspolymer-3, laminaria digitata extract, tocopherol, polysorbate 60, sorbitan isostearate, crithmum maritimum extract, hydrolyzed algin, chlorella vulgaris extract, sodium hydroxide, sucrose, salicylic acid, sodium carrageenan, bht, ceteth-10, laureth-4, potassium sorbate, helianthus annuus (sunflower) seed oil, saccharide isomerate, ethylhexylglycerin, linalool, limonene, benzyl salicylate, geraniol, citral.

### Questions or comments?

Call toll free 1-800-227-8051

PHYTOMER

SPF 20

RIDES  
WRINKLES

ALGODÉFENSE

Émulsion Rides  
Multi-Protectrice

Multi-Protective  
Wrinkle Cream

Sunscreen  
Broad Spectrum SPF20

1.6 fl oz (50 mL)

ALGODÉFENSE  
Multi-Protective Wrinkle  
Cream SPF20

On a daily basis, regardless of the season, our skin is abused: aging accelerates and wrinkles appear. With ALGODÉFENSE, PHYTOMER provides a complete action to fight pollution, free radicals and UV rays.

The skin is immediately protected. Day after day, the complexion recovers its radiance and the skin is smoothed.

Directions for use: Apply in the morning to perfectly cleansed face. May be used alone or with the serum of your choice.

PCETUC00816USA



## ALGODEFENSE RIDES MULTI PROTECTRICE MULTI-PROTECTIVE WRINKLE CREAM SUNSCREEN BROAD SPECTRUM SPF20

avobenzone, octinoxate, octisalate, octocrylene cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66846-016
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	27 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>OLIVE OIL DECYL ESTERS</b> (UNII: 3AQ222F18X)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPAS AT 1.5%)</b> (UNII: 86FQE96TZ4)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SQUALENE</b> (UNII: 7QWM220FJH)	
<b>SEA SALT</b> (UNII: 87GE52P74G)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>CHLORELLA VULGARIS</b> (UNII: RYQ4R60M02)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ)	
<b>CARRAGEENAN SODIUM</b> (UNII: 7CY8BVL34N)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CETETH-10</b> (UNII: LF9X1PN3XJ)	
<b>LAURETH-4</b> (UNII: 6HQ855798J)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)

LINALOOL, (+/-)- (UNII: D81QY6I88E)

BENZYL SALICYLATE (UNII: WAO5MNK9TU)

GERANIOL (UNII: L837108USY)

CITRAL (UNII: T7EU0O9VPP)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66846-016-01	50 mL in 1 TUBE; Type 0: Not a Combination Product	03/15/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/15/2019	

**Labeler** - Codif International (396156010)

Revised: 3/2019

Codif International