

EXCEED- iodine teat dip solution
IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NPE FREE SANITIZING .5% BARRIER TEAT DIP, A HIGHLY EFFECTIVE AND "TRUE" BARRIER TEAT DIP CONTAINING AN ADVANCED TRIPLE INGREDIENT EMOLLIENT SYSTEM PROTECTING AGAINST BOTH CONTAGIOUS AND ENVIRONMENTAL BACTERIA

ACTIVE INGREDIENT:

Iodine.....0.50%

(Provides a Full 0.5% Available Iodine As Used)

INERT INGREDIENTS:

Triple Emollients(As Humectants And Skin Conditioners).....6.00%

Other Inerts.....93.50%

(Includes Iodine Stabilizers, Buffering Agents and Surfactants)

Total.....100%

pH of 5.5 at time of manufacture

This product contains highly effective levels of free iodine for fast kill of mastitis causing organisms.

INDICATIONS AND USAGE

- GENERAL RECOMMENDATIONS
1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
 2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
 3. Do not use this product for cleaning or sanitizing equipment.
 4. Wash Teat Dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION

- A. PRE-MILKING (PRE-DIPPING)**
1. REMOVE VISIBLE SOILS FROM THE TEATS.
 2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
 3. DIP OR SPRAY THE COW'S TEATS FULL LENGTH WITH BAC-STOP TEAT DIP.
 4. WAIT APPROXIMATELY 30 SECONDS.
 5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S).
 6. ATTACH MILKING UNIT.
- B. POST-MILKING (POST -DIPPING)** Immediately after milking, dip all teats full length with Exceed Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

UNIVERSITY TESTED AND PASSED USING NATIONAL MASTITIS COUNCIL PROTOCOLS.

Ã,Â Ã,Â Ã,Â Ã,Â Ã,Â Ã,Â Ã,Â Ã,Â PROVEN EFFECTIVE IN REDUCING NEW INTRAMAMMARY INFECTIONS.

PART OF THE COMPLETE IBA SANITATION PROGRAM

WARNINGS AND PRECAUTIONS SECTION

DO NOT DILUTE THIS PRODUCT

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING

CAUTION: KEEP OUT OF REACH OF CHILDREN.

AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID: EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

EXCEED LABEL

• Dipper "No Dip" formulation.
• Forms a full barrier with plug on teat end.
• Also forms a dry, non-sticky film on barrel of teat that lasts between milkings.

NDC # 29983-0033-4
• Easily removed before next milking.
• Compatible with all IBA Pre-Dip products.

EXCEED

NPE FREE SANITIZING .5% IODINE BARRIER TEAT DIP
A HIGHLY EFFECTIVE AND "TRUE" BARRIER TEAT DIP CONTAINING A 6% TRIPLE EMOLLIENT SYSTEM.
PROTECTS AGAINST BOTH CONTAGIOUS AND ENVIRONMENTAL BACTERIA.

ACTIVE INGREDIENTS:
Iodine 0.50%
(Provides A Full .5% Available Iodine As Used)
INERT INGREDIENTS:
Triple Emollients (As Humectants And Skin Conditioners) 6.00%
Other Inerts 93.50%
TOTAL: 100.00%
pH of 5.5 at time of manufacture.
This product contains highly effective levels of free iodine for fast kill of mastitis causing organisms.

GENERAL RECOMMENDATIONS
1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and wash cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION POST-MILKING (POST-DIPPING)
Immediately after milking, dip all teats full length with EXCEED TEAT DIP. Ensure good coverage of all sides of the teats and teat orifices.

PATENT PENDING

WARNING
DO NOT DILUTE THIS PRODUCT.
DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER. ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.
CAUTION: KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES
EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.
SKIN CONTACT: WASH ANY SENSITIVE AREAS.
INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE: LOT NO.: NET CONTENTS: 5 GALLONS IBA STOCK # 160131 1117E

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 27 PROVIDENCE ROAD, MILLBURY, MA 01527

EXCEED

iodine teat dip solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-0033
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-0033-1	3.78 L in 1 DRUM		
2	NDC:29983-0033-4	18.9 L in 1 DRUM		
3	NDC:29983-0033-6	56.7 L in 1 DRUM		
4	NDC:29983-0033-7	113.4 L in 1 DRUM		
5	NDC:29983-0033-8	207.9 L in 1 DRUM		
6	NDC:29983-0033-9	1039.5 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/23/2010	

Labeler - IBA (019494160)

Revised: 7/2022

IBA