VASOCAINE- lidocaine hcl, epinephrine hcl spray Dermal Source, Inc.

Drug Facts - For use by licensed professionals only

Active Ingredients		Purpose
Lidocaine HCl	4%	Topical Anesthetic
Racepinephrine HCl	.01%	Vasoconstrictor

Uses: External Use Only.

Temporarily relieves pain, itching or swelling associated with anorectal disorders or pain sensitive procedures.

WARNINGS: Keep out of reach of children

Do not use if you have

- seizures or liver disease
- if pregnant or breast feeding
- a known allergy or sensitivity to any of the components of this product. If sensitivity occurs, discontinue use, and seek medical attention. If condition worsens or symptoms persist for more than seven days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Avoid direct contact with eyes. If contact should occur, irrigate with copious amounts of sterile saline and seek medical attention. **DO NOT SWALLOW.** If you have swallowed this product seek medical attention immediately.

When using this product you may notice temporary blanching or redness of the skin where liquid is applied.

Directions: Sensitivity test advised prior to use.

Apply sparingly to affected area. Wait until anesthetic effect occurs (90 seconds). Discontinue use if sensitivity occurs. Wash Vasocaine off completely before tattooing.

Inactive Ingredients: Purified Water, Propylene Glycol, Sodium Metabisulfite, Citric Acid Diazolidinyl Urea, Methyl Paraben, Propyl Paraben, and Disodium EDTA.

Other information: Store in cool dark place or refrigerate and out of reach of children. Discard after expiration date.

Questions? Contact distributor on product label.

PRINCIPAL DISPLAY PANEL FIVE-STAR


Vasocaine

Fast acting anesthetic to reduce pain and swelling

4 oz.

NDC 80069-016-01

Distributed by: DERMAL SOURCE Portland, OR 97232 www.dermalsource.com 1-866-568-3223



Distributed by:
DERMAL SOURCE
Portland, OR 97232
www.dermalsource.com
1-866-568-3223

Drug Facts - For use by licensed professionals only

Active Ingredients		Purpose
Lidocaine HCI	4%	Topical Anesthetic
Racepinephrine HCI	.01%	Vasoconstrictor

Uses: External Use Only.

Temporarily relieves pain, itching or swelling associated with anorectal disorders or pain sensitive procedures.

Warnings - Keep out of reach of children Do not use if you have

- seizures or liver disease
- if pregnant or breast feeding
- a known allergy or sensitivity to any of the components of this product. If sensitivity occurs, discontinue use, and seek medical attention. If condition worsens or symptoms persist for more than seven days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Avoid direct contact with the eyes. If contact should occur, irrigate with copious amounts of sterile saline and seek medical attention. **DO NOT SWALLOW**. If you have swallowed this product seek medical attention immediately.

When using this product you may notice temporary blanching or redness of the skin where liquid is applied.

Directions: Sensitivity test advised prior to use.
 Apply sparingly to affected area. Wait until anesthe

Apply sparingly to affected area. Wait until anesthetic effect occurs (90 seconds). Discontinue use if sensitivity occurs. Wash Vasocaine off completely before procedure.

Inactive Ingredients: Purified Water, Propylene Glycol, Sodium Metabisulfite, Citric Acid, Diazolidinyl Urea, Methyl Paraben, Propyl Paraben, and Disodium EDTA.

Other information: Store in cool dark place or refrigerate and out of reach of children. Discard after expiration date. **Questions?** Contact distributor on product label.

VASOCAINE

lidocaine hcl, epinephrine hcl spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80069-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Lidocaine Hydrochloride (UNII: V13007Z41A) (Lidocaine - UNII:98PI200987)	Lidocaine Hydrochloride Anhydrous	40 mg in 1 mL	
Racepinephrine Hydrochloride (UNII: 336096P2WE) (Racepinephrine - UNII:GR0L9S3J0F)	Racepinephrine	.1 mg in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
Water (UNII: 059QF0KO0R)			
Propylene Glycol (UNII: 6DC9Q167V3)			
Sodium Metabisulfite (UNII: 4VON5FNS3C)			
Citric Acid Monohydrate (UNII: 2968PHW8QP)			
Diazolidinyl Urea (UNII: H5RIZ 3MPW4)			
Methylparaben (UNII: A2I8C7HI9T)			
Propylparaben (UNII: Z8IX2SC1OH)			
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)			

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:80069- 016-01	118.294 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	06/01/2005	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	06/01/2005	

Labeler - Dermal Source, Inc. (183535629)

Establishment				
Name	Address	ID/FEI	Business Operations	
HTO Nevada. Inc. (dba Kirkman)		117115846	manufacture(80069-016)	

Revised: 5/2024 Dermal Source, Inc.