MINERAL WEAR LOOSE POWDER SPF16- titanium dioxide, zinc oxide powder Physicians Formula, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mineral Wear Loose Powder 10948-10952, 11141

Active ingredients

Titanium dioxide 12%

Zinc oxide 4.2%

Purpose

Sunscreen

Uses

helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging cause by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

apply liberally 15 minutes before sun exposure use a water resistant sunscreen if swimming or sweating reapply at least every 2 hours

children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m.

wear long-sleeved shirts, pants, hats, and sunglasses

Other information

Protect this product from excessive heat and sun

Inactive ingredients


Mica, Lauroyl Lysine, Zinc Stearate, Boron Nitride, Phenoxyethanol, Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol, o-Cymen-5-ol, Iron Oxides (Cl 77491, Cl 77492, Cl 77499). May Contain/Peut Contenir: Titanium Dioxide (Cl 77891).


Questions or comments?

call toll-free 1-800-227-0333

Mineral Wear Loose Powder PDP










BASE LABEL








Print tolerance .0625"

_____ Bleed .125"

MATERIAL: WHITE
PRINT COLOR: PMS 877C
FONT COLOR: BLACK
DIE SIZE: 4.38" X 1.5"





MINERAL WEAR LOOSE POWDER SPF16

titanium dioxide, zinc oxide powder

Product Type HUMAN OTC DRUG Item Code (Source) NDC:31645-205

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Active ingredient/Active Molety				
Ingredient Name	Basis of Strength	Strength		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	12 mg in 1 g		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4.2 mg in 1 g		

Inactive Ingredients			
Ingredient Name	Strength		
MICA (UNII: V8A1AW0880)			
LAUROYL LYSINE (UNII: 113171Q70B)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
HEXYLENE GLYCOL (UNII: KEH0A3F75J)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERRIC OXIDE YELLOW (UNII: EX43802MRT)			
ZINC STEARATE (UNII: H92E6QA4FV)			
BORON NITRIDE (UNII: 2U4T60A6YD)			
CAPRYLYL GLYCOL (UNII: 00YIU5438U)			
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)			
O-CYMEN-5-OL (UNII: H41B6Q1I9L)			
FERROSOFERRIC OXIDE (UNII: XM0M87F357)			

Packaging						
#	tem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:31645-205- 01	12 g in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2019			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	01/01/2019			

Labeler - Physicians Formula, Inc. (021261805)

Revised: 9/2021 Physicians Formula, Inc.