

**OXYGEN - oxygen gas**

**Airgas-West, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

**oxygen**

PRODUCED BY AIR LIQUEFACTION

OXYGEN, COMPRESSED LIQUID USP UN1072 MEDICAL GAS OXYGEN 2

Airgas Puritan Medical TM Airgas West, Inc. Lakewood, CA 90712 (562) 497-1991


**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

**CAUTION:** Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

**WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.** Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52C (125F). CAS: 7782-44-7 Use in accordance with the Material Safety Data Sheets (MSDS).

**DO NOT REMOVE THIS PRODUCT LABEL**

Form 850110 (07/04)



OXYGEN, COMPRESSED LIQUID USP UN1072 DO NOT REMOVE THIS PRODUCT LABEL  
OXYGEN 2


815033 (08/04)

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

**CAUTION:** Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

**WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.** Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52C (125F). Use in accordance with the Material Safety Data Sheets (MSDS). CAS: 7782-44-7 RETURN WITH 25 PSIG.

Airgas Puritan Medical TM Airgas West, Inc. Lakewood, CA 90712 (562) 497-1991



## REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION DO NOT CHANGE OR FORCE FIT CONNECTIONS.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

**CAUTION:** Federal law prohibits dispensing without prescription.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.**

**VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.** Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52C (125F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS). **FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.** CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

Airgas Puritan Medical TM Airgas West, Inc. Lakewood, CA 90712 (562) 497-1991

**REFRIGERATED LIQUID**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**

**UN1073**



**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑  
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

**CAUTION:** Federal law prohibits dispensing without prescription.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**WARNING:** EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over, spills. Cylinder temperature should not exceed 52 °C (125 °F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the **Material Safety Data Sheet (MSDS)**.

**FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: 7782-44-7

**DO NOT REMOVE THIS PRODUCT LABEL.**

**Airgas Puritan Medical**  
Airgas West, Inc.  
Lakewood, CA 90712  
(562) 497-1991

841533  
(10/04)

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10678-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	992 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10678-001-01	1699 L in 1 CYLINDER		
2	NDC:10678-001-02	2265 L in 1 CYLINDER		
3	NDC:10678-001-03	3539 L in 1 CYLINDER		
4	NDC:10678-001-04	4247 L in 1 CYLINDER		
5	NDC:10678-001-05	5663 L in 1 CYLINDER		
6	NDC:10678-001-06	8495 L in 1 CYLINDER		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		05/23/1947	

**Labeler** - Airgas-West, Inc. (805645793)**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		959837287	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		807025564	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		059820498	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		869324756	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		182365809	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		026366021	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		834717514	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		879945632	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		017427142	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		170564608	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		603878740	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		802299169	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		156072928	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		949045181	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		006136793	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		786280862	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		119883507	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		832997998	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		806715392	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		033485566	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		152936519	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Airgas-West, Inc.		927773168	manufacture

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Airgas-West, Inc.		103079992	manufacture

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Airgas-West, Inc.		156216350	manufacture

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Airgas-West, Inc.		832997881	manufacture

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Airgas-West, Inc.		832997782	manufacture

### **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Airgas-West, Inc.		959935354	manufacture

Revised: 4/2010

Airgas-West, Inc.