

ANTI-DIARRHEAL- loperamide hcl tablet
Better Living Brands, LLC

Signature Care 44-375

Active ingredient (in each caplet)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reactions to loperamide HCl.

Do not use

if you have bloody or black stool.

Ask a doctor before use if you have

- a fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics.

When using this product,

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- do not use if carton or blister unit is open or torn
- store between 20°-25°C (68°-77°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow # 10 aluminum lake, dicalcium phosphate dihydrate, FD&C blue #1 brilliant blue lake, magnesium stearate, microcrystalline cellulose, silica gel

Questions or comments?

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

Principal Display Panel

Signature[™]
care

Quality
Guaranteed

COMPARE TO
Imodium® A-D
active ingredient*

NDC 21130-375-08

Anti-Diarrheal

Loperamide HCl 2 mg
Anti-Diarrheal

Controls the symptoms
of diarrhea

Actual Size

24 CAPLETS

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Imodium® A-D.

50844 REV1212K37508

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS

TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

1-888-723-3929

www.betterlivingbrandsLLC.com

OUR PROMISE

QUALITY & SATISFACTION

100% GUARANTEED

OR YOUR MONEY BACK.



Anti-Diarrheal



Quality
Guaranteed

COMPARE TO
Imodium® A-D
active ingredient*

NDC 21130-375-08

1. To open, tear at perforations and remove a section.
2. Use ∞ to cut through plastic for caplet.



Anti-Diarrheal

LOPERAMIDE HCl 2 mg Anti-Diarrheal

Controls the symptoms
of diarrhea

Actual Size



24 CAPLETS

DISTRIBUTED BY
BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009
1-888-723-3929
www.betterlivingbrandsLLC.com

OUR PROMISE
QUALITY & SATISFACTION
100% GUARANTEED
OR YOUR MONEY BACK.

IMIT B

TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING



3

8

S1714

RD 15117

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Imodium® A-D. 50844 REV1212K37508

Drug Facts (continued)

Inactive ingredients com starch, D & C yellow #10 aluminum lake, dicalcium phosphate dihydrate, FD & C blue #1 brilliant blue lake, magnesium stearate, microcrystalline cellulose, silica gel

Questions or comments? Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

B-1817-375-08-S
REV1212K37508
6

Other information ■ do not use if carton or blister unit is open or torn ■ store between 20°-25°C (68°-77°F) ■ see end flap for expiration date and lot number

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

C1078R

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient (in each caplet)
Loperamide HCl 2 mg.....Anti-diarrheal

Use
Use controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings
Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.
Do not use if you have bloody or black stool.
Ask a doctor before use if you have a fever ■ a fever ■ mucus in the stool ■ a history of liver disease
Ask a doctor or pharmacist before use if you are taking antibiotics.
When using this product, tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.
Stop use and ask a doctor if ■ symptoms get worse ■ diarrhea lasts for more than 2 days
■ you get abdominal swelling or bulging. These may be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ Drink plenty of clear fluids to help prevent dehydration caused by diarrhea
■ Do not take more than the amount shown on the label. If you are taking other medicines, ask your doctor or pharmacist for advice.

Signature Care 44-375

ANTI-DIARRHEAL			
loperamide hcl tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-375
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg	
Inactive Ingredients			
Ingredient Name	Strength		
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
STARCH, CORN (UNII: O8232NY3SJ)			
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
Product Characteristics			
Color	GREEN	Score	2 pieces
Shape	OVAL	Size	10mm
Flavor		Imprint Code	44;375
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-375-08	4 in 1 CARTON	05/03/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:21130-375-22	1 in 1 CARTON	05/03/2005	
2		48 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:21130-375-46	1 in 1 CARTON	05/03/2005	
3		96 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076497	05/03/2005	

Labeler - Better Living Brands, LLC (009137209)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(21130-375)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(21130-375)

Revised: 7/2016

Better Living Brands, LLC