

SULWHASOO PERFECTING CUSHION NO. 21- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 27- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 31- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 33- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 15- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 17- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 23- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 37- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 11- octinoxate, titanium dioxide, and zinc oxide lotion
SULWHASOO PERFECTING CUSHION NO. 25- octinoxate, titanium dioxide, and zinc oxide lotion
Amorepacific Corporation

SULWHASOO PERFECTING CUSHION

Drug Facts

ACTIVE INGREDIENTS W/W

OCTINOXATE 7%

TITANIUM DIOXIDE 4.15%

ZINC OXIDE 9.8%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

- ***For external use only***
- ***Do not use*** on broken skin.

- **When using this product** avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, call a poison control centre or get medical help right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure
- Children under 6 months of age : Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including :
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

INACTIVE INGREDIENTS

Water / Aqua / Eau, Cyclopentasiloxane, Titanium Dioxide (CI 77891), Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Niacinamide, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Glycerin, Propanediol, Acrylates/Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Polymethyl Methacrylate, Polyhydroxystearic Acid, Iron Oxides (CI 77492), Aluminum Hydroxide, Sodium Chloride, Trimethylsiloxysilicate, Stearic Acid, Triethoxycaprylylsilane, Fragrance / Parfum, Distearidimonium Hectorite, Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearic Acid, Isopropyl Palmitate, Polysorbate 80, Caprylyl Glycol, Iron Oxides (CI 77491), Hydrogenated Lecithin, Polyglyceryl-3 Polyricinoleate, Ethylhexylglycerin, Glyceryl Caprylate, Iron Oxides (CI 77499), Disodium EDTA, Adenosine, Honey / Mel / Miel, Acrylates/VP Copolymer, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome/Root Extract, Rehmannia Glutinosa Root Extract, Paeonia Albiflora Root Extract, Lilium Candidum Bulb Extract, Beta-Glucan, Alcohol, Phenoxyethanol, Tocopherol, Sodium Hyaluronate

OTHER INFORMATION

- Protect the product in this container from excessive heat and direct sun.
- Sun alert : Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

PRINCIPAL DISPLAY PANEL - NO. 11 PORCELAIN(PINK)


Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 11 PORCELAIN(PINK)

30 g(15 g x 2) / Net wt. 1.05 oz.



(L)ABC123, EXP YYYY-MM
* (L) and EXP will be printed
on the label directly.



Sulwhasoo
PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 11
PORCELAIN(PINK)

Active ingredients
Octinoxate 7%
Titanium Dioxide 4.15%
Zinc Oxide 9.8%

[Refill]
15g / Net wt, 0.52 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0281)


Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 11
PORCELAIN(PINK)

OPEN WITH THIS ▶





PRINCIPAL DISPLAY PANEL - NO. 15 IVORY(PINK)

Sulwhasoo


PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 15

IVORY(PINK)

30 g(15 g x 2) / Net wt. 1.05 oz.



Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses
 ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information
 ■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients
 Water / Aqua / Eau, Cyclopentasiloxane, Titanium Dioxide (CI 77891), Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Niacinamide, Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Glycerin, Propenediol, Acrylates/Ethylhexyl Acrylate Dimethicone Methacrylate Copolymer, Iron Oxides (CI 77489), Polyhydroxyesteric Acid, Polymethyl Methacrylate, Aluminum Hydroxide, Sodium Chloride, Trimethylsilyloxyacetate, Stearic Acid, Triethoxycaprylylsilane, Fragrance / Parfum, Disteardimonium Hectate, Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearyl Acid, Isopropyl Palmitate, Iron Oxides (CI 77489), Polysorbate 80, Caprylyl Glycol, Hydrogenated Lecithin, Polyglyceryl-3 Polyricinoleate, Ethylhexylglycerin, Glycerol Caprylate, Iron Oxides (CI 77489), Disodium EDTA, Adenosine, Honey / Miel, Acrylate/VP Copolymer, Neurobio Nudiana Flower Extract, Polygonatum Officinale Rhizome/Root Extract, Rehmannia Glutinosus Root Extract, Paeonia Albiflora Root Extract, Lilium Candidum Bulb Extract, Beta-Glucon, Alcohol, Phenylethanol, Tocopherol, Sodium Hyaluronate

Questions?
 support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 15
 IVORY (PINK)

30 g(15g x 2) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 15
 IVORY (PINK)

30 g(15g x 2) / Net wt. 1.05 oz.

Distributed by
 Amorepacific US Inc.
 New York, NY 10018
 MADE IN KOREA (0282)



(L)ABC123, EXP YYYY-MM
 * (L) and EXP will be printed on the label directly.



Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 15
 IVORY (PINK)

Active ingredients
 Octinoxate 7%
 Titanium Dioxide 4.15%
 Zinc Oxide 9.8%

[Refill]
 15g / Net wt. 0.52 oz.

Distributed by
 Amorepacific US Inc.
 New York, NY 10018
 MADE IN KOREA (0282)

Sulwhasoo


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 15
 IVORY (PINK)



OPEN WITH THIS ▶



PRINCIPAL DISPLAY PANEL - NO. 17 IVORY(BEIGE)

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 17

IVORY(BEIGE)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Children under 6 months of age: Ask a doctor. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun. Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water / Aqua / Eau, Cyclopentasiloxane, Titanium Dioxide (CI 77891), Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Niacinamide, Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Glycerin, Propenediol, Acrylates/Ethylhexyl Acrylate Dimethacrylate Copolymer, Iron Oxides (CI 77482), Polyhydroxystearic Acid, Aluminum Hydroxide, Polymethyl Methacrylate, Sodium Chloride, Trimethylsilyloxyacetate, Stearic Acid, Triethoxycaprylylsilane, Fragrance / Parfum, Disodium EDTA, Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearic Acid, Isopropyl Palmistate, Polysorbate 80, Caprylyl Glycol, Iron Oxides (CI 77491), Hydrogenated Lecithin, Polyglyceryl-3 Polyricinoleate, Ethylhexylglycerin, Glyceryl Caprylate, Iron Oxides (CI 77489), Disodium EDTA, Adenosine, Honey / Miel / Miel, Acrylates/VP Copolymer, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome/Root Extract, Rehmannia Glutinosus Root Extract, Paeonia Albiflora Root Extract, Lilium Candidum Bulb Extract, Beta-Glucan, Alcohol, Phenylethanol, Tocopherol, Sodium Hyaluronate

Questions?

support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 17
IVORY(BEIGE)

30 g(15g x 2) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 17
IVORY(BEIGE)

30 g(15g x 2) / Net wt. 1.05 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0283)



(L)ABC123, EXP YYY-MM
(L) and EXP will be printed
on the label directly.



Sulwhasoo
PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 17
IVORY(BEIGE)

Active ingredients
Octinoxate 7%
Titanium Dioxide 4.15%
Zinc Oxide 9.8%

[Refill]
15g / Net wt. 0.52 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0283)

Sulwhasoo


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 17
IVORY(BEIGE)



OPEN WITH THIS ▶



PRINCIPAL DISPLAY PANEL - NO. 21 NATURAL(PINK)

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 21

NATURAL(PINK)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses
 ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only
 Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age - Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information
 ■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert - Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients
 Water / Aqua / Eau, Cyclopentasiloxane, Titanium Dioxide (CI 77891), Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Diacrylate/Diacrylate, Macadamia, Lauryl PEG-9 Polymethylsiloxylethyl Dimethicone, Glycerin, Propanediol, Iron Oxides (CI 77482), Acrylates/Ethylhexyl Acrylate/Octamethacrylate Copolymer, Polyhydroxystearic Acid, Aluminum Hydroxide, Sodium Chloride, Trimethylsilylcellulose, Stearic Acid, Triethoxycaprylylsilane, Fragrance / Parfum, Galactinodinium Hexafluorophosphate (CI 77481), Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearic Acid, Isopropyl Palmitate, Polysorbate 80, Caprylyl Glycol, Polymethyl Methacrylate, Hydrogenated Lecithin, Polyglyceryl-3 Polytrimellitate, Ethylhexylglycerin, Glyceryl Caprylate, Iron Oxides (CI 77489), Disodium EDTA, Adenosine, Honey / Miel / Miel, Acrylates/VP Copolymer, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome/Root Extract, Pteridium Aquilinum Root Extract, Peponia aliflora Root Extract, Lilium Candidum Bulb Extract, Beta-Glucan, Alcohol, Phenoxyethanol, Tocopherol, Sodium Hyaluronate

Questions?
 support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 21
 NATURAL(PINK)

30 g(1.5g x 2) / Net wt. 1.05 oz.

Sulwhasoo
 PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 21
 NATURAL(PINK)

30 g(1.5g x 2) / Net wt. 1.05 oz.

Distributed by
 Amorepacific US Inc.
 New York, NY 10018
 MADE IN KOREA (0284)



(L)ABC123, EXP YYYY-MM
 * (L) and EXP will be printed on the label directly.

Sulwhasoo

Sulwhasoo
 PERFECTING CUSHION
 Broad Spectrum SPF 50+ Sunscreen

NO. 21
 NATURAL(PINK)

Active ingredients
 Octinoxate 7%
 Titanium Dioxide 4.15%
 Zinc Oxide 9.8%

[Refill]
 15g / Net wt. 0.52 oz.

Distributed by
 Amorepacific US Inc.
 New York, NY 10018
 MADE IN KOREA (0284)


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 21
 NATURAL(PINK)



OPEN WITH THIS ▶



**Sulwhasoo Perfecting Cushion No. 21 Natural (Pink)
Spring Limited Edition**

Sulwhasoo


Perfecting Cushion

Broad Spectrum SPF 50+ Sunscreen

NO. 21

Natural (Pink)

30g (15g x 2) / Net wt. 1.05 oz.



PRINCIPAL DISPLAY PANEL - NO. 23 NATURAL(BEIGE)

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 23

NATURAL(BEIGE)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Children under 6 months of age: Ask a doctor. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun. Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water / Aqua / Eau, Cyclopentasiloxane, Titanium Dioxide (CI 77891), Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Diacrylate/Oleate, Neohexamide, Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Glycerin, Iron Oxides (CI 77492), Propandiol, Acrylates/Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Polyhydroxyethyl Acrylate, Aluminum Hydroxide, Sodium Chloride, Trimethylsilyloxyacetate, Stearic Acid, Triethoxypropylene, Fragrance / Parfum, Distardmonium Hectorite, Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearyl Acid, Isopropyl Palmitate, Iron Oxides (CI 77491), Polyisobutene 80, Caprylyl Glycol, Iron Oxides (CI 77499), Hydrogenated Lecithin, Polyglyceryl-3 Polyricinoleate, Ethylhexylglycerin, Glyceryl Caprylate, Disodium EDTA, Adenosine, Honey / Miel / Miel, Acrylates/VP Copolymer, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome Root Extract, Rehmannia Glutifera Root Extract, Pseudea Albiflora Root Extract, Lilium Candidum Bulb Extract, Beta-Glucon, Polyethyl Methacrylate, Alcohol, Phenoxyethanol, Tocopherol, Sodium Hyaluronate

Questions?

support@us.amorspacific.com

Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 23
NATURAL(BEIGE)

30 g(1.5g x 2) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 23
NATURAL(BEIGE)

30 g(1.5g x 2) / Net wt. 1.05 oz.

Distributed by
Amorspacific US Inc.
New York, NY 10018
MADE IN KOREA (0285)



(L)ABC123, EXP YYYY-MM
(L) and EXP will be printed
on the label directly.

Sulwhasoo


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 23
NATURAL(BEIGE)



OPEN WITH THIS ▶



**Sulwhasoo Perfecting Cushion No. 23 Natural (Beige)
Spring Limited Edition**

Sulwhasoo


Perfecting Cushion

Broad Spectrum SPF 50+ Sunscreen

NO. 23

Natural (Beige)

30g (15g x 2) / Net wt. 1.05 oz.



PRINCIPAL DISPLAY PANEL - NO. 25 SAND(PINK)

Sulwhasoo
PERFECTING CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

NO. 25

SAND(PINK)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses

■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age - Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including - ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information

■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water / Aqua / Eau, Cyclopentasiloxane, Titanium Dioxide (CI 77891), Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Diacrylate/Octylate, Hydroxide, Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Iron Oxides (CI 77492), Glycerin, Propandiol, Acrylates/Ethylhexyl Acrylate Dimethicone Methacrylate Copolymer, Polyhydroxystearic Acid, Aluminum Hydroxide, Sodium Chloride, Trimethylsilyloxyoctyl Stearic Acid, Tetrahydroxybutane, Fragrance / Parfum, Dehydrochlorium Hectolite, Iron Oxides (CI 77491), Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearic Acid, Isopropyl Palmitate, Polyacrylate 80, Caprylyl Glycol, Iron Oxides (CI 77496), Hydrogenated Lecithin, Polyglyceryl-3 Polyricinoleate, Ethylhexylglycerin, Glyceryl Caprylate, Polymethyl Methacrylate, Diiodium EDTA, Adenosine, Honey / Miel / Miel, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome/Root Extract, Rehmannia Glutinosus Root Extract, Pteris Alata Root Extract, Liriodendron Sulc Extract, Beta-Glucan, Alcohol, Phenylethanol, Tocopherol, Sodium Hyaluronate, Acrylates/VP Copolymer

Questions? support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 25
SAND (PINK)

30 g (1.5g x 2) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 25
SAND (PINK)

30 g (1.5g x 2) / Net wt. 1.05 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0286)



(L)ABC123, EXP YYYY-MM
* (L) and EXP will be printed
on the label directly.

Sulwhasoo


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 25
SAND (PINK)



OPEN WITH THIS ▶



**Sulwhasoo Perfecting Cushion No. 25 Sand (Pink)
Spring Limited Edition**

Sulwhasoo

Perfecting Cushion

Broad Spectrum SPF 50+ Sunscreen

NO. 25

Sand (Pink)

30g (15g x 2) / Net wt. 1.05 oz.



PRINCIPAL DISPLAY PANEL - NO. 27 SAND(BEIGE)

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 27

SAND(BEIGE)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 0.8%	Sunscreen

Uses

■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age - Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information

■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water / Aqua / Eau, Cyclopentasiloxane, Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Titanium Dioxide (37789), Butylene Glycol Diacrylate/Diacrylate, Polyethyl Methacrylate, Iron Oxides (37748), Niacinamide, Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Acrylates/Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Polyhydroxyisostearic Acid, Glycerin, Disodium Dimaleate, Aluminum Hydroxide, Propanediol, Sodium Chloride, Trimethylsilyloxy-silicate, Stearic Acid, Fragrance / Parfum, Triethoxycaprylylsilane, Butylene Glycol, Iron Oxides (37749), Ethylhexyl Palmitate, Lecithin, Isodecyl Acid, Isopropyl Palmitate, Copoly Glycol Iron Oxides (37746), Polyglyceryl-3 Polyricinoleate, Ethylhexylglycerin, Glycerin Caprylate, Disodium EDTA, Polysorbate 80, Adenosine, Hydrogenated Lecithin, Honey / Miel, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome Root Extract, Rehmannia Glutitosa Root Extract, Paeonia Albiflora Root Extract, Lilium Candidum Bulb Extract, Beta-Glucan, Alcohol, Phenylethanol, Tocopherol, Sodium Hyaluronate, Acrylates/VP Copolymer

Questions?

support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 27
SAND(BEIGE)

30 g(1.5 g x 2) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 27
SAND(BEIGE)

30 g(1.5 g x 2) / Net wt. 1.05 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0287)



(L)ABC123, EXP YYYYY-MM
* (L) and EXP will be printed on the label directly.

Sulwhasoo

Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 27
SAND(BEIGE)

Active ingredients
Octinoxate 7%
Titanium Dioxide 4.15%
Zinc Oxide 0.8%

[Refill]
15 g / Net wt. 0.52 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0287)


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 27
SAND(BEIGE)



OPEN WITH THIS ▶



PRINCIPAL DISPLAY PANEL - NO. 31 HONEY(PINK)

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 31

HONEY(PINK)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Children under 6 months of age: Ask a doctor. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun. Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water / Aqua / Eau, Cyclopentasiloxane, Cyclohexasiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Titanium Dioxide (CI 77891), Butylene Glycol Diacrylate/Diacrylate, Iron Oxides (CI 77492), Poly-methyl Methacrylate, Niacinamide, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Acrylates/Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Polyhydroxybutanoic Acid, Glycerin, Distearoylmonium Hectorite, Iron Oxides (CI 77491), Aluminum Hydroxide, Propandiol, Sodium Chloride, Trimethylsilyloxyoctyl Stearate, Fragrance, Parfum, Triethoxycaprylylsilane, Silylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearyl Acid, Isopropyl Palmitate, Iron Oxides (CI 77490), Caprylyl Glycol, Polyglyceryl-3 Polydistearyl Ether, Hydroxyethylcellulose, Disodium EDTA, Polysorbate 80, Adenosine, Hydrogenated Lecithin, Honey / Miel, Nigella Arvensis Flower Extract, Polygonum Officinale Rhizome/Root Extract, Rehmannia Glutinosae Root Extract, Paeonia Albiflora Root Extract, Lilium Candidum Bulb Extract, Beta-Glucan, Alcohol, Phenylethanol, Tocopherol, Sodium Hyaluronate, Acrylates/VP Copolymer

Questions?

support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 31
HONEY (PINK)

30 g (1.5g x 2) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 31
HONEY (PINK)

30 g (1.5g x 2) / Net wt. 1.05 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0288)



(L)ABC123, EXP YYYY-MM + (L) and EXP will be printed on the label directly.



Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 31
HONEY (PINK)

Active ingredients
Octinoxate 7%
Titanium Dioxide 4.15%
Zinc Oxide 9.8%

[Refill]
15g / Net wt. 0.52 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0288)

Sulwhasoo


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 31
HONEY (PINK)



OPEN WITH THIS ▶



PRINCIPAL DISPLAY PANEL - NO. 33 HONEY(BEIGE)

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 33

HONEY(BEIGE)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses

■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information

■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water / Aqua / Eau, Cyclopentasiloxane, Cyclohexasiloxane, Iron Oxides (CI 77482), Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Diacrylate/Diacrylate, Polymethyl Methacrylate, Niacinamide, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Titanium Dioxide (CI 77891), Acrylates/Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Polyhydroxybutyrate, Glycerin, Distearodimium Hectrite, Iron Oxide (CI 77487), Propanediol, Sodium Citrate, Trimethylsilyloxyacetate, Aluminum Hydroxide, Iron Oxide (CI 77499), Stearic Acid, Fragrance / Parfum, Trihydroxypropylsilazane, Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearyl Acid, Isopropyl Palmitate, Caprylyl Glycol, Polyglyceryl-3 Polyricinoleate, Ethylhexylglycerin, Glycerol Caprylate, Diacetyl EDTA, Polysorbate 80, Adenosine, Hydrogenated Lecithin, Honey / Miel / Miel, Numbur Numbura Flower Extract, Polygonatum Officinale Rhizome/Root Extract, Rehmannia Glutifera Root Extract, Paeonia Albiflora Root Extract, Lilium Candidum Bulb Extract, Beta -Glucan, Alcohol, Phenylethanol, Tocopherol, Sodium Hyaluronate, Acrylates/VP Copolymer

Questions?

support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 33
HONEY(BEIGE)

30 g(1.05 oz) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 33
HONEY(BEIGE)

30 g(15g x 2) / Net wt. 1.05 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0289)



[L]ABC123, EXP YYYY-MM
* [L] and EXP will be printed
on the label directly.

Sulwhasoo

Sulwhasoo
PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 33
HONEY(BEIGE)

Active ingredients
Octinoxate 7%
Titanium Dioxide 4.15%
Zinc Oxide 9.8%

[Refill]
15 g / Net wt. 0.52 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0289)


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 33
HONEY(BEIGE)



OPEN WITH THIS ▶



PRINCIPAL DISPLAY PANEL - NO. 37 AMBER(BEIGE)

Sulwhasoo

PERFECTING CUSHION

BROAD SPECTRUM 50+ SUNSCREEN

NO. 37

AMBER(BEIGE)

30 g(15 g x 2) / Net wt. 1.05 oz.

雪花秀

Drug Facts

Active ingredients	Purpose
Octinoxate 7%	Sunscreen
Titanium Dioxide 4.15%	Sunscreen
Zinc Oxide 9.8%	Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Children under 6 months of age: Ask a doctor. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other information

Protect the product in this container from excessive heat and direct sun. Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water / Aqua / Eau, Cyclopentasiloxane, Iron Oxides (CI 77489), Cyclohexsiloxane, Phenyl Trimethicone, PEG-10 Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Niacinamide, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Titanium Dioxide (CI 77891), Acrylates/Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Iron Oxides (CI 77487), Polyhydroxystearic Acid, Glycerin, Disodium Hexafluoroantimonate, Polymethyl Methacrylate, Iron Oxides (CI 77499), Propenediol, Sodium Chloride, Trimethylsilyloxydimethylsiloxane, Stearic Acid, Triethoxycaprylylsilane, Fragrance / Parfum, Butylene Glycol, Ethylhexyl Palmitate, Lecithin, Isostearyl Acid, Isopropyl Palmitate, Caprylyl Glycol, Polyglyceryl-3 Polyacrylate, Ethylhexylglycerin, Glyceryl Caprylate, Disodium EDTA, Polysorbate 80, Adenosin, Hydrogenated Lecithin, Honey / Miel / Miel, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome Root Extract, Rehmannia Glutinosae Root Extract, Paeonia Albiflora Root Extract, Likum Cnididium Bulb Extract, Beta-Glucan, Alcohol, Phenoxyethanol, Tocopherol, Sodium Hyaluronate, Acrylates/VP Copolymer

Questions?

support@us.amorepacific.com

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 37
AMBER(BEIGE)

30 g(1.05 oz) / Net wt. 1.05 oz.

Sulwhasoo

PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 37
AMBER(BEIGE)
30 g(1.05 oz) / Net wt. 1.05 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0290)



(L)ABC123, EXP YYYYY-MM
* (L) and EXP will be printed on the label directly.



Sulwhasoo
PERFECTING CUSHION
Broad Spectrum SPF 50+ Sunscreen

NO. 37
AMBER(BEIGE)

Active ingredients
Octinoxate 7%
Titanium Dioxide 4.15%
Zinc Oxide 9.8%

[Refill]
15 g / Net wt. 0.52 oz.

Distributed by
Amorepacific US Inc.
New York, NY 10018
MADE IN KOREA (0290)

Sulwhasoo


PERFECTING CUSHION

Broad Spectrum SPF 50+ Sunscreen

NO. 37
AMBER(BEIGE)



OPEN WITH THIS ▶



SULWHASOO PERFECTING CUSHION NO. 21

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-077
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: ROZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
NIACINAMIDE (UNII: 25X5118RD4)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
GLYCERIN (UNII: PDC6A3C0OX)
PROPANEDIOL (UNII: 5965N8W85T)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TRIMETHYLSILOXSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
STEARIC ACID (UNII: 4ELV7Z65AP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
FERRIC OXIDE RED (UNII: 1K09F3G675)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)
ALCOHOL (UNII: 3K9958V90M)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-077-31	2 in 1 CARTON	07/15/2019	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:43419-077-39	2 in 1 CARTON	12/09/2019	12/02/2021
2		15 g in 1 CONTAINER; Type 0: Not a Combination		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	

SULWHASOO PERFECTING CUSHION NO. 27

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)
ALCOHOL (UNII: 3K9958V90M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-080-31	2 in 1 CARTON	07/15/2019	10/01/2022
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	10/01/2022

SULWHASOO PERFECTING CUSHION NO. 31

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-081
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
HONEY (UNII: Y9H1V576FH)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-081-31	2 in 1 CARTON	07/15/2019	10/01/2022
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	10/01/2022

SULWHASOO PERFECTING CUSHION NO. 33

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-082
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
STEARIC ACID (UNII: 4ELV7Z65AP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
FERRIC OXIDE RED (UNII: 1K09F3G675)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)
ALCOHOL (UNII: 3K9958V90M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-082-31	2 in 1 CARTON	07/15/2019	10/31/2021
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	10/31/2021

SULWHASOO PERFECTING CUSHION NO. 15

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-075
---------------------	----------------	---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
HONEY (UNII: Y9H1V576FH)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)	
ALCOHOL (UNII: 3K9958V90M)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-075-31	2 in 1 CARTON	07/15/2019	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	

SULWHASOO PERFECTING CUSHION NO. 17

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-076
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	

NIACINAMIDE (UNII: 25X51I8RD4)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
GLYCERIN (UNII: PDC6A3C0OX)
PROPANEDIOL (UNII: 5965N8W85T)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TRIMETHYLSILOXSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
STEARIC ACID (UNII: 4ELV7Z65AP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)
ALCOHOL (UNII: 3K9958V90M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-076-31	2 in 1 CARTON	07/15/2019	12/25/2021
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	12/25/2021

SULWHASOO PERFECTING CUSHION NO. 23

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-078
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)
ALCOHOL (UNII: 3K9958V90M)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-078-31	2 in 1 CARTON	07/15/2019	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:43419-078-39	2 in 1 CARTON	12/09/2019	12/03/2021
2		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	

SULWHASOO PERFECTING CUSHION NO. 37

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-083
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: ROZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
NIACINAMIDE (UNII: 25X5118RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU00)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIMETHYLSILOXSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
HONEY (UNII: Y9H1V576FH)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-083-31	2 in 1 CARTON	07/15/2019	10/01/2022

1	15 g in 1 CONTAINER; Type 0: Not a Combination Product		
---	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	10/01/2022

SULWHASOO PERFECTING CUSHION NO. 11

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-074
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
HONEY (UNII: Y9H1V576FH)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)
ALCOHOL (UNII: 3K9958V90M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-074-31	2 in 1 CARTON	07/15/2019	11/27/2021
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	11/27/2021

SULWHASOO PERFECTING CUSHION NO. 25

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-079
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
HONEY (UNII: Y9H1V576FH)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
.BETA.-D-GLUCOPYRANOSE (UNII: J4R00M814D)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-079-31	2 in 1 CARTON	07/15/2019	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:43419-079-39	2 in 1 CARTON	12/09/2019	12/02/2021
2		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2019	

Labeler - Amorepacific Corporation (631035289)

Revised: 1/2024

Amorepacific Corporation