# HEALTH MART COUGH DM- dextromethorphan polistirex suspension, extended release Strategic Sourcing Services LLC

-----

#### McKesson Cough DM Drug Facts

#### Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide

### Purpose

Cough suppressant

#### Uses

temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

#### Warnings

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Allergy Alert:** Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

#### Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

#### Stop use and ask a doctor if

- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.
- cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

#### Directions

- shake bottle well before use
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

adults and children 12 years of	10 mL every 12 hours, not to exceed 20 mL in
age	24 hours
and over	
children 6 to under 12 years of	5 mL every 12 hours, not to exceed 10 mL in
age	24 hours
children 4 to under 6 years of	2.5 mL every 12 hours, not to exceed 5 mL in
age	24 hours
children under 4 years of age	do not use

#### Other information

- each 5 mL contains: sodium 5 mg
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided

#### **Inactive ingredients**

artificial grape flavor, D&C Red #30 aluminum lake, FD&C Blue #1 aluminum lake, glycerin, high fructose corn syrup, methylparaben, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanthan gum

#### Questions or comments?

1-800-719-9260

#### Package/Label Principal Display Panel

Compare to Delsym® active ingredient

12 HOUR COUGH RELIEF

Cough DM

Dextromethorphan Polistirex

Extended-Release Oral Suspension

**Cough Suppressant** 

Day or night

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions

Dosing cup included

Alcohol Free

Gluten Free

**GRAPE-FLAVORED LIQUID** 



Do not use if carton is opened or printed foil under cap is broken or missing

#### Drug Facts

Active ingredient (in each 5 mL) Purpos Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide...

- Uses temporarily relieves

   cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

   the impulse to cough to help you get to sleep

#### Warnings

Trainings
Do not use if you are now taking a prescription monoamine oxidase inhibitor
(MAOI) (certain drugs for depression, psychiatric or enterioral conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Allergy Alert: Contains sodium metabisulfite, a sulfite that may cause

- alergic-type reactions.

  Ask a doctor before use if you have

   chronic cough that lasts as occurs with smoking, asthma or emphysema

   cough that occurs with too much phlegm (mucus)
- Stop use and ask a doctor if

  side effects occur. You may report side effects to FDA at 1-800-FDA-1088.

  side effects occur. You may report side effects to FDA at 1-800-FDA-1088.

  cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

  If pregnant or breast-feeding, ask a health professional before use.

  Keep out of reach of children. In case of overdoor, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- shake bottle well before use
   measure only with dosing cup provided
   do not use dosing cup with other products
   dose as follows or as directed by a doctor

adults and children	10 mL every 12 hours,
12 years of age and over	not to exceed 20 mL in 24 hours
children 6 to under	5 mL every 12 hours,
12 years of age	not to exceed 10 mL in 24 hours
children 4 to under	2.5 mL every 12 hours,
6 years of age	not to exceed 5 mL in 24 hours
children under 4 years of age	do not use

#### Other information

■ each 5 mL contains: sodium 5 mg
■ store at 20° to 25°C (68° to 77°F) ■ dosing cup provided

#### Drug Facts (continued)

Drug Facts (continued)
Inactive ingredients arificial grape
flavor, D&C Red #30 aluminum lake, FD&C
Blue #1 aluminum lake, glycerin, high fructose
corn syrup, methylparaben, polyschate 80,
polyvinyl acetate, povidone, propylparaben,
purified water, sodium metabisidifite, sodium
polystyrene sulfonate, sucrose, tataric
acid, tragacanth gum, triacetin, xanthan gum

#### Questions or comments?

### DOSING SHAKE WELL BEFORE USE

Measure only with dosing cup provided. Do not use dosing cup with other products.	
Age (yr)	Dose
12 years	10 mL
to adult	EVERY 12 HOURS
6 to	5 mL
under 12	EVERY 12 HOURS
4 to	2.5 mL
under 6	EVERY 12 HOURS
Under 4	Do not use

See back panel for full dosing directions



Also Available



www.StopMedicineAbuse.org





12 HOUR COUGH RELIEF

## Cough DM

Dextromethorphan Polistirex **Extended-Release Oral Suspension** 

**Contains sodium** metabisulfite, a sulfite

**3** Fl oz (89 mL)

GRAPE-FLAVORED LIQUID



#### **M**SKESSON

49421 W6 C3



#### **HEALTH MART COUGH DM**

dextromethorphan polistirex suspension, extended release

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62011-0251

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DEXTRO METHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH)	DEXTROMETHORPHAN	30 mg
(DEXTROMETHORPHAN - UNII:7355X3ROTS)	HYDROBROMIDE	in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTO SE CORN SYRUP (UNII: XY6 UN3QB6S)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYSORBATE 80 (UNII: 6 OZP39 ZG8 H)	
POLYVINYL ACETATE (UNII: 32K497ZK2U)	
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SO DIUM METABISULFITE (UNII: 4VO N5FNS3C)	
SODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z)	
SUCROSE (UNII: C151H8M554)	
TARTARIC ACID (UNII: W48881119H)	
TRAGACANTH (UNII: 2944357O2O)	
TRIACETIN (UNII: XHX3C3X673)	
XANTHAN GUM (UNII: TTV12P4NEE)	
D&C RED NO. 30 (UNII: 2S42T2808B)	

Product Characteristics			
Color	PURPLE	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:62011-0251-1	1 in 1 CARTON	04/28/2015	
1		89 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA091135	04/28/2015		

## Labeler - Strategic Sourcing Services LLC (116956644)