DYSPEPSIA- strontium bromide pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Indications

Indications: To be used for acute self-limiting conditions according to standard homeopathic indications

Active Ingredient

STRONTIUM BROMATUM

Directions

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

Keep Out of Reach of Children

Keep these and all medications out of the reach of children.

Warning

If pregnant or nursing, consult a practitioner before using.

Inactive Ingredients - Lactose, Sucrose

Purpose

Purpose: Dyspepsia

Package Label

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken

STRONTIUM BROMATUM 30C

Dyspepsia

Lot #____

Est. No. 1724217

- Natural Health Supply
505-474-9175

Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications. Directions: Take at onset of symp-

- toms. Repeat every 2 hours or as needed until relieved. If condition
- persists or worsens discontinue use and consult a practitioner. <u>Adults</u>: dissolve 5-10 pellets in 1 oz. of
- filtered water or take dry by mouth;
 <u>Children</u> and <u>Infants</u>: 1-5 pellets.
- Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

7.5ML(1/40Z)LOT #

RONTIUM BROM
30C
Dyspepsia

Est. No. 1724217

Natural Health Supply 505-474-9175

Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications.

Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets. Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

1.875 ml (1/16 oz.)

LOT #

STRONTIUM BROMATUM

On not use if perforated cap seal is broken.

STRONTIUM BROMATUM

Oyspepsia

res

DYSPEPSIA

strontium bromide pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64117-186

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Inactive Ingredients

Ingredient Name Strength

LACTO SE (UNII: J2B2A4N98G)

SUCROSE (UNII: C151H8M554)

Packaging

-1	- ucmagg	wermanna					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
	1 NDC:64117-186- 01	$1.875\ mL$ in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998				
	NDC -C 4117 10 C	7 E ml in 1 DOTTLE CLASS. Type O. Note Combination					

	nic in 1 BOTTLE, GLASS; Type 0: Nota Combination duct	06/04/1998					
Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved homeopathic		06/04/1998					

Labeler - Natural Health Supply (018504618)

Registrant - Natural Health Supply (018504618)

Establishment								
Name	Address	ID/FEI	Business Operations					
Natural Health Supply		0 18 50 46 18	manufacture(64117-186)					

Revised: 1/2021 Natural Health Supply