

**OXYGEN- oxygen gas**  
**Jayco Industrial Supply Inc**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Oxygen**

OXYGEN, COMPRESSED USP. OXYGEN 2. UN 1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil, grease and combustibles away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 C (125 F). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

JAYCO

GAS AND SUPPLY

2028 Natchez Dr

McComb, MS 39648

(601) 684-2154



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID. OXYGEN 2.  
UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do

not walk on or roll equipment over spills. Cylinder temperature should not exceed 52 C (125 F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: OXYGEN 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

JAYCO  
GAS AND SUPPLY  
2028 Natchez Dr  
McComb, MS 39648  
(601) 684-2154

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:59378-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	995 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59378-001-01	198 L in 1 CYLINDER		
2	NDC:59378-001-02	425 L in 1 CYLINDER		
3	NDC:59378-001-03	708 L in 1 CYLINDER		
4	NDC:59378-001-04	3228 L in 1 CYLINDER		

5	NDC:59378-001-05	3540 L in 1 CYLINDER		
6	NDC:59378-001-06	6456 L in 1 CYLINDER		
7	NDC:59378-001-07	7108 L in 1 CYLINDER		
8	NDC:59378-001-08	7249 L in 1 CYLINDER		
9	NDC:59378-001-09	7957 L in 1 CYLINDER		
10	NDC:59378-001-10	8693 L in 1 CYLINDER		
11	NDC:59378-001-11	9543 L in 1 CYLINDER		
12	NDC:59378-001-12	180 L in 1 DEWAR		
13	NDC:59378-001-13	200 L in 1 DEWAR		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		07/01/2013	

**Labeler** - Jayco Industrial Supply Inc (177843679)

## Establishment

Name	Address	ID/FEI	Business Operations
Jayco Industrial Supply Inc		177843679	manufacture(59378-001)

Revised: 7/2013

Jayco Industrial Supply Inc