

**ALLERGY RELIEF CHILDRENS- diphenhydramine hydrochloride liquid
AmerisourceBergen (Good Neighbor Pharmacy) 46122**

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

age (yr)	dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- **each 5 mL contains:** sodium 8 mg
- store between 20-25°C (68-77°F). Do not refrigerate
- Protect from light. Store in outer carton until contents are used

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, flavors, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Children's Benadryl® Allergy active ingredient*

Children's

Allergy Relief

Dye-Free

Antihistamine

(Diphenhydramine HCl)

Oral Solution

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes

- Itching of the Nose or Throat

Bubble Gum Flavor

For Ages 6 to 11 Years

Dosing Cup included

FL OZ (mL)

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed By

AmerisourceBergen

1300 Morris Drive Chesterbrook, PA 19087

www.mygnp.com

Product Label

Drug Facts (continued)
Inactive ingredients carboxymethylcellulose sodium, citric acid, flavor, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol
Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Dosing Cup Included



Distributed By
 AmerisourceBergen
 1300 Morris Drive
 Chesterbrook, PA 19087
 Questions or Concerns?
 Visit us at www.mygnp.com

NDC 46122-674-26 Compare to Children's Benadryl® Allergy active ingredient*



ALCOHOL FREE

Children's Allergy

Dye-Free

Antihistamine
 (Diphenhydramine HCl)
 Oral Solution

- Relief of:**
- Sneezing
 - Runny Nose
 - Itchy, Watery Eyes
 - Itching of the Nose or Throat

Bubble Gum Flavor
 For Ages 6 to 11 Years

4 fl oz
 (118 mL)



NDC 46122-674-26 Compare to Children's Benadryl® Allergy active ingredient*



ALCOHOL FREE

Children's Allergy

Dye-Free

Antihistamine
 (Diphenhydramine HCl)
 Oral Solution

- Relief of:**
- Sneezing
 - Runny Nose
 - Itchy, Watery Eyes
 - Itching of the Nose or Throat

Bubble Gum Flavor
 For Ages 6 to 11 Years

4 fl oz
 (118 mL)



Drug Facts
Active ingredient (in each 5 mL) Diphenhydramine HCl 12.5 mgAntihistamine
Purpose

Uses
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
 ■ sneezing ■ runny nose ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
Do not use
 ■ with any other product containing diphenhydramine, even one used on the skin
 ■ to make a child sleepy

Ask a doctor before use if the child has
 ■ a breathing problem such as chronic bronchitis
 ■ glaucoma
 ■ a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product
 ■ marked drowsiness may occur
 ■ sedatives and tranquilizers may increase drowsiness
 ■ excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 ■ do not take more than 6 doses in 24 hours
 ■ take every 4 to 6 hours, or as directed by a doctor
 ■ measure only with dosing cup provided. Do not use any other dosing device.
 ■ mL = milliliter ■ keep dosing cup with product
 ■ find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information
 ■ each 5 mL contains: sodium 8 mg
 ■ store between 20-25°C (68-77°F). Do not refrigerate.
 ■ protect from light. Store in outer carton until contents are used.

ABC# 10250700



PLD-A24ZE FC007376

Lot No:
 Exp. Date:

GOOD NEIGHBOR PHARMACY Children's Allergy Dye-Free Bubble Gum

ALLERGY RELIEF CHILDRENS

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-674
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-674-26	1 in 1 BOX	03/26/2021	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/26/2021	

Labeler - AmerisourceBergen (Good Neighbor Pharmacy) 46122 (007914906)

Revised: 2/2024

AmerisourceBergen (Good Neighbor Pharmacy) 46122