

TOP CARE CASTOR OIL- castor oil oil
TOPCO ASSOCIATES LLC

Top Care Castor Oil, USP

Castor Oil

Stimulant Laxative

For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.

Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Preferably take on an empty stomach. May be taken with juice to improve taste.

Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.

Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single dose or as directed by a doctor.

Children under 2 yrs. of age: Consult a doctor before use.

None

Drug Facts	
Active ingredient	Purpose
Castor Oil.....	Stimulant laxative
Use For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
Warnings	
<ul style="list-style-type: none"> ■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. ■ Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives. 	
When using this product	
Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
If pregnant or breast feeding ask a health professional before use.	
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<i>Continued</i> ▶	



NDC 36800-270-96

Castor Oil U.S.P.

STIMULANT LAXATIVE ORAL LIQUID

- For Relief of Occasional Constipation
- Odorless & Tasteless
- Contains no Hexanes

4 FL OZ (118 mL)

***SAFETY SEALED**

***WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR FOIL SEAL UNDER CAP.**

Drug Facts (continued)
Directions Preferably take on an empty stomach. May be taken with juice to improve taste.
<ul style="list-style-type: none"> ■ Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor. ■ Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor. ■ Children under 2 yrs. of age: Consult a doctor before use
Other information Storage. Keep tightly closed and away from excessive heat.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
 ELK GROVE VILLAGE, IL 60007
 © TOPCO HHGA0521
 QUESTIONS? 1-888-423-0139
 topcare@topco.com www.topcarebrand.com



Scan here for more information or call 1-888-423-0139

QUALITY GUARANTEED



Drug Facts	
Active Ingredient	Purpose
Castor Oil.....	Stimulant laxative
Use For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
Warnings	
<ul style="list-style-type: none"> Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives. 	
When using this product	
Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
If pregnant or breast feeding ask a health professional before use.	
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Continued >	



*SAFETY SEALED

*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR FOIL SEAL UNDER CAP.

NDC 36800-270-96

Castor Oil U.S.P.

STIMULANT LAXATIVE ORAL LIQUID



- For Relief of Occasional Constipation
- Odorless & Tasteless
- Cold Pressed
- Contains no Hexanes

4 FL OZ (118 mL)

Drug Facts (continued)
Directions Preferably take on an empty stomach. May be taken with juice to improve taste.
<ul style="list-style-type: none"> Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor. Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor. Children under 2 yrs. of age: Consult a doctor before use
Other information Storage. Keep tightly closed and away from excessive heat.

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007

© TOPCO HHGA1119 QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

Visit here for more information:

<http://topplmnds.com/48zuia>

QUALITY GUARANTEED



TOP CARE CASTOR OIL

castor oil oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-270
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CASTOR OIL (UNII: D5340Y2I9G) (CASTOR OIL - UNII:D5340Y2I9G)	CASTOR OIL	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-270-96	177 mL in 1 CONTAINER; Type 0: Not a Combination Product	07/16/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/16/2019	

Labeler - TOPCO ASSOCIATES LLC (006935977)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(36800-270) , pack(36800-270) , label(36800-270) , analysis(36800-270)

Revised: 12/2023

TOPCO ASSOCIATES LLC