

**NIGHTTIME PAIN RELIEVER PLUS SLEEP AID- acetaminophen,
diphenhydramine hcl solution
WALMART INC.**

Equate 44-074

Active ingredients (in each 30 mL)

Acetaminophen 1,000 mg
Diphenhydramine HCl 50 mg

Purpose

Pain reliever
Nighttime sleep-aid

Use

for the temporary relief of occasional minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 30 mL at bedtime
- take only one dose per day (24 hours)
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 12 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

Questions or comments?

1-888-287-1915

Principal display panel

equate™

NDC 79903-099-02

Compare to
VICKS® ZzzQuil®
NIGHT PAIN
active
ingredients*

**Nighttime
Pain Reliever +
Sleep-Aid**

Acetaminophen
Diphenhydramine HCl

Pain Reliever/Nighttime Sleep-Aid

- Maximum Strength
pain relief
- Non-habit forming

For Ages 12+

Midnight-Berry
Flavor

12 FL OZ (355 mL)

**TAMPER EVIDENT: DO NOT USE IF
PRINTED NECK WRAP IS BROKEN
OR MISSING**

Satisfaction Guaranteed- Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call **1-888-287-1915**.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS®

ZzzQuil® NIGHT PAIN.

50844

REV0523A07402

Drug Facts

Active ingredients (in each 30 mL)	Purpose
Acetaminophen 1,000 mg	Pain reliever
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

Use for the temporary relief of occasional minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
 - blisters
 - rash
- If a skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease, glaucoma, a breathing problem such as emphysema or chronic bronchitis, or difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

No Print / No Varnish
Lot no. & Exp. date

PEEL HERE FOR MORE DRUG FACTS

NDC 79903-099-02

equate™



Nighttime Pain Reliever + Sleep-Aid

Acetaminophen
Diphenhydramine HCl
Pain Reliever/Nighttime Sleep-Aid

- Maximum strength pain relief
- Non-habit forming

For Ages 12+

12 FL OZ (355 mL)



Midnight-Berry Flavor

TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING



Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHT PAIN. 50844 REV0523A07402



how2recycle.info

Drug Facts (continued)

When using this product drowsiness will occur

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 30 mL at bedtime
- take only one dose per day (24 hours)
- children under 12 years: do not use

Other information

- each 30 mL contains: sodium 12 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

Questions or comments? 1-888-287-1915

Equate 44-074

NIGHTTIME PAIN RELIEVER PLUS SLEEP AID

acetaminophen, diphenhydramine hcl solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC: 79903-099

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	purple (Dark)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-099-02	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/12/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/12/2022	

Labeler - WALMART INC. (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(79903-099) , pack(79903-099)

Revised: 1/2024

WALMART INC.