

**OPTIMEL MANUKA FORTE EYE GEL- glycerin gel**  
**Melcare Biomedical Pty Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Optimel Manuka+ Forte Eye Gel**

**Drug Facts**

**Active ingredients**

Glycerin 0.2%

**Purpose**

Lubricant

**Uses**

- for the temporary relief of burning and irritation due to dryness of the eye.
- for use as a protectant against further irritation or to relieve dryness of the eye.

**Warnings**

**For external use only**

**Do not use**

- if hypersensitive to bee products or food gums.
- if solution changes color or becomes cloudy.
- if box seal is broken or packaging is damaged.
- serious conditions should be managed under the supervision of a doctor.

**When using this product**

- to avoid contamination, do not touch tip of container to any surface.
- replace cap after using.
- do not overtighten cap.
- remove contact lenses before using.
- wait at least 10 minutes before contact lens insertion.
- Initial stinging and redness on drop application is to be expected.

**Stop use and ask a doctor if**

- you experience eye pain changes in vision
- continued redness or irritation of the eye.

- condition worsens or persists for more than 72 hours.
- you have any reaction other than transient stinging and redness.
- You experience eye pain, change in vision, continued redness or irritation of the eye.
- Condition worsens

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Wash hands.
- Remove cap, do not allow nozzle to touch any surface.
- Instill 1 drop to the inner corner of the affected OR dispense onto tip of cotton bud and gently apply along lower lid margin up to 3 times daily or as directed.

**Other information**

- Single patient use only.
- Discard 2 months after opening.
- Store below 25°C (77°F).
- Tube is oversized to allow contents to expand during sterilization.

**Inactive ingredients**

Honey ( *Leptospermum* spp.), Gum Arabic, Water.

**Questions?**

**Web: [www.melcare.com](http://www.melcare.com)**

**Email: [info@melcare.com](mailto:info@melcare.com)**

**Phone: 8557082611**

**PRINCIPAL DISPLAY PANEL**

CAP END

# OPTI MEL<sup>®</sup> MANUKA<sup>+</sup> FORTE EYE GEL



MADE IN AUSTRALIA

### DRUG FACTS

**Active ingredient** Purpose  
Glycerin 0.2% ..... Lubricant

### USES

- for the temporary relief of irritation due to dryness of the eye.
- for use as a protectant against further irritation or to relieve dryness of the eye.

### WARNINGS

For external use only

#### Do not use

- if hypersensitive to bee products or food gums.
- if solution changes color or becomes cloudy.
- if box seal is broken or packaging is damaged.
- serious conditions should be managed under the supervision of a doctor.

#### When using this product

- to avoid contamination, do not touch tip of container to any surface.
- replace cap after using.
- do not overtighten cap.
- remove contact lenses before using.
- wait at least 10 minutes before contact lens insertion.
- Initial stinging and redness on drop application is to be expected.

#### Stop use and ask a doctor if

- you experience eye pain or changes in vision.
- continued redness or irritation of the eye.
- condition worsens or persists for more than 72 hours.
- you have any reaction other than transient stinging and redness.

### DRUG FACTS (continued)

### WARNINGS

Stop use and ask a doctor if:

- You experience eye pain, change in vision, continued redness or irritation of the eye.
- Condition worsens

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

### DIRECTIONS

- Wash hands.
- Remove cap, do not allow nozzle to touch any surface.
- Instill 1 drop to the inner corner of the affected OR dispense onto tip of cotton bud and gently apply along lower lid margin up to 3 times daily or as directed.

### OTHER INFORMATION

- Single patient use only.
- Discard 2 months after opening.
- Store below 25°C (77°F).
- Tube is oversized to allow contents to expand during sterilization.

### INACTIVE INGREDIENTS

Honey (*Leptospermum* spp.), Gum Arabic, Water.

### QUESTIONS?

Web: [www.melcare.com](http://www.melcare.com)  
Email: [info@melcare.com](mailto:info@melcare.com)  
Phone: 8557082611

NDC 73024-429-10

# OPTI MEL<sup>®</sup>



# MANUKA<sup>+</sup> FORTE EYE GEL

For Symptoms  
of Dry Eye

- ✓ Eye discomfort
- ✓ Eye lid irritation

**STERILE | R**

0.35oz (10g)

# OPTIMEL<sup>®</sup>

Optimel<sup>®</sup> Manuka+ Forte Eye Gel also contains a proprietary pharmaceutical grade *Leptospermum* spp. honey (980mg/g) as an excipient. For use as an adjunct therapy in addition to good eyelid hygiene.

Natural by Design Clinical by Nature

MADE IN AUSTRALIA

melcare<sup>+</sup>

Melcare Biomedical Pty Ltd is a specialist medical honey company.

Melcare Biomedical Pty Ltd  
Mt Cotton 4165, Australia.

Distributed by  
Optimel USA LLC  
1603 Capitol Ave., Suite 310 A168  
Wyoming 82001, USA

DROP IN BARCODE  
85%  
9343345000429

V12.06.2019



## OPTIMEL MANUKA FORTE EYE GEL

glycerin gel

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:73024-429 |
| <b>Route of Administration</b> | OPHTHALMIC     |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength     |
|---|-------------------|--------------|
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX) | GLYCERIN          | 2 mg in 1 mL |

**Inactive Ingredients**

| Ingredient Name                  | Strength |
|----------------------------------|----------|
| <b>HONEY</b> (UNII: Y9H1V576FH)  |          |
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>ACACIA</b> (UNII: 5C5403N26O) |          |

**Packaging**

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:73024-429-10 | 1 in 1 CARTON   | 07/19/2019           |                    |
| 1 |                  | 10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part349                                  | 07/19/2019           |                    |

**Labeler** - Melcare Biomedical Pty Ltd (743166886)

Revised: 4/2023

Melcare Biomedical Pty Ltd