

MOTION SICKNESS RELIEF- meclizine hcl tablet
L.N.K. International, Inc.

Quality Plus 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take first dose ½ to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-800-426-9391

Principal Display Panel

QUALITY

+PLUS

NDC 50844-403-19

*Compare to active ingredient in
Dramamine® Less Drowsy

Motion Sickness

Relief

LESS DROWSY FORMULA

Meclizine HCl 25 mg • Antiemetic

HELPS PREVENT NAUSEA, VOMITING AND
DIZZINESS DUE TO MOTION SICKNESS
FOR UP TO **24 HOURS**

Ages 12 Years and Over

8Tablets

ACTUAL
SIZE

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS**

ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark

Dramamine® All Day Less Drowsy. 50844 ORG042340319

Distributed by

LNK INTERNATIONAL, INC.

60 Arkay Drive

Hauppauge, NY 11788

USA

QUALITY PLUS



Motion Sickness Relief

LESS DROWSY FORMULA

QUALITY PLUS

NDC 50844-403-19

*Compare to active ingredient in Dramamine® Less Drowsy

Motion Sickness Relief

LESS DROWSY FORMULA

Meclizine HCl 25 mg • Antiemetic



HELPS PREVENT NAUSEA, VOMITING AND DIZZINESS DUE TO MOTION SICKNESS FOR UP TO 24 HOURS

8 Tablets

Ages 12 Years and Over

ACTUAL SIZE



USA
Hauptage, NY 11788
60 Arkay Drive
LNK INTERNATIONAL, INC.
Distributed by

B-1603-4034-19-R
OR6042340319


*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Less Drowsy. 50844 OR6042340319

Warnings Do not use for children under 12 years of age unless directed by a doctor. Ask a doctor before use if you have ■ difficulty in urination due to enlargement of the prostate gland ■ gynecoma ■ a breathing problem such as emphysema or chronic bronchitis Ask a doctor or pharmacist before use if you are taking ■ sedatives or tranquilizers. When using this product ■ drowsiness may occur ■ avoid alcoholic beverages ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery
Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BUSTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from heat and humidity ■ see end flap for expiration date and lot number Inactive ingredients colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch Questions or comments? 1-800-426-9391

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BUSTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

NISH

QUALITY PLUS
Motion Sickness Relief
LESS DROWSY



Quality Plus 44-403A

MOTION SICKNESS RELIEF

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50844-403
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:50844-403-19	1 in 1 CARTON	06/24/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	06/24/2002	

Labeler - L.N.K. International, Inc. (038154464)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(50844-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-403) , pack(50844-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(50844-403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(50844-403)

Revised: 7/2024

L.N.K. International, Inc.