# RANITIDINE- ranitidine tablet, coated Thirty Madison Inc

-----

# **Drug Facts**

# Active ingredient (in each tablet)

Ranitidine 150 mg (as ranitidine hydrochloride USP, 168 mg)

# **Purpose**

Acid reducer

# Use(s)

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

# **Warnings**

Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor

# Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

# Stop use and ask doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

# If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- adults and children 12 years and over:
  - to relieve symptoms, swallow 1 tablet with a glass of water
  - to prevent symptoms, swallow 1 tablet with a glass of water 30 to 60 minutes
     before eating food or drinking beverages that cause heartburn
  - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

#### Other information

- do not use if printed foil under bottle cap is open or torn
- store at 20°-25°C (68°-77°F)
- avoid excessive heat or humidity
- protect from light
- this product is sodium and sugar free

## **Inactive ingredients**

FD&C red #40 aluminum lake, hypromellose, iron oxide black, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

## **Questions?**

Call 1-888-375-3784

#### **Bottle Label**

#### IMPORTANT: This label does not contain full product information. See carton for complete information. Read the directions, consumer information leaflet and warnings before use. Retain carton and leaflet for reference. evens Ictive ingredient (in each tablet) Ranitidine 150 mg (as ranitidine ydrochloride USP, 168 mg) Purpose Acid reducer kes Erelieves heartburn associated with acid indigestion and sour stomach prevents heartburn associated with acid indigestion and sour stomach rought on by eating or drinking certain foods and beverages se heartburn **m** can be used up to twice daily (do not tak e than 2 tablets in 24 hours) ildren under 12 years; ask a doctor Maximum Strength Ranitidine Tablets mmigs may alert: Do not use if you are allergic to ranitidine or other acid reducers not use ■ if you have trouble or pain swallowing food, vomiting with do, or bloody or black stools. These may be signs of a serious dition. See your doctor. ■ with other acid reducers ■ if you have Distributed by Thirty Madison, Inc. USP, 150mg New York, NY 10016 Acid Reducer except under the advice and supervision of a doctor Prevents & relieves heartburn 150076039 associated with acid Indigestion and sour stomach it chest pain is frequent wheezing, particularly with heartburn ained weight loss is nausea or vomiting is stomach pain and ask a doctor if your heartburn worsens or you ke this product for more than 14 days LOT 95 Tablets (95 doses) FXP

#### Carton label



#### **RANITIDINE**

ranitidine tablet, coated

D	ro	MIIC.	- 1,	2£0	rm a	tion
	ı	uuc		110	ıııa	LIUII

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71713-203(NDC:55111-404)

Route of Administration ORAL

# **Active Ingredient/Active Moiety**

ingredient Name	Basis of Strength	Strength

Ranitidine Hydrochloride (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7) RANITIDINE 150 mg

#### **Inactive Ingredients**

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
magnesium stearate (UNII: 70097M6I30)	
cellulose, microcrystalline (UNII: OP1R32D61U)	

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
--

titanium dioxide (UNII: 15FIX9V2JP)

Product Characteristics					
Color	PINK	Score	no score		
Shape	ROUND	Size	9mm		
Flavor		Imprint Code	R150		
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:71713-203- 05	1 in 1 CARTON	05/31/2019	09/30/2019	
1		95 in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:71713-203- 02	1 in 1 CARTON	05/31/2019	09/30/2019	
2		24 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA078192	05/31/2019			

# Labeler - Thirty Madison Inc (080774087)

Revised: 9/2019 Thirty Madison Inc