

NASAL- oxymetazoline hydrochloride spray
We Care Distributor Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

We Care
12 Hour NASAL SPRAY
DECONGESTANT

Drug Facts

Active ingredient

Oxymetazoline Hydrochloride 0.05%

Purpose

Nasal Decongestant

Uses

- temporary relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- sinusitis
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland

When using this product: do not use more than directed

- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each

nostril not more often than every 10 to 12 hours

- do not exceed 2 doses within any 24-hour period
- **children under 6 years of age:** ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use

Other information

- store between 20° to 25° C (68° to 77° F)
- retain carton for future reference on full labeling.

Inactive ingredients

benzalkonium chloride, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or Comments?

1-888-705-WECARE (Mon-Fri 9am-5pm EST) or www.wecaredistributor.com

PRINCIPAL DISPLAY PANEL - 15 mL Carton

WE CARE

12 Hour NASAL SPRAY DECONGESTANT

oxymetazoline hydrochloride 0.05%

Compare to active ingredient of Afrin

DO NOT USE IF SEAL OVER CAP IMPRINTED "REAL" FOR YOUR PROTECTION IS BROKEN OR MISSING.

Drug Facts (cont.)

Other information

- store between 20°C to 25°C (68°F to 77°F)
- retain carton for future reference on full labeling.

Inactive ingredients

benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate monobasic, sodium phosphate dibasic.

12 HOUR NASAL SPRAY

COMPARE TO ACTIVE INGREDIENT IN Afrin®**

Oxymetazoline HCl Nasal Decongestant

Original Fast Relief From Congestion

WeCare Original acts in seconds to provide relief from nasal congestion with no drowsiness

ALL WeCare products are satisfaction guaranteed or your money back

Manufactured For / Distributed by:
We Care Distributor Inc.
Hermitage, TN 37076
www.wecaredistributor.com

**This product is not manufactured or distributed by Schering-Plough HealthCare Products Inc., distributor of Afrin Original 12 Hour Nasal Spray

0.5 FL OZ (15 mL)

Drug Facts

Active ingredient Purpose
Oxymetazoline HCl 0.05% ... Nasal Decongestant

Uses

temporarily relieves nasal congestion due to:

- common cold ■ hay fever
- upper respiratory allergies ■ sinusitis
- shrinks swollen nasal membranes so you can breathe more freely.

Warnings

Ask a doctor before use if you have:

- high blood pressure ■ thyroid disease
- diabetes ■ trouble urinating due to an enlarged prostate gland.

When using this product, do not use more than directed.

- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.
- use of this container by more than one person may spread infection.

Stop use and ask a doctor if symptoms persist. If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under six years of age: ask a doctor.

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use.

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70005-038
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
EDETATE SODIUM (UNII: MP1J8420LU)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
POVIDONE (UNII: FZ989GH94E)	
POLYETHYLENE GLYCOL 1450 (UNII: OJ4Z5Z32L4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70005-038-01	1 in 1 CARTON	08/23/2016	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	08/23/2016	

Labeler - We Care Distributor Inc. (079832998)

Establishment

Name	Address	ID/FEI	Business Operations
PURINE PHARMA LLC		019950491	manufacture(70005-038)