

**LET ME CLARIFY- salicylic acid gel
mybody**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENTS

SALICYLIC ACID 2%

PURPOSE

ACNE TREATMENT

USE FOR THE TREATMENT OF ACNE

WARNINGS

FOR EXTERNAL USE ONLY

DO NOT USE * IF YOU HAVE VERY SENSITIVE SKIN OR ARE SENSITIVE TO SALICYLIC ACID.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF

- PREGNANT OR LACTATING.
- YOU ARE USING OTHER TOPICAL ACNE MEDICATIONS AT THE SAME TIME OR IMMEDIATELY FOLLOWING THE USE OF THIS PRODUCT. THIS MAY INCREASE DRYNESS OR IRRITATION OF THE SKIN. IF THIS OCCURS, ONLY ONE MEDICATION SHOULD BE USED UNLESS DIRECTED BY A DOCTOR.

WHEN USING THIS PRODUCT

- AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH THOROUGHLY WITH WATER.
- KEEP AWAY FROM LIPS AND MOUTH.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- USE AM/PM. AFTER CLEANSING, GENTLY APPLY TO FACE OR AFFECTED AREAS.
- BECAUSE EXCESSIVE DRYING OF THE FACE MAY OCCUR, START WITH ONE APPLICATION DAILY IF NEEDED OR AS DIRECTED BY A DOCTOR. IF BOTHERSOME DRYNESS OR PEELING OCCURS, REDUCE APPLICATION TO ONCE A DAY OR EVERY OTHER DAY.

OTHER INFORMATION

* AVOID STORAGE AT EXTREME TEMPERATURES (BELOW 40°F AND ABOVE 100°F).

INACTIVE INGREDIENTS: WATER, BUTYLENE GLYCOL, GLYCOLIC ACID, POLYQUATERNIUM 10, EUCALYPTUS GLOBULUS OIL, GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT, ACETYL CARBOXYMETHYL COCOYL GLYCINE, MYRISTOYL TETRAPEPTIDE-13, HYDROXYPHENYL PROPAMIDOBENZOIC ACID, PENTYLENE GLYCOL, POTASSIUM HYDROXIDE.

QUESTIONS OR COMMENTS?

CALL 877.423.1314 * WWW.LOVEMYBODY.COM



Application and Usage:
Use AM/PM. After cleansing,
gently apply to face or
affected areas.

LET ME CLARIFY®

Refining Gel
2% Salicylic Acid

mytreatment
STEP 2 • AM / PM

www.love.mybody.com
4020260

0.17 FL OZ US / 5 mL

LET ME CLARIFY®

Refining Gel • 2% Salicylic Acid

AM / PM

1 FL OZ US / 30 mL

Drug Facts

Active Ingredient

Salicylic Acid 2%

Purpose

Acne Treatment

USE for treatment of acne

Warnings

For external use only

Do not use • if you have very sensitive skin or are sensitive to Salicylic Acid.

Ask a doctor or pharmacist before use if

• Pregnant or lactating. You are using other topical acne medications at the same time or immediately following use of this product. This may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

When using this product • Avoid contact with eyes. If contact occurs, flush thoroughly with water. • Keep away from lips and mouth.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

• Use AM/PM. After cleansing, gently apply to face or affected areas. • Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other Information

• Avoid storage at extreme temperatures (below 40° F and above 100° F).

Inactive Ingredients: Water, Butylene Glycol, Glycolic Acid, Polyquaternium 10, Eucalyptus Globulus Oil, Glycyrrhiza Glabra (Licorice) Root Extract, Acetyl Carboxymethyl Cocoyl Glycine, Myristoyl Tetrapeptide-13, Hydroxyphenyl Propamidobenzoic Acid, Pentylene Glycol, Potassium Hydroxide.

Questions or Comments?

Call 877.423.1314 • www.lovemymybody.com

LET ME CLARIFY

salicylic acid gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49520-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
1,3-BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
POLYQUATERNIUM-10 (400 CPS AT 2%) (UNII: HB1401PQFS)	
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
ACETYL CARBOXYMETHYL COCOYL GLYCINE (UNII: 3TNX4P92J3)	
MYRISTOYL TETRAPEPTIDE-4 (UNII: 87AV1IB2EU)	
HYDROXYPHENYL PROPAMIDOBENZOIC ACID (UNII: 25KRT26H77)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49520-103-11	30 mL in 1 BOTTLE		
2	NDC:49520-103-31	5 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	09/24/2012	

Labeler - mybody (004460532)

Revised: 12/2013

mybody