

## **UNDECYLENIC ACID- maximum strength antifungal liquid solution liquid**

### **Target Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Target Antifungal Liquid Solution**

#### ***Active ingredient***

Undecylenic acid 25%w/w

#### ***Purpose***

Antifungal

#### ***Uses***

For cure of most tinea pedis (athlete's foot) and tinea corporis (ringworm).

For relief of:

- itching
- burning
- redness
- irritation
- scaling
- soreness
- discomfort which may accompany these conditions

#### ***Warnings***

**For external use only**

**If pregnant or breastfeeding**

consult a healthcare professional before use.

**Do not use**

on children 2 years of age unless directed by a doctor.

**When using this product**

avoid contact with eyes

**Use only as directed**

by a doctor on persons with highly sensitive skin.

**Stop use and consult a doctor if**

- there is no improvement within 4 weeks
- irritation occurs

**Keep out of children.**

If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

***Directions*****Read all warnings and directions. Use only as directed.**

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks. If conditions persist longer, consult a doctor. This product is not effective on the scalp or nails

***Other information***

- store at room temperature 15°-30°C (59° - 86°F)
- protect from freezing. If freezing occurs warm to room temperature
- keep tightly closed when not in use

***Inactive ingredient***

isopropyl palmitate

***Questions?***

Call 1-866-910-6874

**Principal Display Panel****Front Panel**

**Compare to** active ingredient in **Fungi-Nail<sup>®</sup> anti-fungal solution \***  
maximum strength

**antifungal**

**nail liquid**

25% undecylenic acid

eliminates fungus on fingers, toes and around nails

topical solution with brush applicator

NET 1 FL OZ (30mL)

## Side Panel

Eliminates and helps stop the spread of fungal infections on cuticles, around nail edges, and under nail tips where reachable with applicator brush. Topical antifungal treatment will not penetrate hard nail surfaces.

\*This product is not manufactured or distributed by Kramer Laboratories, Inc., owner of the registered trademark Fungi-Nail®.

maximum strength  
**antifungal  
nail liquid**  
25% undecylenic acid

**up&up**

DO NOT USE IF NECKBAND IS BROKEN

**Drug Facts**

Active ingredient	Purpose
Undecylenic acid 25% w/w	Antifungal

**Uses** For cure of most tinea pedis (athlete's foot) and tinea corporis (ringworm)

**For relief of**

■ discomforts which may accompany these conditions	■ itching
■ burning	■ redness
■ scaling	■ irritation
	■ soreness

**Warnings**

For external use only.

If pregnant or breastfeeding consult a healthcare professional before use.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes.

Use only as directed by a doctor on persons with highly sensitive skin.

**Stop use and consult a doctor if**

■ there is no improvement within 4 weeks
■ irritation occurs

**Keep out of reach of children.** If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

**Directions** Read all warnings and directions. Use only as directed.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor.
- this product is not effective on the scalp or nails

**Other information**

- store at room temperature 15°-30°C (59°-86°F)
- protect from freezing. If freezing occurs warm to room temperature
- keep tightly closed when not in use

**Inactive ingredient**  
Isopropyl palmitate

**Questions?** Call 1-800-910-6874

Eliminates and helps stop the spread of fungal infections on cuticles, around nail edges, and under nail tips where reachable with applicator brush. Topical antifungal treatment will not penetrate hard nail surfaces.

**Compare to active ingredient in Fungi-Nail® anti-fungal solution\***

maximum strength  
**antifungal  
nail liquid**  
25% undecylenic acid

eliminates fungus on fingers, toes and around nails

topical solution with brush applicator

**up&up**

NET 1 FL OZ (30 mL)

NDC 00000-000-00

**up&up**

ACTUAL SIZE

DISTRIBUTED BY TARGET CORPORATION  
MINNEAPOLIS, MN 55403

TM & ©2020 Target Brands, Inc.  
Shop Target.com  
Guest Services 1-800-316-6151  
Keep package for reference.


**100% satisfaction  
guaranteed or your  
money back.**

Distributed by Target Corporation  
Minneapolis, MN 55403  
**Made in U.S.A. with U.S.  
and imported parts**  
TM & ©2020 Target Brands, Inc.

245 06 0098 R01  
IDC-000021-01-108

0 34197 01266 9

\*This product is not manufactured or distributed by Kramer Laboratories, Inc., owner of the registered trademark Fungi-Nail®.



53-091TG-02

**DO NOT USE IF NECKBAND IS BROKEN****Active Ingredient:** Undecylenic acid (25% w/w)**Purpose:** Antifungal **Uses:** For the cure of most tinea pedis (athlete's foot) and tinea corporis (ringworm)

NDC 00000-000-00

**maximum  
strength  
antifungal  
nail liquid**

25% undecylenic acid

eliminates fungus on fingers,  
toes and around nails  
topical solution with  
brush applicator

NET 1 FL OZ (30 mL)

**WARNINGS:** For external use only. If pregnant or breastfeeding consult a healthcare professional before use. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with eyes. Use only as directed by a doctor on persons with highly sensitive skin. Stop use and consult a doctor if irritation occurs or there is no improvement within 4 weeks. **KEEP OUT OF REACH OF CHILDREN.** If accidental ingestion occurs, get medical help or contact a Poison Control Center right away. **Directions:** Read all warnings and directions. Use only as directed. Clean the affected area and dry thoroughly. Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: pay special attention to spaces between the toes. Wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails. **Inactive Ingredient:** isopropyl palmitate **Other Information:** Store at room temperature 15°-30°C (59°-86°F) Protect from freezing. If freezing occurs warm to room temperature. Keep tightly closed when not in use.

**Questions? Call 1-800-910-6874**

245 06 0098 R01 IDC-000021-01-108

Distributed by Target Corporation  
Minneapolis, MN 55403**Made in U.S.A. with U.S. and imported parts**  
TM & © 2020 Target Brands, Inc.

50-091TG-02

**UNDECYLENIC ACID**

maximum strength antifungal liquid solution liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-259
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>UNDECYLENIC ACID</b> (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	25 mg in 30 mL

**Inactive Ingredients**

Ingredient Name				Strength
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-259-30	30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	06/01/2014	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part333C	06/01/2014	

**Labeler** - Target Corporation (006961700)

Revised: 7/2021

Target Corporation