

PLEO MUC- mucor racemosus suppository
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo™ Muc
SUPPOSITORIES 3X

Homeopathic Analgesic Medicine

10 SUPPOSITORIES

Indications

For temporary relief of pain of bruises, sprains, swelling of joints and muscles.

ACTIVE INGREDIENT PER DOSE

0.2 g Mucor racemosus 3X.

Inactive ingredients

hydrogenated palm kernel glycerides, lactose.

DOSAGE

Once daily, insert one suppository rectally at bedtime.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product.

Keep this and all medications out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if imprinted inner plastic shell is broken or if imprinted security strip on carton package is torn.

Made in Germany.

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:

Sanum-Kehlbeck
GmbH & Co. KG

Rev. 10/2007

PRINCIPAL DISPLAY PANEL - 10 Suppository Carton

Pleo™ Muc

SUPPOSITORIES 3X

Homeopathic Analgesic Medicine

Indications: For temporary
relief of pain of bruises, sprains,
swelling of joints and muscles.

ORIGINAL ENDERLEIN

10 SUPPOSITORIES



1805-1

Pleo™ Muc
SUPPOSITORIES 3X
Homeopathic Analgesic Medicine

Indications: For temporary relief of pain of bruises, sprains, swelling of joints and muscles.



10 SUPPOSITORIES

Rev. 10/2007

ACTIVE INGREDIENT PER DOSE: 0.2 g Mucor racemosus 3X.

Inactive ingredients: hydrogenated palm kernel glycerides, lactose.

DOSAGE: Once daily, insert one suppository rectally at bedtime.

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product. **Keep this and all medications out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Tamper Evident: Do not use this product if imprinted inner plastic shell is broken or if imprinted security strip on carton package is torn.

Lot #:

Made in Germany.

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:
Sanum-Kehlbeck
GmbH & Co. KG

1805-1

400ZA3XFS10U5710

PLEO MUC

mucor racemosus suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-1805
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
mucor racemosus (UNII: 17RH99LQ7G) (mucor racemosus - UNII:17RH99LQ7G)		mucor racemosus	3 [hp_X]	
Inactive Ingredients				
Ingredient Name		Strength		
lactose (UNII: J2B2A4N98G)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-1805-1	1 in 1 CARTON		
1		10 in 1 DOSE PACK		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Unapproved homeopathic		03/19/1996		

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 11/2009

Sanum Kehlbeck GmbH & Co. KG