

**EXTRA STRENGTH HEADACHE RELIEF- acetaminophen-aspirin-caffeine tablet, coated**  
**TARGET CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**370R NDC 11673-305- TARGET EXTRA STRENGTH HEADACHE RELIEF ASA/APAP/CAF**  
**250/250/65MG**

ACETAMINOPHEN 250 MG - ASPIRIN 250 MG (nsaid\*) CAFFEINE 65 MG - \* NONSTEROIDAL  
ANIT-INFLAMMATORY DRUG

---

STEARIC ACID  
MINERAL OIL  
SILICON DIOXIDE  
HYPROMELLOSES  
MICROCRYSTALLINE CELLULOSE  
STARCH, CORN  
POVIDONE  
CARNAUBA WAX  
TITANIUM DIOXIDE  
SODIUM STARCH GLYCOLATE

---

**PURPOSE**

PAIN RELIEVER - PAIN RELIEVER AID

TEMPORARILY RELIEVES MINOR ACHES AND PAINS DUE TO: headache - a cold - arthritis -  
muscular aches - toothache - premenstrual and menstrual cramps

DO NOT USE MORE THAN DIRECTED - DRINK A FULL GLASS OF WATER WITH EACH  
DOSE - ADULTS AND CHILDREN 12 YEARS AND OVER: TAKE 2 CAPLETS EVERY 6 HOURS,  
NOT MORE THAN 8 CAPLETS IN 24 HOURS.

CHILDREN UNDER 12 YEARS: ASK A DOCTOR

KEEP OUT OF REACH OF CHILDREN

In case of accidental overdose, get medical help or contact a Poison Control Center (1 800-222-1222)  
right away. Prompt medical attention is critical for adults as well as for children even if you do not  
notice any signs or symptoms

**WARNINGS**

**REYE'S SYNDROME:**

Children and teenagers who have or are recovering from chickenpox or flu-like symptoms should not  
use this product. When using this product, if changes in behavior with nausea and vomiting occur,  
consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious  
illness.

**ALLERGY ALERT**

Aspirin may cause a severe allergic reaction which may include:

hives

facial swelling

asthma (sneezing)

shock

**LIVER WARNING:**

This product contains acetaminophen. Severe liver damage may occur if you take more than 8 caplets in 24 hours, which is the maximum daily amount;

with other drugs containing acetaminophen;

3 or more alcoholic drinks every day while using this product

**STOMACH BLEEDING WARNING:**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

are age 60 or older;

have had stomach ulcers or bleeding problems

take a blood-thinning (anticoagulant) or steroid drug

take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)

take more or for a longer time than directed

**CAFFEINE WARNING:**

The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness and occasionally, rapid heartbeat.

NDC 11673-305-01

# Headache Relief

Acetaminophen 250 mg  
Aspirin 250 mg (NSAID)  
Caffeine 65 mg

Pain Reliever / Pain Reliever Aid

**100 CAPLETS\*\***  
(\*CAPSULE-SHAPED TABLETS)

**RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION**

**Use:** ■ temporarily relieves minor aches and pains due to headache, aches in the muscular aches, toothache, menstrual and menarche pains.

**Warnings:** ■ See caution for complete warnings.  
**Reye's syndrome:** Children and teenagers who have or are recovering from chickenpox or flu-like illness should not take this product. If changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include hives, difficulty breathing, and swelling of the face and throat. An allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away. **Aspirin:** ■ Do not take more than 8 caplets in 24 hours, which is the maximum daily amount. ■ Do not take with other drugs containing acetaminophen. ■ 3 or more alcoholic drinks every day while using this product.

**Sunburn, bleeding warning:** This product contains an NSAID, which may increase the risk of bleeding. ■ Do not use if you have had stomach ulcers or bleeding problems. ■ Take a blood thinner (anticoagulant) or steroid drug. ■ Take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, celecoxib, valdecoxib, etc.) ■ Do not use if you are on blood thinners while using this product. ■ Also avoid or limit a longer time than directed.

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine can cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy because it may harm the fetus. Do not use if you are breastfeeding because it may pass through the milk to the child or infant or through breast milk.

**Keep out of reach of children.** In cases of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if symptoms seem mild.

**Directions:** ■ Do not use more than directed. ■ Adults and children 12 years and over: take 2 caplets every 6 hours, not more than 8 caplets in 24 hours. ■ Children 6 to 11 years: ask a doctor.

**Other information:** ■ **TAMPER EVIDENT, DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING.** ■ See important information about this product on package. ■ Use by expiration date on package.

**Questions? Call 1-800-910-8874**  
1824 01 02/04  
Dist. by Target Corp., Minneapolis, MN 55403  
TM & ©2019 Target Brands, Inc.  
370P-0719

Varnish Omit Area

Lot No.:  
Exp. Date

**EXTRA STRENGTH HEADACHE RELIEF**

acetaminophen-aspirin-caffeine tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-305
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	250 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	250 mg

### Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
MINERAL OIL (UNII: T5L8T28FGP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL (CAPLET)	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL370
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-305-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	01/01/2020	

**Labeler** - TARGET CORPORATION (006961700)

**Registrant -** TIME CAP LABORATORIES, INC (037052099)

**Establishment**

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(11673-305)

Revised: 9/2019

TARGET CORPORATION