

EXTRA STRENGTH PAIN RELIEF- acetaminophen capsule, liquid filled
Chain Drug Marketing Association Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Extra Strength Pain Relief

Drug Facts

Active ingredient (in each softgel)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see Overdose warning)**

adults and children 12 years of age and over	<ul style="list-style-type: none">• take 2 softgels every 6 hours while symptoms last• do not take more than 6 softgels in 24 hours unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years of age	ask a doctor

Other information

- store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special and white edible ink

Questions or comments?

Call: **248-449-9300**

PRINCIPAL DISPLAY PANEL - 40ct

Extra Strength Pain Relief

Acetaminophen, 500mg 40 Liquid Gels

NDC 63868-863-40

*Compare to the active ingredient in **TYLENOL® Extra Strength**

NDC 63868-863-40

*Compare to the active ingredient in
TYLENOL® Extra Strength*

**Extra Strength
Pain Relief**
Pain Reliever/Fever Reducer
Acetaminophen, 500mg
Contains No Aspirin

40 Liquid Gels



DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	Active ingredient (in each softgel) Acetaminophen 500 mg.....Pain reliever/fever reducer
Uses	Temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever
Warnings	Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: <ul style="list-style-type: none"> ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Drug Facts (continued under label) CDMA02-00

Distributed by C.D.M.A., Inc.®
43157 W. Nine Mile
Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300

MADE IN CHINA

6 35515 99129 3

PEEL HERE Lot No. Exp. Date

Drug Facts (continued)

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **Do not take more than directed** (see Overdose warning)

adults and children 12 years of age and over	<ul style="list-style-type: none"> ■ take 2 softgels every 6 hours while symptoms last ■ do not take more than 6 softgels in 24 hours unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years of age	ask a doctor

Other information

- store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, polydioxane, propylene glycol, purified water, sorbitol special and white edible ink

Questions or comments? Call: 248-449-9300

*This product is not manufactured or distributed by McNeil Healthcare LLC, owner of the registered trademark TYLENOL® Extra Strength.

PRINCIPAL DISPLAY PANEL - 80ct

Extra Strength Pain Relief

Acetaminophen, 500mg 80 Liquid Gels

NDC 63868-863-80

*Compare to the active ingredient in TYLENOL® Extra Strength

NDC 63868-863-80

*Compare to the active ingredient in
TYLENOL® Extra Strength*

**Extra Strength
Pain Relief**
Pain Reliever/Fever Reducer
Acetaminophen, 500mg
Contains No Aspirin

80 Liquid Gels



DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	Active ingredient (in each softgel) Acetaminophen 500 mg.....Pain reliever/fever reducer
Uses	Temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever
Warnings	Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: <ul style="list-style-type: none"> ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Drug Facts (continued under label) CDMA03-00

Distributed by C.D.M.A., Inc.®
43157 W. Nine Mile
Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300

MADE IN CHINA

6 35515 99128 6

PEEL HERE Lot No. Exp. Date

Drug Facts (continued)

Ask a Doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days.
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)

adults and children 12 years of age and over	<ul style="list-style-type: none"> ■ take 2 softgels every 6 hours while symptoms last ■ do not take more than 6 softgels in 24 hours unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years of age	ask a doctor

Other information

- store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients
FD&C red #40, FD&C yellow # 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special and white edible ink

Questions or comments? Call 248-449-9300

*This product is not manufactured or distributed by McNeil Healthcare LLC, owner of the registered trademark **TYLENOL** Extra Strength.

EXTRA STRENGTH PAIN RELIEF

acetaminophen capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-863
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	

Inactive Ingredients	
Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	red (clear)	Score	no score
Shape	capsule (oblong)	Size	27mm
Flavor		Imprint Code	PC24

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-863-40	40 in 1 BOTTLE; Type 0: Not a Combination Product	07/22/2016	
2	NDC:63868-863-80	80 in 1 BOTTLE; Type 0: Not a Combination Product	07/22/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	07/22/2016	

Labeler - Chain Drug Marketing Association Inc. (011920774)**Establishment**

Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceutical (Wuhan) Co., Ltd.		421293287	manufacture(63868-863) , analysis(63868-863)

Revised: 12/2019

Chain Drug Marketing Association Inc.