

**TUSSIN CF NON DROWSY MULTI SYMPTOM- dextromethorphan hbr,  
guaifenesin, phenylephrine hcl liquid  
WinCo Foods, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

Phenylephrine HCl 10 mg

**Purposes**

Cough suppressant

Expectorant

Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
  - nasal congestion
  - cough due to minor throat and bronchial irritation

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- diabetes
- high blood pressure
- thyroid disease
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm ( mucus)

- trouble urinating due to enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking any other oral nasal decongestant or stimulant.

**When using this product,**

**do not use more than directed.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1800-222-122) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adults product is not intended for use in children under 12 years of age
- adult and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

anhydrous citric acid, FD&C red #40, flavor, glycerin, lactic acid, menthol, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

**Questions?**

Call **800-824-1706** Monday-Friday 9am-4pm MST

## **Principal Display Panel**

\*Compare to the active ingredients in Robitussin® Peak Cold Multi-Symptom Cold CF  
NON-DROWSY

### **Tussin CF**

Multi-Symptom

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

GUAIFENESIN / EXPECTORANT

PHENYLEPHRINE HCl / NASAL DECONGESTANT

Relieves: Cough, Stuffy Nose, Chest Congestion & Mucus

Adult Formula, For Ages 12 & Over

Alcohol Free

FL OZ (mL)

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare,  
distributors of Robitussin® Peak Cold Multi-Symptom Cold CF.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR  
UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704

[www.wincofoods.com](http://www.wincofoods.com)

## **Package Label**

**Drug Facts (continued)**

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- 1 mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, FD&C red #40, flavor, glycerin, lactic acid, menthol, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

**Questions?** Call 800-824-1706  
Monday - Friday 9am - 4pm MST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704

\* This product is not manufactured or distributed by PFIZER CONSUMER HEALTHCARE, distributor of ROBITUSSIN® Peak Cold Multi-Symptom Cold CF.

The Supermarket Low Price Leader®

**100% SATISFACTION GUARANTEE**

Comments & Questions?  
800-824-1706 - www.wincofoods.com



PLEASE RECYCLE

\*Compare to the active ingredients in ROBITUSSIN®  
Peak Cold Multi-Symptom Cold CF



DEXTROMETHORPHAN HBr/  
COUGH SUPPRESSANT  
GUAIFENESIN/EXPECTORANT  
PHENYLEPHRINE HCl/  
NASAL DECONGESTANT

Relieves: Cough, Stuffy Nose,  
Chest Congestion & Mucus

Adult Formula, For Ages 12 & Over

Alcohol Free



4 FL OZ (118 mL)

\*Compare to the active ingredients in ROBITUSSIN®  
Peak Cold Multi-Symptom Cold CF



DEXTROMETHORPHAN HBr/  
COUGH SUPPRESSANT  
GUAIFENESIN/EXPECTORANT  
PHENYLEPHRINE HCl/  
NASAL DECONGESTANT

Relieves: Cough, Stuffy Nose,  
Chest Congestion & Mucus

Adult Formula, For Ages 12 & Over

Alcohol Free



4 FL OZ (118 mL)

**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg.....Cough suppressant  
Guaifenesin 200 mg.....Expectorant  
Phenylephrine HCl 10 mg.....Nasal decongestant

**Purposes**

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold
- nasal congestion
- cough due to minor throat and bronchial irritation

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are taking any other oral nasal decongestant or stimulant.**

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.



FC004101 PLD-0322C

Lot No.:  
Exp. Date:

**WINCO FOODS Multi Symptom Tussin CF**

## TUSSIN CF NON DROWSY MULTI SYMPTOM

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-266
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	10 mg in 10 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
LACTIC ACID (UNII: 33X04XA5AT)				
MENTHOL (UNII: L7T10EIP3A)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-266-18	1 in 1 BOX	12/31/2014	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part341	12/31/2014	

**Labeler** - WinCo Foods, LLC (056098817)