

**ACETAMINOPHEN- acetaminophen tablet**  
**Preferred Pharmaceuticals Inc.**

-----  
**Major Pharmaceuticals Acetaminophen Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene

glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid

\*may contain one or more of these ingredients

### Questions or comments?

**1-800-616-2471**

### Principal Display Panel

EXTRA STRENGTH

Acetaminophen

PAIN RELIEVER/FEVER REDUCER

ASPIRIN FREE

FOR ADULTS

CAPLETS

Compare to the active ingredient in Extra Strength Tylenol®

Caplets 500 mg. Each

**Repackaged By: Preferred Pharmaceuticals Inc.**

<p><b>Extra Strength APAP Tab 500mg</b> Generic for Tylenol Each tablet contains: Acetaminophen 500mg Pkg Size: Exp Date: Lot#: Batch#: Ins: Mfg: Major Pharm.; Livonia, MI Prod#: <b>Warning</b> Liver Warning: this product contains acetaminophen. The maximum daily dose of this product is 8 tablets (4,000mg). Severe liver damage may occur if you take more than 4,000mg of acetaminophen in 24 hours, with other drugs containing acetaminophen; 3 or more alcoholic drinks every day while using this product. Ask a doctor before use if you have liver disease or are taking the blood thinning drug warfarin. Do not use with any other drugs containing acetaminophen. Store at 20°-25°C (68°-77°F). Keep out of the reach of children. Tablet is oval, white, and imprinted with L484.</p>	<p><b>PREFERRED</b> Pharmaceuticals, Inc. Ann Arbor, MI 48106</p> <p>CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed</p> <p>Directions English Take ___ tablet(s) every ___ hours.</p> <p>Instrucciones Espanol: Toma ___ tableta(s) cada ___ horas.</p>	<p>Extra Strength APAP Tab 500mg Qty: Ins: Lot#: Bat#: Prod# (NDC):</p> <p>Extra Strength APAP Tab 500mg Qty: Ins: Lot#: Bat#: Prod# (NDC):</p> <p>Extra Strength APAP Tab 500mg Qty: Ins: Insurance NDC: Lot#: Bat#:</p> <p>Extra Strength APAP Tab 500mg Qty: Ins: Lot#: Bat#: Prod# (NDC):</p>	<p>Log</p> <p>Chart</p> <p>Billing</p> <p>Patient</p>
---	---	---	---

<b>ACETAMINOPHEN</b>			
acetaminophen tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68788-8070(NDC:0904-6720)
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg	
<b>Inactive Ingredients</b>				
Ingredient Name			Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)				
STARCH, CORN (UNII: O8232NY3SJ)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
<b>Product Characteristics</b>				
Color	WHITE	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	L484	
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8070-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
2	NDC:68788-8070-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
3	NDC:68788-8070-5	50 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
4	NDC:68788-8070-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	343	08/23/2021		

**Labeler** - Preferred Pharmaceuticals Inc. (791119022)

**Registrant** - Preferred Pharmaceuticals Inc. (791119022)

### Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-8070)

