DIARALIA- arsenic trioxide, cinchona officinalis bark, podophyllum tablet BOIRON

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DIARALIA

Active ingredients** (in each tablet)

Arsenicum album 9C HPUS (0.83 mg)

Cinchona officinalis 5C HPUS (0.83 mg)

Podophyllum peltatum 9C HPUS (0.83 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

temporarily relieves symptoms of diarrhea such as:

- traveler's diarrhea
- intestinal pain
- bloating
- gas
- nausea
- vomiting

Purpose*

Arsenicum album 9C HPUS (0.83 mg) ... Relieves diarrhea with nausea, vomiting, and weakness. (contains less that 10^{-18} mg arsenic)

Cinchona officinalis 5C HPUS (0.83 mg) ... Relieves diarrhea with gas and bloating

Podophyllum peltatum 9C HPUS (0.83 mg) ... Relieves diarrhea with intestinal rumbling and pain

Ask a doctor before use if you have

fever

bloody or black stool

mucus in your stool.

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drink plenty of clear fluids to help prevent dehydration caused by diarrhea.

• Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2

tablets in the mouth every 4 to 6 hours, up to 2 days maximum. Discontinue use as soon as symptoms disappear.

Children under 6 years of age: Ask a doctor.

do not use if glued carton end flaps are open or if the blister seal is broken.

store below 86° F (30° C)

60 Meltaway Tablets

No Known Drug Interactions

Diarrhea Relief*

Intestinal Pain Nausea Traveler's Diarrhea*

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, croscarmellose sodium, magnesium stearate

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,

NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

NDC 0220-9095-04 Drug Facts Drug Facts (continued) Active ingredients" (in each tablet) Questions or DIARRHEA RELIEF* Arsenicum album 9C HPUS (0.83 mg)Relieves clarrhea with neusea, vomiting, and w (contains less than 10⁻¹⁰ mg arsenic) comments? BoironUSA_com nfo@Bairan.com Cinchona officinalis 5C HPUS (0.83 mg) Relieves diarrhea with gas and bligating Intestinal Pain · Nausea 1-800-BORON-1 Podophyljum peltatum 9C HPUS (0,83 mg). Relieves diarrhea with intestinal rumbling and pain (1-800-264-7661) The letters "HPUS" Indicate that the components in this product are officially managraphed in the Traveler's Diarrhea Homeopathic Pharmacopoela of the United States. Uses' temporarily relieves symptoms of clarrhea such as: ■traveller's clarrhea ■ intestinal pain ■ bloating ■ gas ■ nausea ■ vomiting The Boiron **Promise** Warnings Your health deserves the greatest respect. Ask a doctor before use if you have fever bloody or black stool mucus in your stool. Stop use and ask a doctor if symptoms persist for more than 2 days or worsen. That's why we're committed to your If pregnant or breast-feeding, ask a health professional before use, Keep out of reach of children. In case of overdose, get medical help or contact a Poison satisfaction. Please visit BoironUSA.com/promise for details. HOMEOPATHIC MEDICINE Drink plenty of clear fluids to help prevent dehydration caused by diarrhea, Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 4 to 6 hours, up to 2 days maximum. Discontinue use as No Known Drug Interactions Gentle on the Body oon as symptoms disappear. Children under 6 years of age: Ask a doctor. Other information ■ do not use if glued carton end flaps are open or if the blister seal is broken store below 86°F (30°C) Adults & Inactive ingredients croscarmellose sodium, lactose, magnesium stearate Children

World Leader in

Homeopathic Medicines



Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 4 to 6 hours, up to 2 days maximum. Discontinue use as soon as symptoms disappear, Children under 6 years of age: Ask a doctor,





Active ingredients" (in each tablet) Arsenicum album 90 HPUS (0.8 mg)....... Ref (contains less than 10 " mg arsenic) Purpose

Cinchone officinalis 5C HPUS (0.8 mg). .Relieves diarrhea with gas and bloating

(contains less than 10 " mg alkaloids) Podophyllum petratum 90 HPUS (0.8 mg)........ Relieves diarrhea with intestinal rumbing and pain (portains less than 10 " ing podophyllocoxin)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoela of the United States.

Uses'

orarily relieves surgitarits of diarries such as

■ traveler's clarifies ■ intestinal pain ■ bloating ■ gas ■ rauses ■ vorniting

Warnings

Ask a doctor before use if you have fever bloody or black stool muucus in your stool Stop use and ask a doctor if symptoms pensist for more than 2 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental everdose, get medical help or contact a Polson Control Center right away

Drink plenty of clear fluids to help prevent dehydration caused by diarrhea.

Adults and children 6 years of age and obter: At the onset of symptoms, allow 2 tablets to dissolve under the longue every 4 to 6 hours, up to 2 days maximum. Discontinue use as soon as symptoms disappear.

Children under 6 years of age: Ask a doctor

Other information

■ do not use if glued carrion end flaps are open or if the blister seal is broker ■ store below 86°F (30°C)

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED, "C, K, CK, and X are homeopathic dilutions: see BolivolUSA com/info for details:

Drug Facts (commund Inactive ingredients

close, magnesium stearate

Questions or comments? BoironUSA.com



Made in France Distributed by Boiron Inc. Newtown Square, PA 19073

please recycle



DIARRHEA RELIEF

Intestinal Pain · Nausea

Traveler's Diarrhea ™ Natural

Diaralia

HOMEOPATHIC MEDICINE

- Gentle on the Body
- No Known Drug Interactions



World Leader in Homeopathic Medicines BO RONº

A Better Way

At Bolron, we believe there's a better way to feel better. Since 1932, the Boiron family has been dedicated to providing the purest medicines using sustainable practices. As world leader in homeopathic medicines. quality has always been our passion and your well-being is our goal.

The Boiron **Promise**

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise

Drug Facts

...Relieves diarrhea with gas and bloating

(contains less than 10^{-st} mo alkaloids)

Podophythum geltatum 9C HPUS (0.8 mg)....... Relieves diarrhea with intestinal rumbling and pai (contains less than 10 · mg podophytlotoxin)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses
temporarily relieves symptoms of diarrhea such as:
utaveler's diarrhea unintestinal pain ubloating urgss unausea uvomiting

Ask a doctor before use if you have Imfever Implicody or black stool Immucus in your stool

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right sway.

Drink plenty of clear fluids to help prevent dehydration caused by diarrhes.

—Adults and children 6 years of age and dider. At the coast of symptoms, allow 2 tablets to dissolve under the tongue every 4 to 6 hours, up to 2 days maximum. Discontinue use as soon exemptore discover.

as symptoms disappeer.

Children under 6 years of age: Ask a doctor.

Other information

m do not use if glued carton end flaps are open or if the blister seal is broken m store below 86°F (30°C)

"CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. "C, K, CK, and X are homeopathic dilutions: see BoirorUSA.com/info for details.

Drug Facts (continued)

Inactive ingredients croscamellose sodium, actose, magnesium stearate

Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-B0IRON-1 (1-800-264-7661)



Made in France Distributed by Boiron Inc. lewtown Square, PA 19073

please recycle



NEW!

NDC 0220-9095-04

60

MELTAWAY TABLETS

DIARRHEA RELIEF*

Intestinal Pain · Nausea Traveler's Diarrhea Natura

- MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Gentle on the Body
- No Known Drug Interactions



60 MELTAWAY TABLETS Unflawored

World Leader in Homeopathic Medicines

BOIRON.

A Better Way

At Roiron we believe there's a better way to feel better. Since 1932, the Boiron family has been dedicated to providing the purest medicines usina sustainable practices. As world leader in homeopathic medicines, quality has always been our passion and your well-being is our goal.

The Boiron **Promise**

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



DIARALIA

arsenic trioxide, cinchona officinalis bark, podophyllum tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9095
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	9 [hp_C]	
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII: S003A158SB)	CINCHONA OFFICINALIS BARK	5 [hp_C]	
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	9 [hp_C]	

Inactive Ingredients		
Ingredient Name	Strength	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	Boiron
Contains			

	Packaging				
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
:	NDC:0220- 9095-04	60 in 1 CARTON	08/01/2019		
:	L	60 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
eting End Date	keting Start Date	Application Number or Monograph Citation	Marketing Category
	2019		unapproved homeopathic
	2019		unapproved homeopathic

Labeler - BOIRON (282560473)

Registrant - BOIRON, INC. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
BOIRON		282560473	manufacture(0220-9095)	

Revised: 5/2023 BOIRON