SODIUM SULFACETAMIDE 9.8% AND SULFUR 4.8% CLEANSER- sulfacetamide sodium, sulfur liquid Akron Pharma Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser Rx Only


DESCRIPTION

Each gram of Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser contains 98 mg of Sodium Sulfacetamide and 48 mg of Sulfur in a formulation containing aloe vera gel, butylated hydroxytoluene, cetyl alcohol, disodium edetate, glyceryl monostearate, magnesium aluminum silicate, methylparaben, PEG-40 stearate, PEG -6 caprylic/capric glyceride, PEG-60 almond glyceride, propylparaben, propylene glycol, purified water, sodium thiosulfate, sodium lauryl sulfate, stearyl alcohol, and xanthan gum

Sodium sulfacetamide is a sulfonamide with antibacterial activity while sulfur acts as a keratolytic agent.

Chemically sodium sulfacetamide is N-[(4-aminophenyl) sulfonyl]-acetamide, monosodium salt, monohydrate.

The structural formula is:



CLINICAL PHARMACOLOGY

The most widely accepted mechanism of action of sulfonamides is the Woods-Fildes theory, which is based on the fact that sulfonamides act as competitive antagonists to para-aminobenzoic acid (PABA), an essential component for bacterial growth. While absorption through intact skin has not been determined, sodium sulfacetamide is readily absorbed from the gastrointestinal tract when taken orally and excreted in the urine, largely unchanged. The biological half-life has variously been reported as 7 to 12.8 hours.

The exact mode of action of sulfur in the treatment of acne is unknown, but it has been

reported that it inhibits the growth of Propionibacterium acnes and the formation of free fatty acids.

INDICATIONS

SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER is indicated for use in the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

CONTRAINDICATIONS:

SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER is contraindicated for use by patients having known hypersensitivity to sulfonamides, sulfur or any other component of this preparation. SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER is not to be used by patients with kidney disease.

WARNINGS

Although rare, sensitivity to sodium sulfacetamide may occur. Therefore, caution and careful supervision should be observed when prescribing this drug for patients who may be prone to hypersensitivity to topical sulfonamides. Systemic toxic reactions such as agranulocytosis, acute hemolytic anemia, purpura hemorrhagica, drug fever, jaundice and contact dermatitis indicate hypersensitivity to sulfonamides. Particular caution should be employed if areas of denuded or abraded skin are involved. Sulfonamides are known to cause Stevens-Johnson syndrome in hypersensitive individuals. Stevens-Johnson syndrome also has been reported following the use of sodium sulfacetamide topically. Cases of drug induced systemic lupus erythematosus from topical sulfacetamide also have been reported. In one of these cases, there was a fatal outcome. KEEP OUT OF REACH OF CHILDREN.

PRECAUTIONS

FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.

General: If irritation develops, use of the product should be discontinued and appropriate therapy instituted. Patients should be carefully observed for possible local irritation or sensitization during long-term therapy. The object of this therapy is to achieve desquamation without irritation, but sodium sulfacetamide and sulfur can cause reddening and scaling of the epidermis. These side effects are not unusual in the treatment of acne vulgaris, but patients should be cautioned about the possibility. Carcinogenesis, Mutagenesis and Impairment of Fertility: Long-term studies in animals have not been performed to evaluate carcinogenic potential.

Pregnancy: Category C. Animal reproduction studies have not been conducted with SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER. It is also not known whether SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER can cause fetal harm when administered to a pregnant woman or can affect reproduction capacity. SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER should be given to a pregnant woman only if clearly needed.

Nursing Mothers: It is not known whether sodium sulfacetamide is excreted in human milk following topical use of SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER.

However, small amounts of orally administered sulfonamides have been reported to be excreted in human milk. In view of this and because many drugs are excreted in human milk, caution should be exercised when SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER is administered to a nursing woman.

Pediatric Use: Safety and effectiveness in children under the age of 12 has not been established.

ADVERSE REACTIONS

Although rare, sodium sulfacetamide may cause local irritation. Call your doctor for medical advice about side effects.

DOSAGE AND ADMINISTRATION

Wash affected areas with SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER 1 to 2 times daily or as directed by a physician. Avoid contact with eyes or mucous membranes. Wet skin and liberally apply to areas to be cleansed, massage gently into skin for 10 to 20 seconds working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing cleanser off sooner or using cleanser less often.

HOW SUPPLIED

SODIUM SULFACETAMIDE 9.8% - SULFUR 4.8% CLEANSER is supplied in an 10oz. (285 g) bottle, NDC 71399-0486-1

STORAGE

Store at 25°C (77°F); excursions permitted to 15° to 30°C (59° to 86°F). [See USP "Controlled Room Temperature."]

Note: Protect from freezing and excessive heat. The product may tend to darken slightly on storage. Slight discoloration does not impair the efficacy or safety of the product. Keep container or packet tightly closed.

Occasionally, a slight yellowish discoloration may occur when an excessive amount of the product is used and comes in contact with white fabrics. This discoloration, however, presents no problem, as it is readily removed by ordinary laundering without bleaches.

All prescription substitutions and/or recommendations using this product shall be made subject to state and federal statutes as applicable. Please NOTE: This is not an Orange Book product and has not been subjected to FDA therapeutic or other equivalency testing. No representation is made as to generic status or bioequivalency. Each person recommending a prescription substitution using this product shall make such recommendation based on his/her professional knowledge and opinion, upon evaluating the active ingredients, inactive ingredients, excipients and chemical information provided herein.

QUESTIONS?


Please Call 1(877) 225-6999

Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

Manufactured in U.S.A



Indications: For the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

Directions: Wash affected areas with Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser 1-2 times a day or as directed by a physician. Avoid contact with eyes or mucous membranes. Wet skin and liberally apply to areas to be cleansed. Massage gently into skin for 10-20 seconds, working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing off Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser sooner or using less often. For external use only. See package insert for full prescribing information.

Warnings: Avoid contact with eyes, lips or other mucous membranes. Keep bottle tightly closed. KEEP OUT OF REACH OF CHILDREN.

Contraindications: Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser is contraindicated for use by patients having known hypersensitivity to sulfonamides, sulfur or any other component of this preparation. Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser is not to be used by patients with kidney disease.

Active ingredients: Sodium Sulfacetamide USP 9.8% and Sulfur USP 4.8% Inactive ingredients: aloe vera gel, butylated hydroxytoluene, cetyl alcohol, edetate disodium, glyceryl monostearate, magnesium aluminum silicate, methylparaben, PEG-40 stearate, PEG-60 almond glyceride, PEG-6 caprylic/capric glyceride, propylene glycol, propylparaben, purified water, sodium lauryl sulfate, sodium thiosulfate, stearyl alcohol, xanthan gum.

Storage: Store at 20°to 25°C (68° to 77°F), excursions permitted between 15° and 30°C (between 59° and 86°F). [See USP, "Controlled Room Temperature."]

Protect from freezing and excessive heat.

How supplied: Sodium Sulfacetamide 9.8% - Sulfur 4.8% Cleanser is supplied in a 10 oz(285 g) bottle (NDC 71399-0486-1). For lot number and expiration date, see the bottom of this bottle.

All prescription substitutions and/or recommendations using this product shall be made subject to state and federal statutes as applicable. NOTE: This is not an Orange Book product. No representation is made as to generic status or bioequivalency. Please see package insert for more information.

Rev:9/20



Manufactured for:

Akr n Pharma
Fairfield, NJ-07004
www.akronpharma.com
Manufactured In USA

SODIUM SULFACETAMIDE 9.8% AND SULFUR 4.8% CLEANSER

sulfacetamide sodium, sulfur liquid

Product Information

Product Type		HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:71399-0486
	Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SULFACETAMIDE SODIUM (UNII: 4NRT660KJQ) (SULFACETAMIDE - UNII: 4965G3J0F5)	SULFACETAMIDE SODIUM	9.8 mg in 1 g
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	4.8 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PEG-40 STEARATE (UNII: ECU18C66Q7)		
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)		
PEG-6 CAPRYLIC/CAPRIC GLYCERIDES (UNII: GO50W2HWO8)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
SODIUM THIOSULFATE (UNII: HX1032V43M)		
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)		
XANTHAN GUM (UNII: TTV12P4NEE)		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:71399- 0486-1 285 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		11/09/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		11/09/2020		

Labeler - Akron Pharma Inc. (067878881)

Establishment				
Name	Address	ID/FEI	Business Operations	
SLV PHARMACEUTICALS LLC DBA AUM PHARMACEUTICALS		081225162	manufacture(71399-0486)	

Revised: 3/2023 Akron Pharma Inc.