

ULINE ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet, film coated
Uline

Uline Acetaminophen Extra Strength

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

Temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- minor arthritis pain
- backache
- the common cold
- toothache
- premenstrual and menstrual cramps

Temporarily reduces fever.

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug

contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if you have

- liver disease

Stop use and ask a doctor if

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed (see overdose warning)**

Adults and children: (12 years and over)

Take 2 tablets every 6 while symptoms last. Do not take more than 6 tablets in 24 hours, unless directed by a doctor. Do not use for more than 10 days unless directed by a doctor.

Children under 12 years:

Ask a doctor.

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch*, hypromellose*, polyethylene glycol*, povidone (K-30)*, pregelatinized starch*, purified water*, sodium starch glycolate, stearic acid, titanium dioxide*

* May contain

Questions or comments?

1-800-295-5510

Uline Acetaminophen Extra Strength Label

ULINE

Tamper evident sealed packets:

Do not use if packet is open or torn.

This package is for households without young children

Acetaminophen

Pull to Open

Extra Strength

500 mg

- Pain Reliever
- Fever Reducer

50 Packets

2 tablets Each

The image shows a detailed view of the Uline Acetaminophen Extra Strength label. The label is primarily red and white. At the top, it reads "ACETAMINOPHEN EXTRA STRENGTH 500 mg" and "ULINE". Below this, it says "ULINE" in a large white box. The label also features "Pain Reliever" and "Fever Reducer" in two columns. A central diamond shape contains "ULINE" and "ACETAMINOPHEN EXTRA STRENGTH 500 mg". Below this, it says "50 PACKETS (2 TABLETS EACH)".

Drug Facts

Active ingredient (in each tablet)
Acetaminophen 500 mg

Purpose
Pain reliever/fever reducer

Uses
Temporarily relieves minor aches and pains due to:
 ■ headache ■ muscular aches ■ minor arthritis pain ■ backache ■ the common cold ■ toothache
 ■ premenstrual and menstrual cramps
 Temporarily reduces fever.

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ more than 4,000 mg in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help, right away.

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have ■ liver disease

Ask a doctor or pharmacist before use if ■ you are taking the blood thinning drug warfarin

Stop use and ask a doctor if
 ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur
 ■ redness or swelling is present
 These could be signs of a serious condition.

Drug Facts (continued)
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.
 Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children (even if you do not notice any signs or symptoms).

Directions
 ■ do not use more than directed (see overdose warning)
 Adults and children: Take 2 tablets every 6 hours while symptoms last. Do not take more than 6 tablets in 24 hours, unless directed by a doctor. Do not use for more than 10 days unless directed by a doctor.
 Children under 12 years: Ask a doctor.

Other information
 ■ store at room temperature 59°-86°F (15°-30°C)
 ■ tamper-evident sealed packets
 ■ do not use any opened or torn packets

Inactive ingredients
 corn starch*, hypromellose*, polyethylene glycol*, povidone (K-30)*, pregelatinized starch*, purified water*, sodium starch glycolate, stearic acid, titanium dioxide* *may contain

Questions or comments? 1-800-295-5510

Retain carton for complete product information

Reorder No. S-18593
 Distributed by ULINE
 13375 Uline Drive
 Racine, WI 53158
 Rev 11-6-23 - Mfg. 1.24.24

Uline Acetaminophen Extra Strength Label

ULINE

Tamper evident sealed packets:

Do not use if packet is open or torn.

This package is for households without young children

Acetaminophen

Pull to Open

Extra Strength

500 mg

- Pain Reliever
- Fever Reducer

50 Packets

2 tablets Each

ACETAMINOPHEN
EXTRA STRENGTH
500 mg

ULINE

Tamper evident sealed packets. Do not use if packet is open or torn.

This package is for households without young children

ACETAMINOPHEN
EXTRA STRENGTH
500 mg

Pull to Open

• Pain Reliever • Fever Reducer

50 PACKETS
2 TABLETS EACH

50 PACKETS
2 TABLETS EACH

Reorder No. 5-18593
Distributed by: ULINE
12875 Uline Drive
Pleasant Prairie, WI 53158
Rev 11-6-23 - Mfg. 1.24.44

Drug Facts

Active ingredient (in each tablet)
Acetaminophen 500 mg

Purpose
Pain reliever/fever reducer

Uses
Temporarily relieves minor aches and pains due to:
■ headache ■ muscular aches ■ minor arthritis pain ■ backache ■ the common cold ■ toothache
■ premenstrual and menstrual cramps
Temporarily reduces fever.

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
■ more than 4,000 mg in 24 hours, which is the maximum daily amount
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have ■ liver disease

Stop use and ask a doctor if ■ you are taking the blood thinning drug warfarin
■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur
■ redness or swelling is present
These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
■ do not use more than directed (see overdose warning)

Adults and children (12 years and over)
Take 2 tablets every 6 hours while symptoms last. Do not take more than 8 tablets in 24 hours unless directed by a doctor. Do not use for more than 10 days unless directed by a doctor.

Children under 12 years:
Ask a doctor.

Other information
■ store at room temperature 59°-86°F (15°-30°C)
■ tamper-evident sealed packets
■ do not use any opened or torn packets

Inactive ingredients
corn starch, hypromellose, polyethylene glycol, povidone (K-301), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide. *Tray contains

Questions or comments? 1-800-295-5510

Retain carton for complete product information

Uline Acetaminophen Extra Strength Label

ULINE

Tamper evident sealed packets:

Do not use if packet is open or torn.

This package is for households without young children

Acetaminophen

Pull to Open

Extra Strength

500 mg

- Pain Reliever
- Fever Reducer

50 Packets

2 tablets Each



ULINE

Tamper evident sealed packets:

Do not use if packet is open or torn.

This package is for households without young children

Acetaminophen

Pull to Open


Extra Strength

500 mg

- Pain Reliever
- Fever Reducer

50 Packets

2 tablets Each



ULINE ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69790-173
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor		Imprint Code	44;148
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69790-173-33	50 in 1 BOX	01/30/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/30/2024	

ULINE ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69790-804
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69790-804-33	50 in 1 BOX	10/07/2019	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/07/2019	

ULINE ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69790-126
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR;33
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69790-126-33	50 in 1 BOX	10/07/2019	11/01/2023
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/07/2019	11/01/2023

ULINE ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69790-154
---------------------	----------------	---------------------------	---------------

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE K30 (UNII: U725QWY32X)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white ((White to Off-White))	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	G552
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69790-154-33	50 in 1 BOX	01/30/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/30/2024	

Labeler - Uline (039612668)

Registrant - Unifirst First Aid Corporation (832947092)