

ECO-GARD- iodine solution

Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Danger

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

DIRECTIONS:

ECO-GARD CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter: A dilute solution of a 0.5% iodine teat dip will consist of 87.5% potable water and 12.5% Eco-Gard Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 75% potable water and 25% Eco-Gard Concentrate by volume.

IMPORTANT: Do not mix Eco-Gard Concentrate or diluted Eco-Gard Concentrate with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Eco- Gard Concentrate.

If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Eco-Gard Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Eco-Gard Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Eco-Gard Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing diluted Eco-Gard Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Eco-Gard Concentrate. Do not turn cows out in freezing weather until teat dip is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Eco-Gard Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, spray entire teat with diluted Eco-Gard Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Eco-Gard Concentrate. Do not turn cows out in freezing weather until diluted Eco-Gard Concentrate is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Eco-Gard Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Eco-Gard Concentrate within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL

Eco-Gard™ Concentrate

Iodine Teat Dip Concentrate

An Aid in Reducing the Spread of Organisms which may cause mastitis

Contains an emollient system (glycerin and propylene glycol) 9%

ACTIVE INGREDIENT:

Titratable Iodine3.6%

INERT INGREDIENTS96.4%

TOTAL:.....100.0%

Danger

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

1041 L (275 US GAL)

6301176

759218/5300/0614

Ecolab · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2014 Ecolab USA Inc. · All rights reserved

www.ecolab.com · 759219/5300/0614



Eco-Gard™ Concentrate

Iodine Teat Dip Concentrate

Concentrado para el tratamiento de pezones con iodo

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Contains an emollient system (glycerin and propylene glycol) 9% | Contiene un sistema emoliente (glicerina y glicol propileno) 9%

ACTIVE INGREDIENT:

Titrateable Iodine 3.6%

INERT INGREDIENTS: 96.4%

TOTAL: 100.0%

Danger | Peligro

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE

NOT FOR HUMAN USE | NO ES PARA USO HUMANO

Read other label for directions for use, first aid and precautionary statements

Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas



Teat Dip
Baño de tetina



Teat Spray
Rocedor de tetina

1041 L (275 US GAL)

6301176

759218/5300/0614



Eco-Gard™ Concentrate

Iodine Teat Dip Concentrate

FOR INDUSTRIAL USE ONLY

DIRECTIONS:

ECO-GARD CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter: A dilute solution of a 0.5% iodine teat dip will consist of 87.5% potable water and 12.5% Eco-Gard Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 75% potable water and 25% Eco-Gard Concentrate by volume.

IMPORTANT: Do not mix Eco-Gard Concentrate or diluted Eco-Gard Concentrate with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Eco-Gard Concentrate.

If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Eco-Gard Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Eco-Gard Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Eco-Gard Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing diluted Eco-Gard Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Eco-Gard Concentrate. Do not turn cows out in freezing weather until teat dip is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Eco-Gard Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, spray entire teat with diluted Eco-Gard Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Eco-Gard Concentrate. Do not turn cows out in freezing weather until diluted Eco-Gard Concentrate is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Eco-Gard Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Eco-Gard Concentrate within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

Danger

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Ecolab - 370 Wabasha Street N - St Paul MN 55102-1390 USA - tel: 1 800 392 3392
© 2014 Ecolab USA Inc. - All rights reserved | Todos los derechos reservados
Made in United States | Hecho en Estados Unidos
www.ecolab.com - 159219/5300/0614

Concentrado para el tratamiento de pezones con Iodo

PARA USO INDUSTRIAL SOLAMENTE

INSTRUCCIONES:

ECO-GARD CONCENTRATE DILUIR ANTES DE USAR

NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA

USAR ÚNICAMENTE EN UN SISTEMA DE DOSIFICACIÓN RECOMENDADO POR ECOLAB

Parámetro de dilución: Una solución diluida de baño antiséptico para pezones con Iodo al 0.5% contendrá 87.5% de agua potable y 12.5% de Eco-Gard Concentrate por volumen. Una solución diluida de baño antiséptico para pezones con Iodo al 1% contendrá 75% de agua potable y 25% de Eco-Gard Concentrate por volumen.

IMPORTANTE: No mezcle Eco-Gard Concentrate o Eco-Gard Concentrate diluido con otros productos a menos que se indique en las instrucciones de uso del producto. Si el producto fuese transferido desde este envase a cualquier otro, asegúrese de que ese otro envase haya sido íntegramente prelavado y que contenga el etiquetamiento del envase de Eco-Gard Concentrate.

Si el producto en el recipiente para realizar el baño está visiblemente sucio, deseché el contenido y rellene el recipiente con producto diluido y listo para usar. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original.

Antes de ordeñar: Lave los pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o rocíe el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento adecuado para el lavado o el prebaño antiséptico de las ubres.

Aplicación de dilución Eco-Gard Concentrate

Instrucciones para realizar el sellado del pezón

Sellado del pezón previo al ordeño: Llene el recipiente para el baño de pezones con Eco-Gard Concentrate diluido. Antes de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene Eco-Gard Concentrate diluido. Seque los pezones después de realizar el sellado, utilizando toallas desechables para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Inmediatamente después de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene

Eco-Gard Concentrate diluido. Deje secar al aire. No utilice paños. Siempre utilice Eco-Gard Concentrate fresco y diluido. Hasta que Eco-Gard Concentrate no se haya secado completamente, no saque las vacas al exterior en climas fríos.

Instrucciones para el Rociado de los Pezones

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie del pezón con Eco-Gard Concentrate diluido. Seque los pezones después de rociarlos utilizando toallas de un solo servicio para evitar la contaminación con la leche.

Rociado posterior al ordeño: Inmediatamente después de ordeñar cada vaca, rocíe toda la superficie del pezón con Eco-Gard Concentrate diluido. Deje secar al aire. No utilice paños. Siempre utilice Eco-Gard Concentrate fresco y diluido. No deje las vacas en un clima helado antes de que Eco-Gard Concentrate diluido se haya secado por completo.

Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

PRECAUCIÓN: Eco-Gard Concentrate no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario.

AVISO: Utilice Eco-Gard Concentrate mezclado dentro de los seis (6) meses a partir de la fecha de mezclado.

Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

Peligro

Provoca graves quemaduras en la piel y lesiones oculares.

Lave la piel minuciosamente después del manejo. Usar guantes/ ropa de protección/ equipo de protección para los ojos/ la cara.

EN CASO DE INGESTIÓN: Enjuagar la boca. No provocar el vómito. EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitar inmediatamente la ropa contaminada. Enjuagar la piel con agua/ ducharse. EN CASO DE INHALACIÓN: Transportar la víctima al aire libre y mantenerla en reposo en una posición que le facilite la respiración. EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA o a un médico. Lavar la ropa contaminada antes de volverla a usar.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

ECO-GARD

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-402
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 96 79 TC0 7X4) (IODINE - UNII:96 79 TC0 7X4)	IODINE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6 A3C0 OX)	
PROPYLENE GLYCOL (UNII: 6 DC9 Q16 7V3)	
WATER (UNII: 0 59 QF0 KO0 R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-402-88	1041000 mL in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/13/2002	

Labeler - Ecolab Inc. (006154611)

Revised: 6/2019

Ecolab Inc.