

## **ANTISEPTIC- alcohol, lidocaine hydrochloride liquid**

### **Total Resources International**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredients**

Ethyl alcohol 50.0% v/v

Lidocaine HCl 2.0% w/w

#### **Purpose**

First Aid Antiseptic

Topical Analgesic

#### **Uses**

First aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites

#### **Warnings**

**For external use only.**

**Flammable, keep away from fire or flame.**

#### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas.

**Stop use and ask a doctor** if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

If swallowed get medical help or contact Poison Control Center right away.

#### **Directions**

Adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.

Children under 2 years of age: Consult a doctor.

#### **Inactive ingredients**

benzalkonium chloride, menthol, purified water

#### **Principal Display Panel – Pouch Label**

**BE SMART**

## GET PREPARED

STING  
RELIEF WIPE

1 PC

Pre-moistened Wipe

SINGLE USE

Made in USA • Mfd. for: TOTAL RESOURCES INTL. • Walnut, California 91789

00-BEE-90103 Rev.01 • NDC #55550-100-02

**BE SMART  
GET PREPARED**

**STING RELIEF WIPE**

1 PC Pre-moistened Wipe SINGLE USE

Made in USA • Mfd. for: TOTAL RESOURCES INTL. • Walnut, California 91789  
00-BEE-90103 Rev.01 • NDC #55550-100-02

**Drug Facts**

Active ingredients	Purpose
Ethyl alcohol 50.0% v/v.....	First Aid Antiseptic
Lidocaine HCl 2.0% w/w.....	Topical Analgesic

LOT # EMBOSSED HERE

**Drug Facts (continued)**

**Uses** First aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites

**Warnings**  
For external use only.  
**Flammable, keep away from fire or flame.**  
**Do not use** ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**  
If swallowed get medical help or contact Poison Control Center right away.

**Directions** Adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive ingredients** benzalkonium chloride, menthol, purified water

## ANTISEPTIC

alcohol, lidocaine hydrochloride liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55550-100
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
alcohol (UNII: 3K9958V90M) (alcohol - UNII:3K9958V90M)	alcohol	500 mg in 1 g
lidocaine hydrochloride (UNII: V13007Z41A) (lidocaine - UNII:98PI200987)	lidocaine hydrochloride anhydrous	20 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>benzalkonium chloride</b> (UNII: F5UM2KM3W7)	
<b>menthol</b> (UNII: L7T10EIP3A)	
<b>water</b> (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55550-100-02	0.8 g in 1 POUCH; Type 0: Not a Combination Product	01/14/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	01/14/2020	

**Labeler** - Total Resources International (790160535)

Revised: 1/2020

Total Resources International