

ARTEC- heptanoic acid solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Warning

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use and precautionary statements

DIRECTIONS:

IMPORTANT: Do not mix Artec with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Artec.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each cow is milked, dip

each teat full-length into the teat dip cup. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Artec. Do not turn cows out in freezing weather until Artec is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving. **PRECAUTION:** Artec is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

Warning

May cause serious eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection.

IF IN EYES: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists. IF ON SKIN: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse. IF SWALLOWED: Get medical attention if symptoms occur. IF INHALED: No special measures required. Treat symptomatically.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Principal Display panel and representative container

Artec

Ultra Conditioning Teat Dip

An aid in reducing the spread of organisms which may cause mastitis

Contains and emollient system

ACTIVE INGREDIENT

Heptanoic acid:1.5%

INERT INGREDIENT:20.5%

Skin Conditioning System (contains glycerin, lanolin and propylene glycol)...78.0%

TOTAL: 100.0%

Warning

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use and precautionary statements

1150 L (304 US GAL)

6302510

[®]
ECOLAB



Artec™

Ultra Conditioning Teat Dip
Sellador de pezones con ultra acondicionamiento

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Contains an emollient system | Contiene un sistema emoliente


ACTIVE INGREDIENT | INGREDIENTE ACTIVE:
Heptanoic acid | Ácido heptanoico1.5%
INERT INGREDIENT | INGREDIENTES INERTES:.....20.5%
Skin Conditioning System (contains glycerin, lanolin and propylene glycol) | Sistema acondicionador de la piel (contiene glicerina, lanolina y glicol propileno glicol)78.0%
TOTAL:.....100.0%

Warning | Atención

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE
NOT FOR HUMAN USE | NO ES PARA USO HUMANO
Read other label for directions for use and precautionary statements
Lea la otra etiqueta para direcciones de uso y medidas preventivas

1150 L (304 US GAL)

6302510



781051/5300/0523



Artec™

Ultra Conditioning Teat Dip
Sellador de pezones con ultra acondicionamiento

FOR INDUSTRIAL USE ONLY DIRECTIONS:

IMPORTANT: Do not mix Artec with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Artec.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Artec. Do not turn cows out in freezing weather until Artec is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Artec is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

Warning

May cause serious eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection.

IF IN EYES: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists. **IF ON SKIN:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse. **IF SWALLOWED:** Get medical attention if symptoms occur. **IF INHALED:** No special measures required. Treat symptomatically.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Ecolab | Ecolab Place - St. Paul MN 55102 USA - tel: 1 800 392 3982
© 2023 Ecolab USA Inc. All rights reserved | Todos los derechos reservados
Made in U.S.A. | Hecho en EE.UU.
www.ecolab.com - 7018109/5201/0523

PARA USO INDUSTRIAL SOLAMENTE INSTRUCCIONES:

IMPORTANTE: No mezcle Artec con agua, con ningún baño antiséptico para pezones, ni con ningún otro producto a menos que los mismos hayan sido especificados en las instrucciones de uso del producto. Si el producto fuese transferido desde este envase a cualquier otro, asegúrese de que ese otro envase haya sido íntegramente prelavado y que contenga el etiquetamiento del envase de Artec.

Si el producto del porta baño antiséptico se tornara visiblemente sucio, deseche su contenido y vuelva a reponerlo con el producto no diluido. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original.

Antes de ordeñar: Lave los pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o rocíe el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento adecuado para el lavado o el prebañado antiséptico de las ubres. **Sellado del pezón previo al ordeño:** Llena la taza del sellador de pezones con sellador de pezones previo al ordeño. No lo diluya. Antes de ordeñar a cada vaca, embeba cada teta por completo en la taza del sellador de pezones. Seque los pezones después de realizar el sellado, utilizando toallas desechables para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Inmediatamente después de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene el producto. Deje secar al aire. No utilice paños. Siempre utilice Artec fresco y sin diluir. Hasta que Artec no se haya secado completamente, no saque las vacas al exterior en climas cálidos.

Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

PRECAUCIÓN: Artec no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario.

Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

Atención

Puede causar irritación ocular grave.

Lavarse la piel cuidadosamente después de la manipulación. Usar equipo de protección para los ojos/ la cara.

EN CASO DE CONTACTO CON LOS OJOS: En caso de contacto, lávese de inmediato los ojos con abundante agua.

Quítense las lentes de contacto y lávese nuevamente. Obtenga atención médica si persiste la irritación.

EN CASO DE CONTACTO CON LA PIEL: En caso de contacto, lavar la piel inmediatamente con agua abundante.

Quítense la ropa y calzado contaminados. Obtenga atención médica si persiste la irritación. Lavar la ropa antes de volver a usarla. Limpiar el calzado completamente antes de volver a usarlo. **EN CASO DE INGESTIÓN:** Obtenga atención médica si se presentan síntomas. **EN CASO DE INHALACIÓN:** No se requieren medidas especiales. Tratar sintomáticamente.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

ARTEC

heptanoic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-346
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HEPTANOIC ACID (UNII: THE3YNP39D) (HEPTANOIC ACID - UNII:THE3YNP39D)	HEPTANOIC ACID	15000 mg in 1 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	

PEG-75 LANOLIN (UNII: 09179OX7TB)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-346-16	18.93 L in 1 PAIL		
2	NDC:47593-346-17	56.78 L in 1 DRUM		
3	NDC:47593-346-21	208.2 L in 1 DRUM		
4	NDC:47593-346-35	2000 L in 1 CONTAINER		
5	NDC:47593-346-44	1150 L in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/21/2000	

Labeler - Ecolab Inc. (006154611)

Revised: 6/2023

Ecolab Inc.